

CEF Full Publication List 2006 - 2011

(last update September 2011)

Ab E, Atkinson AR, Banci L, Bertini I, Ciofi-Baffoni S, Brunner K, Diercks T, Dötsch V, Engelke F, Folkers GE, Griesinger C, Gronwald W, Gunther U, Habeck M, de Jong RN, Kalbitzer HR, Kieffer B, Leeftang BR, Loss S, Luchinat C, Marquardsen T, Moskau D, Neidig KP, Nilges M, Piccioli M, Pierattelli R, Rieping W, Schippmann T, Schwalbe H, Trave G, Trenner J, Wöhnert J, Zweckstetter M, Kaptein R (2006) NMR in the SPINE structural proteomics project. *Acta Crystallogr D* 62:1150-1161

Abdel-Rahman U, Risteski P, Tizi K, Kerscher S, Bejati S, Zwicker K, Scholz M, Brandt U, Moritz A (2009) Hypoxic reoxygenation during initial reperfusion attenuates cardiac dysfunction and limits ischemia-reperfusion injury after cardioplegic arrest in a porcine model. *J Thorac Cardiovasc Surg* 137:978-982

Abdrakhmanova A, Zwicker K, Kerscher S, Zickermann V, Brandt U (2006) Tight binding of NADPH to the 39-kDa subunit of complex I is not required for catalytic activity but stabilizes the multiprotein complex. *BBA-Bioenergetics* 1757:1676-1682

Abele R, Tampé R (2006) Modulation of the antigen transport machinery TAP by friends and enemies. *FEBS Lett* 580:1156-1163

Abele R, Tampé R (2009) Peptide trafficking and translocation across membranes in cellular signaling and self-defense strategies. *Curr Opin Cell Biol* 21:508-515

Ackermann D, Rasched G, Verma S, Schmidt TL, Heckel A, Famulok M (2010) Assembly of dsDNA nanocircles into dimeric and oligomeric aggregates. *Chem Commun* 46:4154-6

Ackermann D, Schmidt TL, Hannam JS, Purohit CS, Heckel A, Famulok M (2010) A double-stranded DNA rotaxane. *Nat Nanotechnol* 5:436-442

Aisenbrey C, Sizun C, Koch J, Herget M, Abele R, Bechinger B, Tampé R (2006) Structure and dynamics of membrane-associated ICP47, a viral inhibitor of the MHC I antigen-processing machinery. *J Biol Chem* 281:30365-30372

Aivaliotis M, Haase W, Karas M, Tsiotis G (2006) Proteomic analysis of chlorosome-depleted membrane of the green sulfur bacterium *Chlorobium tepidum*. *Proteomics* 6:217-232

Aivaliotis M, Karas M, Tsiotis G (2006) High throughput two-dimensional blue-native electrophoresis: a tool for functional proteomics of cytoplasmatic protein complexes from *Chlorobium tepidum*. *Photosynth Res* 88:143-157

Aivaliotis M, Karas M, Tsiotis G (2007) An alternative strategy for the membrane proteome analysis of the green sulfur bacterium *Chlorobium tepidum* using blue native PAGE and 2-D PAGE on purified membranes. *J Proteome Res* 6:1048-1058

Akesson P, Herwald H, Rasmussen M, Hakansson K, Abrahamson M, Hasan AAK, Schmaier AH, Müller-Esterl W, Bjorck L (2010) Streptococcal inhibitor of complement-mediated lysis (SIC): an anti-inflammatory virulence determinant. *Microbiology* 156:3660-8

Al-Amoudi A, Castaño-Diez D, Devos DP, Russell RB, Johnson GT, Frangakis AS (2011) The three-dimensional molecular structure of the desmosomal plaque. *P Natl Acad Sci USA* 108:6480-6485

Al-Amoudi A, Frangakis AS (2008) Structural studies on desmosomes. *Biochem Soc T* 36:181-187

Albers SV, Jonscheit M, Dinkelaker S, Urich T, Kletzin A, Tampé R, Driessen AJM, Schleper C (2006) Production of recombinant and tagged proteins in the hyperthermophilic archaeon *Sulfolobus solfataricus*. *Appl Environ Microb* 72:102-111

Albert D, Pergola C, Koeberle A, Dodt G, Steinhilber D, Werz O (2008) The role of diacylglyceride generation by phospholipase D and phosphatidic acid phosphatase in the activation of 5-lipoxygenase in polymorphonuclear leukocytes. *J Leukocyte Biol* 83:1019-1027

Aleksandrov DA, Zagryagskaya AN, Pushkareva MA, Bachschmid M, Peters-Golden M, Werz O, Steinhilber D, Sud'ina GF (2006) Cholesterol and its anionic derivatives inhibit 5-lipoxygenase activation in polymorphonuclear leukocytes and MonoMac6 cells. *FEBS J* 273:548-557

Almedom RB, Liewald JF, Hernando G, Schultheis C, Rayes D, Pan J, Schedletzky T, Hutter H, Bouzat C, Gottschalk A (2009) An ER-resident membrane protein complex regulates nicotinic acetylcholine receptor subunit composition at the synapse. *EMBO J* 28:2636-2649

Alonso CN, Meyer C, Gallego MS, Rossi JG, Mansini AP, Rubio PL, Medina A, Marschalek R, Felice MS (2010) BTBD18: A novel MLL partner gene in an infant with acute lymphoblastic leukemia and inv(11)(q13;q23). *Leukemia Res* 34:E294-E296

Alonso JM, Reichel A, Piehler J, del Campo A (2008) Photopatterned surfaces for site-specific and functional immobilization of proteins. *Langmuir* 24:448-457

Altmann KH, Buchner J, Kessler H, Diederich F, Krautler B, Lippard S, Liskamp R, Muller K, Nolan EM, Samori B, Schneider G, Schreiber SL, Schwalbe H, Toniolo C, van Boeckel CAA, Waldmann H, Walsh CT (2009) The state of the art of chemical biology. *ChemBioChem* 10:16-29

Amarie S, Arefe K, Starcke JH, Dreuw A, Wachtveitl J (2008) Identification of an additional low-lying excited state of carotenoid radical cations. *J Phys Chem B* 112:14011-14017

Amarie S, Förster U, Gildenhoff N, Dreuw A, Wachtveitl J (2010) Excited state dynamics of the astaxanthin radical cation. *Chem Phys* 373:8-14

Amarie S, Lupo D, Lenz MO, Saegesser R, Ghosh R, Wachtveitl J (2010) Excitation energy pathways in the photosynthetic units of reaction center LM- and H-subunit deletion mutants of *Rhodospirillum rubrum*. *Photosynth Res* 103:141-151

Amarie S, Standfuss J, Barros T, Kühlbrandt W, Dreuw A, Wachtveitl J (2007) Carotenoid radical cations as a probe for the molecular mechanism of nonphotochemical quenching in oxygenic photosynthesis. *J Phys Chem B* 111:3481-3487

Amarie S, Wilk L, Barros T, Kühlbrandt W, Dreuw A, Wachtveitl J (2009) Properties of zeaxanthin and its radical cation bound to the minor light-harvesting complexes CP24, CP26 and CP29. *BBA-Bioenergetics* 1787:747-752

Andre M, Karas M (2007) Investigation of sample-purification procedures for MALDI-based proteomic studies. *Anal Bioanal Chem* 389:1047-1053

André N, Cherouati N, Prual C, Steffan T, Zeder-Lutz G, Magnin T, Pattus F, Michel H, Wagner R, Reinhart C (2006) Enhancing functional production of G protein-coupled receptors in *Pichia pastoris* to levels required for structural studies via a single expression screen. *Protein Sci* 15:1115-1126

Andre T, Reichel A, Wiesmuller KH, Tampé R, Piehler J, Brock R (2009) Selectivity of competitive multivalent interactions at interfaces. *ChemBioChem* 10:1878-1887

Anselmi C, Grininger M, Gipson P, Faraldo-Gomez JD (2010) Mechanism of substrate shuttling by the acyl-carrier protein within the fatty acid mega-synthase. *J Am Chem Soc* 132:12357-12364

Appel M, Hizlan D, Vinothkumar KR, Ziegler C, Kühlbrandt W (2009) Conformations of NhaA, the Na/H exchanger from *Escherichia coli*, in the pH-activated and ion-translocating states. *J Mol Biol* 386:351-365

Appelhans D, Oertel U, Mazzeo R, Komber H, Hoffmann J, Weidner S, Brutschy B, Voit B, Francesca Ottaviani M (2009) Dense-shell glycodendrimers: UV/Vis and electron paramagnetic resonance study of metal ion complexation. *P Roy Soc A-Math Phy* 466:1489-1513

Appelhans D, Zhong Y, Kornber H, Friedel P, Oertel U, Scheler U, Morgner N, Kuckling D, Richter S, Seidel J, Brutschy B, Voit B (2007) Oligosaccharide-modified poly(propyleneimine) dendrimers: Synthesis, structure determination, and Cu-II complexation. *Macromol Biosci* 7:373-383

Arias-Cartin R, Lyubenova S, Ceccaldi P, Prisner TF, Magalon A, Guigliarelli B, Grimaldi S (2010) HYSCORE evidence that endogenous mena- and ubisemiquinone bind at the same Q site (Q(D)) of Escherichia coli Nitrate Reductase A. *J Am Chem Soc* 132:5942-5943

Armistead J, Khatkar S, Meyer B, Mark BL, Patel N, Coghlan G, Lamont RE, Liu SB, Wiechert J, Cattini PA, Koetter P, Wrogemann K, Greenberg CR, Entian KD, Zelinski T, Triggs-Raine B (2009) Mutation of a gene essential for ribosome biogenesis, EMG1, causes Bowen-Conradi syndrome. *Am J Hum Genet* 84:728-739

Armsen W, Himmel B, Betz H, Eulenburg V (2007) The C-terminal PDZ-ligand motif of the neuronal glycine transporter GlyT2 is required for efficient synaptic localization. *Mol Cell Neurosci* 36:369-380

Arora A, Suess B (2011) An RNA G-quadruplex in the 3' UTR of the proto-oncogene PIM1 represses translation. *RNA Biol*:in print

Arrey TN, Rietschel B, Papatotiriou DG, Bornemann S, Baeumlisberger D, Karas M, Meyer B (2010) Approaching the complexity of elastase-digested membrane proteomes using Off-Gel IEF/nLC-MALDI-MS/MS. *Anal Chem* 82:2145-2149

Artelsmair H, Kienberger F, Tinazli A, Schlapak R, Zhu R, Preiner J, Wruss J, Kastner M, Saucedo-Zeni N, Hoelzl M, Rankl C, Baumgartner W, Howorka S, Blaas D, Gruber HJ, Tampé R, Hinterdorfer P (2008) Atomic force microscopy-derived nanoscale chip for the detection of human pathogenic viruses. *SMALL* 4:847-854

Aschrafi A, Meindl N, Firla B, Brandes RP, Steinhilber D (2006) Intracellular localization of ROR alpha is isoform and cell line-dependent. *BBA-Mol Cell Res* 1763:805-814

Attarbaschi A, Mann G, König M, Steiner M, Strehl S, Schreiberhuber A, Schneider B, Meyer C, Marschalek R, Borkhardt A, Pickl WF, Lion T, Gadner H, Haas OA, Dworzak MN, Austrian Berlin-Munster C (2006) Mixed lineage leukemia-rearranged childhood pro-B and CD10-negative pre-B acute lymphoblastic leukemia constitute a distinct clinical entity. *Clin Cancer Res* 12:2988-2994

Babuke T, Tikkanen R (2007) Dissecting the molecular function of reggie/flotillin proteins. *Eur J Cell Biol* 86:525-532

Bachmann J, Bauer B, Zwicker K, Ludwig B, Anderka O (2006) The Rieske protein from Paracoccus denitrificans is inserted into the cytoplasmic membrane by the twin-arginine translocase. *FEBS J* 273:4817-4830

Baer PC, Bereiter-Hahn J, Missler C, Brzoska M, Schubert R, Gauer S, Geiger H (2009) Conditioned medium from renal tubular epithelial cells initiates differentiation of human mesenchymal stem cells. *Cell Proliferat* 42:29-37

Baer PC, Bereiter-Hahn J, Schubert R, Geiger H (2006) Differentiation status of human renal proximal and distal tubular epithelial cells in vitro: Differential expression of characteristic markers. *Cells Tissues Organs* 184:16-22

Baer PC, Schubert R, Bereiter-Hahn J, Plosser M, Geiger H (2009) Expression of a functional epidermal growth factor receptor on human adipose-derived mesenchymal stem cells and its signaling mechanism. *Eur J Cell Biol* 88:273-283

- Baeumlisberger D, Arrey TN, Rietschel B, Rohmer M, Papatotiriou DG, Mueller B, Beckhaus T, Karas M (2010) Labeling elastase digests with TMT: Informational gain by identification of poorly detectable peptides with MALDI-TOF/TOF mass spectrometry. *Proteomics* 10:3905-3909
- Baeumlisberger D, Rohmer M, Arrey TN, Mueller BF, Beckhaus T, Bahr U, Barka G, Karas M (2011) Simple Dual-Spotting Procedure Enhances nLC-MALDI MS/MS Analysis of Digests with Less Specific Enzymes. *J Proteome Res* 10:2889-2894
- Bahr U, Aygun H, Karas M (2008) Detection and relative quantification of siRNA double strands by MALDI mass spectrometry. *Anal Chem* 80:6280-6285
- Bahr U, Aygun H, Karas M (2009) Sequencing of single and double stranded RNA oligonucleotides by acid hydrolysis and MALDI mass spectrometry. *Anal Chem* 81:3173-3179
- Baier J, Gabrielsen M, Oellerich S, Michel H, van Heel M, Cogdell RJ, Kohler J (2009) Spectral diffusion and electron-phonon coupling of the B800 BChl a molecules in LH2 complexes from three different species of purple bacteria. *Biophys J* 97:2604-2612
- Baldauf C, Schrodtt S, Herget M, Koch J, Tampé R (2010) Single residue within the antigen translocation complex TAP controls the epitope repertoire by stabilizing a receptive conformation. *P Natl Acad Sci USA* 107:9135-9140
- Balgobind BV, Van den Heuvel-Eibrink MM, De Menezes RX, Reinhardt D, Hollink I, Arentsen-Peters S, van Wering ER, Kaspers GJL, Cloos J, de Bont E, Cayuela JM, Baruchel A, Meyer C, Marschalek R, Trka J, Stary J, Beverloo HB, Pieters R, Zwaan CM, den Boer ML (2011) Evaluation of gene expression signatures predictive of cytogenetic and molecular subtypes of pediatric acute myeloid leukemia. *Haematol-Hematol J* 96:221-230
- Balgobind BV, Zwaan CM, Meyer C, Marschalek R, Pieters R, Beverloo HB, Van den Heuvel-Eibrink MM (2009) NR1P3: a novel translocation partner of MLL detected in a pediatric acute myeloid leukemia with complex chromosome 11 rearrangements. *Haematol-Hematol J* 94:1033-1034
- Balgobind BV, Zwaan CM, Reinhardt D, Arentsen-Peters T, Hollink I, de Haas V, Kaspers GJL, de Bont E, Baruchel A, Stary J, Meyer C, Marschalek R, Creutzig U, den Boer ML, Pieters R, van den Heuvel-Eibrink MM (2010) High BRE expression in pediatric MLL-rearranged AML is associated with favorable outcome. *Leukemia* 24:2048-2055
- Bamann C, Gueta R, Kleinlogel S, Nagel G, Bamberg E (2010) Structural guidance of the photocycle of channelrhodopsin-2 by an interhelical hydrogen bond. *Biochemistry* 49:267-278
- Bamann C, Kirsch T, Nagel G, Bamberg E (2008) Spectral characteristics of the photocycle of channelrhodopsin-2 and its implication for channel function. *J Mol Biol* 375:686-694
- Bamann C, Nagel G, Bamberg E (2010) Microbial rhodopsins in the spotlight. *Curr Opin Neurobiol* 20:610-6
- Barros T, Kühlbrandt W (2009) Crystallisation, structure and function of plant light-harvesting Complex II. *BBA-Bioenergetics* 1787:753-772
- Barros T, Royant A, Standfuss J, Dreuw A, Kühlbrandt W (2009) Crystal structure of plant light-harvesting complex shows the active, energy-transmitting state. *EMBO J* 28:298-306
- Barthelme D, Dinkelaker S, Albers SV, Londei P, Ermier U, Tampé R (2011) Ribosome recycling depends on a mechanistic link between the FeS cluster domain and a conformational switch of the twin-ATPase ABCE1. *P Natl Acad Sci USA* 108:3228-3233
- Barthelme D, Scheele U, Dinkelaker S, Janoschka A, MacMillan F, Albers SV, Driessen AJM, Stagni MS, Bill E, Meyer-Klaucke W, Schunemann V, Tampé R (2007) Structural organization of essential iron-sulfur clusters in the evolutionarily highly conserved ATP-binding cassette protein ABCE1. *J Biol Chem* 282:14598-14607

- Barthelmes K, Reynolds AM, Peisach E, Jonker HRA, DeNunzio NJ, Allen KN, Imperiali B, Schwalbe H (2011) Engineering encodable lanthanide-binding tags into loop regions of proteins. *J Am Chem Soc* 133:808-819
- Bartholomaeus I, Milan-Lobo L, Nicke A, Dutertre S, Hastrup H, Jha A, Gether U, Sitte HH, Betz H, Eulenburg V (2008) Glycine transporter dimers - Evidence for occurrence in the plasma membrane. *J Biol Chem* 283:10978-10991
- Basting D, Lorch M, Lehner I, Glaubitz C (2008) Transport cycle intermediate in small multidrug resistance protein is revealed by substrate fluorescence. *Faseb J* 22:365-373
- Bats JW, Nasiri HR, Schwalbe H (2006) Isoguanine dihydrochloride dihydrate. *Acta Crystallogr E* 62:O2040-O2042
- Bats JW, Pospiech S, Prisner TF (2010) 1,3,5,7-Tetrakis(4-iodophenyl)adamantane benzene tetrasolvate. *Acta Crystallogr E* 66:O1636-U1129
- Bausen M, Fuhrmann JC, Betz H, O'Sullivan GA (2006) The state of the actin cytoskeleton determines its association with gephyrin: Role of enaNASP family members. *Mol Cell Neurosci* 31:376-386
- Becker D, Bereiter-Hahn J, Jendrach M (2009) Functional interaction of the cation channel transient receptor potential vanilloid 4 (TRPV4) and actin in volume regulation. *Eur J Cell Biol* 88:141-152
- Beko SL, Thoms SD, Bruning J, Alig E, van de Streek J, Lakatos A, Glaubitz C, Schmidt MU (2010) X-ray powder diffraction, solid-state NMR and dispersion-corrected DFT calculations to investigate the solid-state structure of 2-ammonio-5-chloro-4-methylbenzenesulfonate. *Z Kristall* 225:382-387
- Beli P, Mascheroni D, Xu DL, Innocenti M (2008) WAVE and Arp2/3 jointly inhibit filopodium formation by entering into a complex with mDia2. *Nat Cell Biol* 10:849-857
- Benedikt A, Baltruschat S, Scholz B, Bursen A, Arrey TN, Meyer B, Varagnolo L, Muller AM, Karas M, Dingermann T, Marschalek R (2011) The leukemogenic AF4-MLL fusion protein causes P-TEFb kinase activation and altered epigenetic signatures. *Leukemia* 25:135-144
- Bennati M, Hertel MM, Fritscher J, Prisner TF, Weiden N, Hofweber R, Spornier M, Horn G, Kalbitzer HR (2006) High-frequency 94 GHz ENDOR characterization of the metal binding site in wild-type Ras center dot GDP and its oncogenic mutant G12V in frozen solution. *Biochemistry* 45:42-50
- Bereiter-Hahn J, Jendrach M (2010) Mitochondrial dynamics. *Int Rev Cell Mol Biol* 284:1-65
- Bereiter-Hahn J, Vöth M, Mai S, Jendrach M (2008) Structural implications of mitochondrial dynamics. *Biotechnol J* 3:765-780
- Bertaso F, Lill Y, Airas JM, Espeut J, Blahos J, Bockaert J, Fagni L, Betz H, El Far O (2006) MacMARCKS interacts with the metabotropic glutamate receptor type 7 and modulates G protein-mediated constitutive inhibition of calcium channels. *J Neurochem* 99:288-298
- Bertaso F, Zhang C, Scheschonka A, de Bock F, Fontanaud P, Marin P, Huganir R, Betz H, Bockaert J, Fagni L, Lerner-Natoli M (2008) PICK1 uncoupling from mGluR7a causes absence-like seizures. *Nat Neurosci* 11:940-948
- Bethani I, Skanland SS, Dikic I, Acker-Palmer A (2010) Spatial organization of transmembrane receptor signalling. *EMBO J* 29:2677-2688
- Betz H, Laube B (2006) Glycine receptors: recent insights into their structural organization and functional diversity. *J Neurochem* 97:1600-1610

- Betz M, Saxena K, Schwalbe H (2006) Biomolecular NMR: a chaperone to drug discovery. *Curr Opin Chem Biol* 10:219-225
- Bhagawati M, Lata S, Tampé R, Piehler J (2010) Native laser lithography of his-tagged proteins by uncaging of multivalent chelators. *J Am Chem Soc* 132:5932-5933
- Biala Y, Liewald JF, Ben-Ami HC, Gottschalk A, Treinin M (2009) The conserved RIC-3 coiled-coil domain mediates receptor-specific interactions with nicotinic acetylcholine receptors. *Mol Biol Cell* 20:1419-1427
- Bienko M, Green CM, Sabbioneda S, Crosetto N, Matic I, Hibbert RG, Begovic T, Niimi A, Mann M, Lehmann AR, Dikic I (2010) Regulation of translesion synthesis DNA polymerase η by monoubiquitination. *Mol Cell* 37:396-407
- Bier C, Knauer SK, Klapthor A, Schweitzer A, Reikik A, Kramer OH, Marschalek R, Stauber RH (2011) Cell-based analysis of structure-function activity of threonine Aspartase 1. *J Biol Chem* 286:3007-3017
- Bionda T, Koenig P, Oreb M, Tews I, Schleiff E (2008) pH sensitivity of the GTPase Toc33 as a regulatory circuit for protein translocation into chloroplasts. *Plant Cell Physiol* 49:1917-1921
- Bionda T, Tillmann B, Simm S, Beilstein K, Ruprecht M, Schleiff E (2010) Chloroplast import signals: the length requirement for translocation in vitro and in vivo. *J Mol Biol* 402:510-523
- Blagosklonny MV, Campisi J, Sinclair DA, Bartke A, Blasco MA, Bonner WM, Bohr VA, Brosh RM, Brunet A, DePinho RA, Donehower LA, Finch CE, Finkel T, Gorospe M, Gudkov AV, Hall MN, Hekimi S, Helfand SL, Karlseder J, Kenyon C, Kroemer G, Longo V, Nussenzweig A, Osiewacz HD, Peeper DS, Rando TA, Rudolph KL, Sassone-Corsi P, Serrano M, Sharpless NE, Skulachev VP, Tilly JL, Tower J, Verdin E, Vijg J (2010) Impact papers on aging in 2009. *Aging-US* 2:111-121
- Blaheta RA, Weich E, Marian D, Bereiter-Hahn J, Jones J, Jonas D, Michaelis M, Doerr HW, Cinatl J (2006) Human cytomegalovirus infection alters PC3 prostate carcinoma cell adhesion to endothelial cells and extracellular matrix. *Neoplasia* 8:807-816
- Blase C, Becker D, Kappel S, Bereiter-Hahn J (2009) Microfilament dynamics during HaCaT cell volume regulation. *Eur J Cell Biol* 88:131-139
- Bloor S, Ryzhakov G, Wagner S, Jonathan P, Butler G, Smith DL, Krumbach R, Dikic I, Randow F (2008) Signal processing by its coil zipper domain activates IKK gamma. *P Natl Acad Sci USA* 105:1279-1284
- Bluem R, Schmidt E, Corvey C, Karas M, Schlicksupp A, Kirsch J, Kuhse J (2007) Components of the translational machinery are associated with juvenile glycine receptors and are redistributed to cytoskeleton upon aging and synaptic activity. *J Biol Chem* 282:37783-37793
- Bode BE, Dastvan R, Prisner TF (2011) Pulsed electron-electron double resonance (PELDOR) distance measurements in detergent micelles. *J Magn Reson* In Press, Corrected Proof
- Bode BE, Margraf D, Plackmeyer J, Durner G, Prisner TF, Schiemann O (2007) Counting the monomers in nanometer-sized oligomers by pulsed electron - Electron double resonance. *J Am Chem Soc* 129:6736-6745
- Bode BE, Plackmeyer J, Bolte M, Prisner TF, Schiemann O (2009) PELDOR on an exchange coupled nitroxide copper(II) spin pair. *J Organomet Chem* 694:1172-1179
- Bode BE, Plackmeyer J, Prisner TF, Schiemann O (2008) PELDOR measurements on a nitroxide-labeled Cu(II) porphyrin: Orientation selection, spin-density distribution, and conformational flexibility. *J Phys Chem A* 112:5064-5073

- Bohnert JA, Schuster S, Seeger MA, Fahrnich E, Pos KM, Kern WV (2008) Site-directed mutagenesis reveals putative substrate binding residues in the *Escherichia coli* RND efflux pump AcrB. *J Bacteriol* 190:8225-8229
- Bohnsack MT, Kos M, Tollervey D (2008) Quantitative analysis of snoRNA association with pre-ribosomes and release of snR30 by Rok1 helicase. *EMBO Rep* 9:1230-1236
- Bohnsack MT, Martin R, Granneman S, Ruprecht M, Schleiff E, Tollervey D (2009) Prp43 bound at different sites on the pre-rRNA performs distinct functions in ribosome synthesis. *Mol Cell* 36:583-592
- Bohnsack MT, Schleiff E (2010) The evolution of protein targeting and translocation systems. *BBA-Mol Cell Res* 1803:1115-1130
- Bomar MG, D'Souza S, Bienko M, Dikic I, Walker GC, Zhou P (2010) Unconventional ubiquitin recognition by the ubiquitin-binding motif within the Y family DNA polymerases ι and Rev1. *Mol Cell* 37:408-417
- Bond P, Faraldo-Gomez J (2011) Molecular mechanism of selective recruitment of SYK kinases by the membrane antigen-receptor complex. *J Biol Chem*:in press
- Boon KL, Xiao S, McWhorter ML, Donn T, Wolf-Saxon E, Bohnsack MT, Moens CB, Beattie CE (2009) Zebrafish survival motor neuron mutants exhibit presynaptic neuromuscular junction defects. *Hum Mol Genet* 18:3615-3625
- Bornemann S, Rietschel B, Baltruschat S, Karas M, Meyer B (2010) A novel polyacrylamide gel system for proteomic use offering controllable pore expansion by crosslinker cleavage. *Electrophoresis* 31:585-92
- Bortfeldt RH, Schuster S, Koch I (2010) Exhaustive analysis of the modular structure of the spliceosomal assembly network – a Petri net approach. *In Silico Biol* 10
- Botelho S, Österberg M, Reichert A, Yamano K, Björkholm P, Endo T, von Heijne G, Kim H (2011) TIM23-mediated insertion of transmembrane α -helices into the mitochondrial inner membrane. *EMBO J* 30:1003-1011
- Brandes M, Willimann K, Bioley G, Levy N, Eberl M, Luo M, Tampé R, Levy F, Romero P, Moser B (2009) Cross-presenting human gamma delta T cells induce robust CD8(+) alpha beta T cell responses. *P Natl Acad Sci USA* 106:2307-2312
- Brandt U (2006) Energy converting NADH : Quinone oxidoreductase (Complex I) *Annu Rev Biochem*, pp 69-92 vol 75
- Bredemeier R, Schlegel T, Ertel F, Vojta A, Borissenko L, Bohnsack MT, Groll M, Von Haeseler A, Schleiff E (2007) Functional and phylogenetic properties of the pore-forming beta-barrel transporters of the Omp85 family. *J Biol Chem* 282:1882-1890
- Bredenbeck J, Ghosh A, Nienhuys HK, Bonn M (2009) Interface-specific ultrafast two-dimensional vibrational spectroscopy. *Accounts Chem Res* 42:1332-42
- Bredenbeck J, Ghosh A, Smits M, Bonn M (2008) Ultrafast two dimensional-infrared spectroscopy of a molecular monolayer. *J Am Chem Soc* 130:2152-2153
- Bredenbeck J, Hamm P (2007) Transient 2D-IR spectroscopy: Towards a molecular movie. *Chimia* 61:45-46
- Bredenbeck J, Helbing J, Kolano C, Hamm P (2007) Ultrafast 2D-IR Spectroscopy of transient species. *ChemPhysChem* 8:1747-1756
- Bredenbeck J, Helbing J, Nienhaus K, Nienhaus GU, Hamm P (2007) Protein ligand migration mapped by nonequilibrium 2D-IR exchange spectroscopy. *P Natl Acad Sci USA* 104:14243-14248

- Breitung ST, Lopez JJ, Durner G, Glaubitz C, Gobel MW, Suhartono M (2008) A practical synthesis of the C-13/N-15-labelled tripeptide N-formyl-Met-Leu-Phe, useful as a reference in solid-state NMR spectroscopy. *Beilstein J Org Chem* 4
- Brown KE, Keller PJ, Ramialison M, Rembold M, Stelzer EHK, Loosli F, Wittbrodt J (2010) Nlcam modulates midline convergence during anterior neural plate morphogenesis. *Dev Biol* 339:14-25
- Brust D, Daum B, Breunig C, Hamann A, Kühlbrandt W, Osiewacz HD (2010) Cyclophilin D links programmed cell death and organismal aging in *Podospora anserina*. *Aging Cell* 9:761-775
- Brust D, Hamann A, Osiewacz HD (2010) Deletion of PaAif2 and PaAmid2, two genes encoding mitochondrial AIF-like oxidoreductases of *Podospora anserina*, leads to increased stress tolerance and lifespan extension. *Curr Genet* 56:225-235
- Buchhaupt M, Kotter P, Entian KD (2007) Mutations in the nucleolar proteins Tma23 and Nop6 suppress the malfunction of the Nep1 protein. *FEMS Yeast Res* 7:771-781
- Buchhaupt M, Meyer B, Kotter P, Entian KD (2006) Genetic evidence for 18S rRNA binding and an Rps19p assembly function of yeast nucleolar protein Nep1p. *Mol Genet Genomics* 276:273-284
- Buchhaupt M, Pelfer C, Entian KD (2007) Analysis of 2'-O-methylated nucleosides and pseudouridines in ribosomal RNAs using DNazymes. *Anal Biochem* 361:102-108
- Buchholz K, Tinazli A, Kleefen A, Dorfner D, Pedone D, Rant U, Tampé R, Abstreiter G, Tornow M (2008) Silicon-on-insulator based nanopore cavity arrays for lipid membrane investigation. *Nanotechnology* 19:445305
- Buchstaller HP, Siebert CD, Steinmetz R, Frank I, Berger ML, Gottschlich R, Leibrock J, Krug M, Steinhilber D, Noe CR (2006) Synthesis of thieno[2,3-b]pyridinones acting as cytoprotectants and as inhibitors of [H-3]Glycine binding to the N-methyl-D-aspartate (NMDA) receptor. *J Med Chem* 49:864-871
- Buck J, Furtig B, Noeske J, Wöhnert J, Schwalbe H (2007) Time-resolved NMR methods resolving ligand-induced RNA folding at atomic resolution. *P Natl Acad Sci USA* 104:15699-15704
- Buck J, Furtig B, Noeske J, Wöhnert J, Schwalbe H (2009) Time-resolved NMR spectroscopy: ligand-induced refolding of riboswitches. *Methods Mol Biol* 540:161-71
- Buck J, Li YL, Richter C, Vergne J, Maurel MC, Schwalbe H (2009) NMR spectroscopic characterization of the adenine-dependent hairpin ribozyme. *ChemBioChem* 10:2100-2110
- Buck J, Noeske J, Wöhnert J, Schwalbe H (2010) Dissecting the influence of Mg²⁺ on 3D architecture and ligand-binding of the guanine-sensing riboswitch aptamer domain. *Nucleic Acids Res*:gkq138
- Buff M, Mack T, Heckel A (2009) Light-Activatable Nucleic Acids 'Caged' at the Nucleobases *Chimia*, pp 261-264 vol 63)
- Buff MCR, Schafer F, Wulffen B, Muller J, Potzsch B, Heckel A, Mayer G (2010) Dependence of aptamer activity on opposed terminal extensions: improvement of light-regulation efficiency. *Nucleic Acids Res* 38:2111-2118
- Bullmann L, Haarmann R, Mirus O, Bredemeier R, Hempel F, Maier UG, Schleiff E (2010) Filling the gap, evolutionarily conserved Omp85 in plastids of chromalveolates. *J Biol Chem* 285:6848-6856
- Bundschuh FA, Hannappel A, Anderka O, Ludwig B (2009) Surf1, associated with leigh syndrome in humans, is a heme-binding protein in bacterial oxidase biogenesis. *J Biol Chem* 284:25735-25741
- Bundschuh FA, Hoffmeier K, Ludwig B (2008) Two variants of the assembly factor Surf1 target specific terminal oxidases in *Paracoccus denitrificans*. *BBA-Bioenergetics* 1777:1336-1343
- Burgdorf S, Scholz C, Kautz A, Tampé R, Kurts C (2008) Spatial and mechanistic separation of cross-presentation and endogenous antigen presentation. *Nat Immunol* 9:558-566

Burjanivova T, Madzo J, Muzikova K, Meyer C, Schneider B, Votava F, Marschalek R, Stary J, Trka J, Zuna J (2006) Prenatal origin of childhood AML occurs less frequently than in childhood ALL. *BMC Cancer* 6:100

Burkard M, Entian KD, Stein T (2007) Development and application of a microtiter plate-based autoinduction bioassay for detection of the lantibiotic subtilin. *J Microbiol Meth* 70:179-185

Burmeister T, Marschalek R, Schneider B, Meyer C, Gokbuget N, Schwartz S, Hoelzer D, Thiel E (2006) Monitoring minimal residual disease by quantification of genomic chromosomal breakpoint sequences in acute leukemias with MLL aberrations. *Leukemia* 20:451-457

Burmeister T, Meyer C, Schwartz S, Hofmann J, Molkentin M, Kowarz E, Schneider B, Raff T, Reinhardt R, Gökbuget N, Hoelzer D, Thiel E, Marschalek R (2009) The MLL recombinome of adult CD10-negative B-cell precursor acute lymphoblastic leukemia: results from the GMALL study group. *Blood* 113:4011-4015

Burmeister T, Meyer C, Thiel G, Reinhardt R, Thiel E, Marschalek R (2008) A MLL-KIAA0284 fusion gene in a patient with secondary acute myeloid leukemia and t(11;14)(q23;q32). *Blood Cell Mol Dis* 41:210-214

Burré J, Beckhaus T, Corvey C, Karas M, Zimmermann H, Volkandt W (2006) Synaptic vesicle proteins under conditions of rest and activation: Analysis by 2-D difference gel electrophoresis. *Electrophoresis* 27:3488-3496

Burré J, Beckhaus T, Schagger H, Corvey C, Hofmann S, Karas M, Zimmermann H, Volkandt W (2006) Analysis of the synaptic vesicle proteome using three gel-based protein separation techniques. *Proteomics* 6:6250-6262

Bursen A, Schwabe K, Ruster B, Henschler R, Ruthardt M, Dingermann T, Marschalek R (2010) The AF4.MLL fusion protein is capable of inducing ALL in mice without requirement of MLL.AF4. *Blood* 115:3570-3579

Busch KB, Bereiter-Hahn J, Wittig I, Schägger H, Jendrach M (2006) Mitochondrial dynamics generate equal distribution but patchwork localization of respiratory Complex I. *Mol Membr Biol* 23:509-520

Busche AEL, Aranko AS, Talebzadeh-Farooji M, Bernhard F, Dötsch V, Iwai H (2009) Segmental isotopic labeling of a central domain in a multidomain protein by protein trans-splicing using only one robust DnaE intein. *Angew Chem Int Edit* 48:6128-6131

Buschmann S, Warkentin E, Xie H, Langer JD, Ermler U, Michel H (2010) The structure of cbb3 cytochrome oxidase provides insights into proton pumping. *Science* 329:327-329

Bych K, Kerscher S, Netz DJA, Pierik AJ, Zwicker K, Huynen MA, Lill R, Brandt U, Balk J (2008) The iron-sulphur protein Ind1 is required for effective complex I assembly. *EMBO J* 27:1736-1746

Cajigas IJ, Will T, Schuman EM (2010) Protein homeostasis and synaptic plasticity. *EMBO J* 29:2746-2752

Caldwell JH, Herin GA, Nagel G, Bamberg E, Scheschonka A, Betz H (2008) Increases in intracellular calcium triggered by channelrhodopsin-2 potentiate the response of metabotropic glutamate receptor mGluR7. *J Biol Chem* 283:24300-24307

Camargo SMR, Singer D, Makrides V, Huggel K, Pos KM, Wagner CA, Kuba K, Danilczyk U, Skovby F, Kleta R, Penninger JM, Verrey F (2009) Tissue-specific amino acid transporter partners ACE2 and collectrin differentially interact with hartnup mutations. *Gastroenterology* 136:872-882

Cao S, Furtig B, Schwalbe H, Chen SJ (2010) Folding kinetics for the conformational switch between alternative RNA structures. *J Phys Chem B* 114:13609-13615

- Carpaneto A, Koepsell H, Bamberg E, Hedrich R, Geiger D (2010) Sucrose- and H-dependent charge movements associated with the gating of sucrose transporter ZmSUT1. *PLoS One* 5:e12605
- Carrozzo R, Wittig I, Santorelli FM, Bertini E, Hofmann S, Brandt U, Schägger H (2006) Subcomplexes of human ATP synthase mark mitochondrial biosynthesis disorders. *Ann Neurol* 59:265-275
- Castano-Diez D, Moser D, Schoenegger A, Pruggnaller S, Frangakis AS (2008) Performance evaluation of image processing algorithms on the GPU. *J Struct Biol* 164:153-160
- Castano-Diez D, Scheffer M, Al-Amoudi A, Frangakis AS (2010) Alignator: A GPU powered software package for robust fiducial-less alignment of cryo tilt-series. *J Struct Biol* 170:117-126
- Castellani M, Covian R, Kleinschroth T, Anderka O, Ludwig B, Trumpower BL (2010) Direct demonstration of half-of-the-sites reactivity in the dimeric cytochrome bc(1) complex enzyme with one inactive monomer is fully active but unable to activate the second ubiquinol oxidation site in response to ligand binding at the ubiquinone reduction site. *J Biol Chem* 285:502-510
- Cernescu A, Maly T, Prisner TF (2008) 2D-REFINE spectroscopy: Separation of overlapping hyperfine spectra. *J Magn Reson* 192:78-84
- Cerveira N, Meyer C, Santos J, Torres L, Lisboa S, Pinheiro M, Bizarro S, Correia C, Norton L, Marschalek R, Teixeira MR (2010) A novel spliced fusion of MLL with CT45A2 in a pediatric biphenotypic acute leukemia. *BMC Cancer* 10:518
- Chapuy B, Tikkanen R, Muhlhausen C, Wenzel D, von Figura K, Honing S (2008) AP-1 and AP-3 mediate sorting of melanosomal and lysosomal membrane proteins into distinct post-Golgi trafficking pathways. *Traffic* 9:1157-1172
- Charpentier M, Bredemeier R, Wanner G, Takeda N, Schleiff E, Parniske M (2008) Lotus japonicus CASTOR and POLLUX are ion channels essential for perinuclear calcium spiking in legume root endosymbiosis. *Plant Cell* 20:3467-3479
- Cherepanov AV, Glaubitz C, Schwalbe H (2010) High-resolution studies of uniformly ¹³C,¹⁵N-labeled RNA by solid-state NMR spectroscopy. *Angew Chem Int Edit* 49:4747-4750
- Chillakuri CR, Reinhart C, Michel H (2007) C-terminal truncated cannabinoid receptor 1 coexpressed with G protein trimer in Sf9 cells exists in a precoupled state and shows constitutive activity. *FEBS J* 274:6106-6115
- Chintalapati S, Al Kurdi R, van Scheltinga ACT, Kühlbrandt W (2008) Membrane structure of CtrA3, a copper-transporting P-type-ATPase from Aquifex aeolicus. *J Mol Biol* 378:581-595
- Choi WT, Folsom MR, Azim MF, Meyer C, Kowarz E, Marschalek R, Timchenko NA, Naeem RC, Lee DA (2007) C/EBP beta suppression by interruption of CUGBP1 resulting from a complex rearrangement of MLL. *Cancer Genet Cytogen* 177:108-114
- Ciais D, Bohnsack MT, Tollervey D (2008) The mRNA encoding the yeast ARE-binding protein Cth2 is generated by a novel 3' processing pathway. *Nucleic Acids Res* 36:3075-3084
- Clason T, Ruiz T, Schägger H, Peng G, Zickermann V, Brandt U, Michel H, Radermacher M (2010) The structure of eukaryotic and prokaryotic complex I. *J Struct Biol* 169:81-88
- Clason T, Zickermann V, Ruiz T, Brandt U, Radermacher M (2007) Direct localization of the 51 and 24 kDa subunits of mitochondrial complex I by three-dimensional difference imaging. *J Struct Biol* 159:433-442

- Coenen EA, Zwaan CM, Meyer C, Marschalek R, Pieters R, van der Veken LT, Beverloo HB, van den Heuvel-Eibrink MM (2011) KIAA1524: A novel MLL translocation partner in acute myeloid leukemia. *Leukemia Res* 35:133-135
- Coffman LG, Brown JC, Johnson DA, Parthasarathy N, D'Agostino RB, Lively MO, Hua XY, Tilley SL, Müller-Esterl W, Willingham MC, Torti FM, Torti SV (2008) Cleavage of high-molecular-weight kininogen by elastase and tryptase is inhibited by ferritin. *Am J Physiol-Lung C* 294:L505-L515
- Colombelli J, Besser A, Kress H, Reynaud EG, Girard P, Caussin E, Haselmann U, Small JV, Schwarz US, Stelzer EHK (2009) Mechanosensing in actin stress fibers revealed by a close correlation between force and protein localization. *J Cell Sci* 122:1665-1679
- Colombelli J, Tängemo C, Haselman U, Antony C, Stelzer EHK, Pepperkok R, Reynaud EG (2008) A correlative light and electron microscopy method based on laser micropatterning and etching Membrane Trafficking, pp 1-11
- Connell SR, Takemoto C, Wilson DN, Wang HF, Murayama K, Terada T, Shirouzu M, Rost M, Schuler M, Giesebrecht J, Dabrowski M, Mielke T, Fucini P, Yokoyama S, Spahn CMT (2007) Structural basis for interaction of the ribosome with the switch regions of GTP-bound elongation factors. *Mol Cell* 25:751-764
- Connell SR, Topf M, Qin Y, Wilson DN, Mielke T, Fucini P, Nierhaus KH, Spahn CMT (2008) A new tRNA intermediate revealed on the ribosome during EF4-mediated back-translocation. *Nat Struct Mol Biol* 15:910-915
- Correa IR, Noren-Muller A, Ambrosi HD, Jakupovic S, Saxena K, Schwalbe H, Kaiser M, Waldmann H (2007) Identification of inhibitors for mycobacterial protein tyrosine phosphatase B (MptpB) by biology-oriented synthesis (BIOS). *Chem-Asian J* 2:1109-1126
- Corthorn J, Germain AA, Chacon C, Rey S, Soto GX, Figueroa CD, Müller-Esterl W, Duarte I, Valdes G (2006) Expression of kallikrein, bradykinin B2 receptor, and endothelial nitric oxide synthase in placenta in normal gestation, preeclampsia, and placenta accreta. *Endocrine* 29:491-499
- Coser VM, Meyer C, Basegio R, Menezes J, Marschalek R, Pombo-De-Oliveira MS (2010) Nebulette is the second member of the nebulin family fused to the MLL gene in infant leukemia. *Cancer Genet Cytogen* 198:151-154
- Coutandin D, Lohr F, Niesen FH, Ikeya T, Weber TA, Schafer B, Zielonka EM, Bullock AN, Yang A, Guntert P, Knapp S, McKeon F, Ou HD, Dötsch V (2009) Conformational stability and activity of p73 require a second helix in the tetramerization domain. *Cell Death Differ* 16:1582-1589
- Coutandin D, Ou HD, Lohr F, Dötsch V (2010) Tracing the protectors path from the germ line to the genome. *P Natl Acad Sci USA* 107:15318-15325
- Covian R, Kleinschroth T, Ludwig B, Trumpower BL (2007) Asymmetric binding of stigmatellin to the dimeric Paracoccus denitrificans bc(1) complex - Evidence for anti-cooperative ubiquinol oxidation and communication between center P ubiquinol oxidation sites. *J Biol Chem* 282:22289-22297
- Cramer N, Buchweitz M, Laschat S, Frey W, Baro A, Mathieu D, Richter C, Schwalbe H (2006) Total synthesis and NMR investigations of cylindramide. *Chem-Eur J* 12:2488-2503
- Cramer N, Helbig S, Baro A, Laschat S, Diestel R, Sasse F, Mathieu D, Richter C, Kummerlowe G, Luy B, Schwalbe H (2008) Synthesis and biological properties of cylindramide derivatives: Evidence for calcium-dependent cytotoxicity of tetramic acid lactams. *ChemBioChem* 9:2474-2486
- Crosetto N, Bienko M, Dikic I (2006) Ubiquitin hubs in oncogenic networks. *Mol Cancer Res* 4:899-904
- Crosetto N, Bienko M, Hibbert RG, Perica T, Ambrogio C, Kensche T, Hofmann K, Sixma TK, Dikic I (2008) Human Wrnip1 is localized in replication factories in a ubiquitin-binding zinc finger-dependent manner. *J Biol Chem* 283:35173-35185

Cuzic S, Heidemann KA, Wöhnert J, Hartmann RK (2008) Escherichia coli RNase P RNA: Substrate ribose modifications at G+1, but not nucleotide -1/+73 base pairing, affect the transition state for cleavage chemistry. *J Mol Biol* 379:1-8

Damaghi M, Bippes C, Koster S, Yildiz O, Mari SA, Kühlbrandt W, Müller DJ (2010) pH-dependent interactions guide the folding and gate the transmembrane pore of the beta-barrel membrane protein OmpG. *J Mol Biol* 397:878-882

Damaghi M, Sapra KT, Koster S, Yildiz Z, Kühlbrandt W, Müller DJ (2010) Dual energy landscape: the functional state of the beta-barrel outer membrane protein G molds its unfolding energy landscape. *Proteomics* 10:4151-62

Daniel C, Schröder O, Zahn N, Gaschott T, Steinhilber D, Stein JM (2007) The TGF beta/Smad 3-signaling pathway is involved in butyrate-mediated vitamin D receptor (VDR)-expression. *J Cell Biochem* 102:1420-1431

Dastvan R, Bode BE, Karuppiah MPR, Marko A, Lyubenova S, Schwalbe H, Prisner TF (2010) Optimization of transversal relaxation of nitroxides for pulsed electron-electron double resonance spectroscopy in phospholipid membranes. *J Phys Chem B* 114:13507-16

Datta PP, Wilson DN, Kawazoe M, Swami NK, Kaminishi T, Sharma MR, Booth TM, Takemoto C, Fucini P, Yokoyama S, Agrawal RK (2007) Structural aspects of RbfA action during small ribosomal subunit. *Mol Cell* 28:434-445

Daum B, Nicastro D, Il JA, McIntosh JR, Kühlbrandt W (2010) Arrangement of photosystem II and ATP synthase in chloroplast membranes of spinach and pea. *Plant Cell* 22:1299-1312

Davies KM, Strauss M, Daum B, Kief JH, Rycovska A, Osiewacz HD, Zickermann V, Kühlbrandt W (2011) Macromolecular organization of ATP synthase and complex I in whole mitochondria. *P Natl Acad Sci USA*:accepted

De Braekeleer E, Douet-Guilbert N, Morel F, Le Bris MJ, Meyer C, Marschalek R, Ferec C, De Braekeleer M (2009) FLNA, a new partner gene fused to MLL in a patient with acute myelomonoblastic leukaemia. *Brit J Haematol* 146:693-695

De Braekeleer E, Ianotto JC, Doliet-Guilbert N, Morel F, De Braekeleer M, Meyer C, Marschalek R, Le Bris MJ, Berthou C, Ferec C (2009) A second case of secondary acute myeloblastic leukemia associated with the MLL-KIAA0284 fusion gene. *Blood Cell Mol Dis* 42:292-293

De Braekeleer E, Meyer C, Douet-Guilbert N, Morel F, Le Bris MJ, Berthou C, Arnaud B, Marschalek R, Ferec C, De Braekeleer M (2010) Complex and cryptic chromosomal rearrangements involving the MLL gene in acute leukemia: A study of 7 patients and review of the literature. *Blood Cell Mol Dis* 44:268-274

De Braekeleer E, Meyer C, Douet-Guilbert N, Morel F, Le Bris MJ, Marschalek R, Ferec C, De Braekeleer M (2009) A complex 1;19;11 translocation involving the MLL gene in a patient with congenital acute monoblastic leukemia identified by molecular and cytogenetic techniques. *Ann Hematol* 88:795-797

De Braekeleer E, Meyer C, Le Bris MJ, Douet-Guilbert N, Basinko A, Morel F, Berthou C, Marschalek R, Ferec C, De Braekeleer M (2010) Identification of a MLL-MLLT4 fusion gene resulting from a t(6;11)(q27;q23) presenting as a del(11q) in a child with T-cell acute lymphoblastic leukemia. *Leukemia Lymphoma* 51:1570-1573

de Oliveira SK, Hoffmeister M, Gambaryan S, Müller-Esterl W, Guimaraes JA, Smolenski AP (2007) Phosphodiesterase 2A forms a complex with the co-chaperone XAP2 and regulates nuclear translocation of the aryl hydrocarbon receptor. *J Biol Chem* 282:13656-13663

- Demirel O, Bangert I, Tampé R, Abele R (2010) Tuning the cellular trafficking of the lysosomal peptide transporter TAPL by its n-terminal domain. *Traffic* 11:383-393
- Demirel O, Waibler Z, Kalinke U, Grunebach F, Appel S, Brossart P, Hasilik A, Tampé R, Abele R (2007) Identification of a lysosomal peptide transport system induced during dendritic cell development. *J Biol Chem* 282:37836-37843
- Dempski RE, Friedrich T, Bamberg E (2009) Voltage clamp fluorometry: Combining fluorescence and electrophysiological methods to examine the structure-function of the Na⁺/K⁺-ATPase. *BBA-Bioenergetics* 1787:714-720
- Dempski RE, Hartung K, Friedrich T, Bamberg E (2006) Fluorometric measurements of intermolecular distances between the alpha- and beta-subunits of the Na⁺/K⁺-ATPase. *J Biol Chem* 281:36338-36346
- Dempski RE, Lustig J, Friedrich T, Bamberg E (2008) Structural arrangement and conformational dynamics of the gamma subunit of the Na⁺/K⁺-ATPase. *Biochemistry* 47:257-266
- Denysenkov V, Prandolini MJ, Gafurov M, Sezer D, Endeward B, Prisner TF (2010) Liquid state DNP using a 260 GHz high power gyrotron. *Phys Chem Chem Phys* 12:5786-5790
- Denysenkov VP, Biglino D, Lubitz W, Prisner TF, Bennati M (2008) Structure of the tyrosyl biradical in mouse R2 ribonucleotide reductase from high-field PELDOR. *Angew Chem Int Edit* 47:1224-1227
- Denysenkov VP, Prandolini MJ, Krahn A, Gafurov M, Endeward B, Prisner TF (2008) High-field DNP spectrometer for liquids. *Appl Magn Reson* 34:289-299
- Denysenkov VP, Prisner TF, Stubbe J, Bennati M (2006) High-field pulsed electron-electron double resonance spectroscopy to determine the orientation of the tyrosyl radicals in ribonucleotide reductase. *P Natl Acad Sci USA* 103:13386-13390
- Derbre S, Duval R, Roue G, Garofano A, Poupon E, Brandt U, Susin SA, Hocquemiller R (2006) Semisynthesis and screening of a small library of pro-apoptotic squamocin analogues: Selection and study of a benzoquinone hybrid with an improved biological profile. *ChemMedChem* 1:118-129
- Deribe YL, Pawson T, Dikic I (2010) Post-translational modifications in signal integration. *Nat Struct Mol Biol* 17:666-672
- Deribe YL, Wild P, Chandrashaker A, Curak J, Schmidt MHH, Kalaidzidis Y, Milutinovic N, Kratchmarova I, Buerkle L, Fetchko MJ, Schmidt P, Kittanakom S, Brown KR, Jurisica I, Blagoev B, Zerial M, Stajlgar I, Dikic I (2009) Regulation of epidermal growth factor receptor trafficking by lysine deacetylase HDAC6. *Sci Signal* 2:ra84
- Derwich K, Sidek L, Meyer C, Pieczonka A, Dawidowska M, Gaworczyk A, Wachowiak J, Konatkowska B, Witt M, Marschalek R, Szczepanski T (2009) Infant acute bilineal leukemia. *Leukemia Res* 33:1005-1008
- Deutsch GB, Zielonka EM, Coutandin D, Weber TA, Schäfer B, Hannewald J, Luh LM, Durst FG, Ibrahim M, Hoffmann J, Niesen FH, Sentürk A, Kunkel H, Brutschy B, Schleiff E, Knapp S, Acker-Palmer A, Grez M, McKeon F, Dötsch V (2011) DNA damage in oocytes induces a switch of the quality control factor TAp63± from dimer to tetramer. *Cell* 144:566-576
- Dieterich DC, Hodas JLL, Gouzer G, Shadrin IY, Ngo JT, Triller A, Tirrell DA, Schuman EM (2010) In situ visualization and dynamics of newly synthesized proteins in rat hippocampal neurons. *Nat Neurosci* 13:897-U149
- Dietz J, Koch J, Kaur A, Raja C, Stein S, Grez M, Pustowka A, Mensch S, Ferner J, Moller L, Bannert N, Tampé R, Divita G, Mely Y, Schwalbe H, Dietrich U (2008) Inhibition of HIV-1 by a peptide ligand of the genomic RNA packaging signal Psi. *ChemMedChem* 3:749-755

- Dikanov SA, Hollan JT, Endeward B, Kolling DRJ, Samoilova RI, Prisner TF, Crofts AR (2007) Hydrogen bonds between nitrogen donors and the semiquinone in the Q(i)-site of the bc(1) complex. *J Biol Chem* 282:25831-25841
- Dikanov SA, Kolling DRJ, Endeward B, Samoilova RI, Prisner TF, Nair SK, Crofts AR (2006) Identification of hydrogen bonds to the Rieske cluster through the weakly coupled nitrogens detected by electron spin echo envelope modulation spectroscopy. *J Biol Chem* 281:27416-27425
- Dikic I (2009) A new ubiquitin chain, a new signal. *Nat Rev Mol Cell Biol* 10:306-306
- Dikic I, Crosetto N, Calatroni S, Bernasconi P (2006) Targeting ubiquitin in cancers. *Eur J Cancer* 42:3095-3102
- Dikic I, Dötsch V (2009) Ubiquitin linkages make a difference. *Nat Struct Mol Biol* 16:1208-1210
- Dikic I, Johansen T, Kirkin V (2010) Selective autophagy in cancer development and therapy. *Cancer Res* 70:3431-3434
- Dikic I, Schmidt MHH (2010) Notch: Implications of endogenous inhibitors for therapy. *Bioessays* 32:481-487
- Dikic I, Wakatsuki S, Walters KJ (2009) Ubiquitin-binding domains - from structures to functions. *Nat Rev Mol Cell Biol* 10:659-671
- Diller A, Roy E, Gast P, van Gorkom HJ, de Groot HJM, Glaubitz C, Jeschke G, Matysik J, Alia A (2007) N-15 photochemically induced dynamic nuclear polarization magic-angle spinning NMR analysis of the electron donor of photosystem II. *P Natl Acad Sci USA* 104:12767-12771
- Dimroth P, von Ballmoos C, Meier T (2006) Catalytic and mechanical cycles in F-ATP synthases - Fourth in the cycles review series. *EMBO Rep* 7:276-282
- Dobrynin K, Abdrakhmanova A, Richers S, Hunte C, Kerscher S, Brandt U (2010) Characterization of two different acyl carrier proteins in complex I from *Yarrowia lipolytica*. *BBA-Bioenergetics* 1797:152-159
- Doller A, Schlepckow K, Schwalbe H, Pfeilschifter J, Eberhardt W (2010) Tandem phosphorylation of serines 221 and 318 by protein kinase c delta coordinates mRNA binding and nucleocytoplasmic shuttling of HuR. *Mol Cell Biol* 30:1397-1410
- Dorn A, Ludwig RJ, Bock A, Thaci D, Hardt K, Bereiter-Hahn J, Kaufmann R, Bernd A, Kippenberger S (2007) Oligonucleotides suppress IL-8 in skin keratinocytes in vitro and offer anti-inflammatory properties in vivo. *J Invest Dermatol* 127:846-854
- Dötsch V (2009) On track to tenure-track. *EMBO Rep* 10:936-U8
- Dötsch V, Bernassola F, Coutandin D, Candi E, Melino G (2010) p63 and p73, the Ancestors of p53. *Cold Spring Harbor Perspect Biol* 2:14
- Dreuw A, Starcke JH, Wachtveitl J (2010) Excited state properties of the astaxanthin radical cation: A quantum chemical study. *Chem Phys* 373:2-7
- Dröse S, Bleier L, Brandt U (2011) A common mechanism links differently acting complex II inhibitors to cardioprotection: modulation of mitochondrial reactive oxygen species production. *Mol Pharmacol* 79:814-822
- Dröse S, Brandt U (2008) The mechanism of mitochondrial superoxide production by the cytochrome bc(1) complex. *J Biol Chem* 283:21649-21654
- Dröse S, Brandt U, Hanley PJ (2006) K⁺-independent actions of diazoxide question the role of inner membrane K-ATP channels in mitochondrial cytoprotective signaling. *J Biol Chem* 281:23733-23739

- Dröse S, Hanley PJ, Brandt U (2009) Ambivalent effects of diazoxide on mitochondrial ROS production at respiratory chain complexes I and III. *BBA-Bioenergetics* 1790:558-565
- Dröse S, Krack S, Sokolova L, Zwicker K, Barth HD, Morgner N, Heide N, Steger M, Nübel E, Zickermann V, Kerscher S, Brutschy B, Radermacher M, Brandt U (2011) Functional dissection of the proton pumping modules of mitochondrial complex I. *PLoS Biol*:in revision
- Duchardt E, Sigalov AB, Aivazian D, Stern LJ, Schwalbe H (2007) Structure induction of the T-cell receptor zeta-chain upon lipid binding investigated by NMR spectroscopy. *ChemBioChem* 8:820-827
- Duchardt-Ferner E, Weigand JE, Ohlenschlager O, Schnidtko SR, Suess B, Wöhnert J (2010) Highly modular structure and ligand binding by conformational capture in a minimalistic riboswitch. *Angew Chem Int Edit* 49:6216-6219
- Dujic J, Kippenberger S, Hoffmann S, Ramirez-Bosca A, Miquel J, Diaz-Alperi J, Bereiter-Hahn J, Kaufmann R, Bernd A (2007) Low concentrations of curcumin induce growth arrest and apoptosis in skin keratinocytes only in combination with UVA or visible light. *J Invest Dermatol* 127:1992-2000
- Dujic J, Kippenberger S, Ramirez-Bosca A, Diaz-Alperi J, Bereiter-Hahn J, Kaufmann R, Bernd A, Hofmann M (2009) Curcumin in combination with visible light inhibits tumor growth in a xenograft tumor model. *Int J Cancer* 124:1422-1428
- Dürr KL, Koepke J, Hellwig P, Müller H, Angerer H, Peng G, Olkhova E, Richter OMH, Ludwig B, Michel H (2008) A d-pathway mutation decouples the *Paracoccus denitrificans* cytochrome c oxidase by altering the side-chain orientation of a distant conserved glutamate. *J Mol Biol* 384:865-877
- Durr KL, Tavraz NN, Dempski RE, Bamberg E, Friedrich T (2009) Functional significance of E-2 state stabilization by specific alpha/beta-subunit interactions of Na,K- and H,K-ATPase. *J Biol Chem* 284:3842-3854
- Durr KL, Tavraz NN, Zimmermann D, Bamberg E, Friedrich T (2008) Characterization of Na,K-ATPase and H,K-ATPase enzymes with glycosylation-deficient beta-subunit variants by voltage-clamp fluorometry in *Xenopus* oocytes. *Biochemistry* 47:4288-4297
- Durst FG, Ou HD, Löhr F, Dötsch V, Straub WE (2008) The better tag remains unseen. *J Am Chem Soc* 130:14932-14933
- Duval RA, Lewin G, Peris E, Chahboune N, Garofano A, Drose S, Cortes D, Brandt U, Hocquemiller R (2006) Heterocyclic analogues of squamocin as inhibitors of mitochondrial complex I. On the role of the terminal lactone of annonaceous acetogenins. *Biochemistry* 45:2721-2728
- Duval RA, Poupon E, Romero V, Peris E, Lewin G, Cortes D, Brandt U, Hocquemiller R (2006) Analogues of cytotoxic squamocin using reliable reactions: new insights into the reactivity and role of the alpha,beta-unsaturated lactone of the annonaceous acetogenins. *Tetrahedron* 62:6248-6257
- Duvezin-Caubet S, Koppen M, Wagener J, Zick M, Israel L, Bernacchia A, Jagasia R, Rugarli EI, Imhof A, Neupert W, Langert T, Reichert AS (2007) OPA1 processing reconstituted in yeast depends on the subunit composition of the m-AAA protease in mitochondria. *Mol Biol Cell* 18:3582-3590
- Duvezin-Caubet S, Reichert AS, Neupert W (2007) Analysis of gene function of mitochondria Yeast Gene Analysis, Second Edition. Elsevier Academic Press Inc, San Diego, pp 445-489 (Methods in Microbiology vol 36)
- Dworak L, Matyilitsky VV, Breus VV, Braun M, Basche T, Wachtveitl J (2011) Ultrafast charge separation at the CdSe/CdS Core/Shell Quantum Dot/Methylviologen interface: implications for nanocrystal solar cells. *J Phys Chem C* 115:3949-3955
- Dworak L, Matyilitsky VV, Wachtveitl J (2009) Ultrafast photoinduced processes in alizarin-sensitized metal oxide mesoporous films. *ChemPhysChem* 10:384-391

- Dworak L, Wachtveitl J (2011) Ultrafast charge separation at the CdSe Quantum Dot/Methylviologen interface: dependence on electron acceptor concentration. *Z Phys Chem*:in print
- Dzafic E, Klein O, Goswami P, Kühlbrandt W, Mantele W (2009) Infrared spectroscopic study of the structural and functional properties of the Na⁺/H⁺ antiporter MjNhaP1 from *Methanococcus jannaschii*. *BBA-Bioenergetics* 1787:730-737
- Dzafic E, Klein O, Screpanti E, Hunte C, Mantele W (2009) Flexibility and dynamics of NhaA Na⁺/H⁺ antiporter of *Escherichia coli* studied by Fourier transform infrared spectroscopy. *Spectrochim Acta A* 72:102-109
- Ebata T, Hashimoto T, Ito T, Inokuchi Y, Altunsoy F, Brutschy B, Tarakeshwar P (2006) Hydration profiles of aromatic amino acids: conformations and vibrations of L-phenylalanine-(H₂O)_(n) clusters. *Phys Chem Chem Phys* 8:4783-4791
- Eberle I, Pless B, Braun M, Dingermann T, Marschalek R (2010) Transcriptional properties of human NANOG1 and NANOG2 in acute leukemic cells. *Nucleic Acids Res* 38:5384-5395
- Eckert A, Hauptmann S, Scherping I, Meinhardt J, Rhein V, Drose S, Brandt U, Fandrich M, Müller WE, Gotz J (2008) Oligomeric and fibrillar species of beta-amyloid (A β 42) both impair mitochondrial function in P301L tau transgenic mice. *J Mol Med-Jmm* 86:1255-1267
- Eimer S, Gottschalk A, Hengartner M, Horvitz HR, Richmond J, Schafer WR, Bessereau JL (2007) Regulation of nicotinic receptor trafficking by the transmembrane Golgi protein UNC-50. *EMBO J* 26:4313-4323
- Ejlsing CS, Moehring T, Bahr U, Duchoslav E, Karas M, Simons K, Shevchenko A (2006) Collision-induced dissociation pathways of yeast sphingolipids and their molecular profiling in total lipid extracts: a study by quadrupole TOF and linear ion trap-orbitrap mass spectrometry. *J Mass Spectrom* 41:372-389
- Eltsov M, MacLellan KM, Maeshima K, Frangakis AS, Dubochet J (2008) Analysis of cryo-electron microscopy images does not support the existence of 30-nm chromatin fibers in mitotic chromosomes in situ. *P Natl Acad Sci USA* 105:19732-19737
- Endeward B, Butterwick JA, MacKinnon R, Prisner TF (2009) Pulsed electron-electron double-resonance determination of spin-label distances and orientations on the tetrameric potassium ion channel KcsA. *J Am Chem Soc* 131:15246-15250
- Engh AM, Faraldo-Gomez JD, Maduke M (2007) The mechanism of fast-gate opening in ClC-0. *J Gen Physiol* 130:335-349
- Engh AM, Faraldo-Gomez JD, Maduke M (2007) The role of a conserved lysine in chloride- and voltage-dependent ClC-0 fast gating. *J Gen Physiol* 130:351-363
- Engl T, Relja B, Marian D, Blumenberg C, Müller I, Beecken WD, Jones J, Ringel EM, Bereiter-Hahn J, Jonas D, Blaheta RA (2006) CXCR4 chemokine receptor mediates prostate tumor cell adhesion through α (5) and β (3) Integrins. *Neoplasia* 8:290-301
- Englert NE, Richter C, Wiesner J, Hintz M, Jomaa H, Schwalbe H (2011) NMR studies of DOXP reductoisomerase and its inhibitor complex. *ChemBioChem* 12:468-476
- Ernst R, Koch J, Horn C, Tampé R, Schmitt L (2006) Engineering ATPase activity in the isolated ABC cassette of human TAP1. *J Biol Chem* 281:27471-27480
- Esser J, Rakonjac M, Hofmann B, Fischer L, Provost P, Schneider G, Steinhilber D, Samuelsson B, Radmark O (2010) Coactosin-like protein functions as a stabilizing chaperone for 5-lipoxygenase: role of tryptophan 102. *Biochem J* 425:265-274

- Essmann CL, Martinez E, Geiger JC, Zimmer M, Traut MH, Stein V, Klein R, Acker-Palmer A (2008) Serine phosphorylation of ephrinB2 regulates trafficking of synaptic AMPA receptors. *Nat Neurosci* 11:1035-1043
- Etschmann MMW, Kotter P, Hauf J, Bluemke W, Entian KD, Schrader J (2008) Production of the aroma chemicals 3-(methylthio)-1-propanol and 3-(methylthio)-propylacetate with yeasts. *Appl Microbiol Biot* 80:579-587
- Eulenburg V, Becker K, Gomeza J, Schmitt B, Becker CM, Betz H (2006) Mutations within the human GLYT2 (SLC6A5) gene associated with hyperekplexia. *Biochem Biophys Res Commun* 348:400-405
- Exner N, Treske B, Paquet D, Holmstrom K, Schiesling C, Gispert S, Carballo-Carbajal I, Berg D, Hoepken HH, Gasser T, Kruger R, Winklhofer KF, Vogel F, Reichert AS, Auburger G, Kahle PJ, Schmid B, Haass C (2007) Loss-of-function of human PINK1 results in mitochondrial pathology and can be rescued by parkin. *J Neurosci* 27:12413-12418
- Faraldo-Gomez JD, Forrest LR (2011) Modeling and simulation of ion-coupled and ATP-driven membrane proteins. *Curr Opin Struct Biol* 21:173-179
- Faraldo-Gomez JD, Kutluay E, Jogini V, Zhao YX, Heginbotham L, Roux B (2007) Mechanism of intracellular block of the KcsA K⁺ channel by tetrabutylammonium: Insights from X-ray crystallography, electrophysiology and replica-exchange molecular dynamics simulations. *J Mol Biol* 365:649-662
- Faraldo-Gomez JD, Roux B (2007) Characterization of conformational equilibria through Hamiltonian and temperature replica-exchange simulations: Assessing entropic and environmental effects. *J Comput Chem* 28:1634-1647
- Faraldo-Gomez JD, Roux B (2007) On the importance of a funneled energy landscape for the assembly and regulation of multidomain Src tyrosine kinases. *Proc Natl Acad Sci USA* 104:13643-13648
- Farver O, Grell E, Ludwig B, Michel H, Pecht I (2006) Rates and equilibrium of CuA to heme a electron transfer in *Paracoccus denitrificans* cytochrome c oxidase. *Biophys J* 90:2131-2137
- Feisst C, Pergola C, Rakonjac M, Rossi A, Koeberle A, Dodt G, Hoffmann M, Hoernig C, Fischer L, Steinhilber D, Franke L, Schneider G, Radmark O, Sautebin L, Werz O (2009) Hyperforin is a novel type of 5-lipoxygenase inhibitor with high efficacy in vivo. *Cell Mol Life Sci* 66:2759-2771
- Feldbauer K, Zimmermann D, Pintschovius V, Spitz J, Bamann C, Bamberg E (2009) Channelrhodopsin-2 is a leaky proton pump. *Proc Natl Acad Sci USA* 106:12317-12322
- Fernandez DR, Telarico T, Bonilla E, Li Q, Banerjee S, Middleton FA, Phillips PE, Crow MK, Oess S, Müller-Esterl W, Perl A (2009) Activation of mammalian target of rapamycin controls the loss of TCR zeta in lupus T cells through HRES-1/Rab4-regulated lysosomal degradation. *J Immunol* 182:2063-2073
- Ferner J, Suhartono M, Breitung S, Jonker HRA, Hennig M, Wöhnert J, Gobel M, Schwalbe H (2009) Structures of HIV TAR RNA-Ligand complexes reveal higher binding stoichiometries. *ChemBioChem* 10:1490-1494
- Ferner J, Villa A, Duchardt E, Widjajakusuma E, Wöhnert J, Stock G, Schwalbe H (2008) NMR and MD studies of the temperature-dependent dynamics of RNA YNMG-tetra-loops. *Nucleic Acids Res* 36:1928-1940
- Fernow I, Icking A, Tikkanen R (2007) Reggie-1 and reggie-2 localize in non-caveolar rafts in epithelial cells: Cellular localization is not dependent on the expression of caveolin proteins. *Eur J Cell Biol* 86:345-352

- Fischer AS, Metzner J, Steinbrink SD, Ulrich S, Angioni C, Geisslinger G, Steinhilber D, Maier TJ (2010) 5-Lipoxygenase inhibitors induce potent anti-proliferative and cytotoxic effects in human tumour cells independently of suppression of 5-lipoxygenase activity. *Br J Pharmacol* 161:936-949
- Fischer L, Hornig M, Pergola C, Meindl N, Franke L, Tanrikulu Y, Dodt G, Schneider G, Steinhilber D, Werz O (2007) The molecular mechanism of the inhibition by licofelone of the biosynthesis of 5-lipoxygenase products. *Br J Pharmacol* 152:471-480
- Fischer S, Benz J, Spath B, Maier LK, Straub J, Granzow M, Raabe M, Urlaub H, Hoffmann J, Brutschy B, Allers T, Soppa J, Marchfelder A (2010) The archaeal Lsm protein binds to small RNAs. *J Biol Chem* 285:34429-34438
- Flender C, Leonhard P, Wolf C, Fritzsche M, Karas M (2010) Analysis of boronic acids by nano liquid chromatography-direct electron ionization mass spectrometry. *Anal Chem* 82:4194-200
- Foldynova-Trantirkova S, Matulova J, Dötsch V, Lohr F, Cirstea I, Alexandov K, Breitling R, Lukes J, Trantirek L (2009) A Cost-effective Amino-acid-type Selective Isotope Labeling of Proteins Expressed in *Leishmania tarentolae*. *J Biomol Struct Dyn* 26:755-761
- Forrest LR, Kramer R, Ziegler C (2011) The structural basis of secondary active transport mechanisms. *BBA-Bioenergetics* 1807:167-188
- Förster F, Pruggnaller S, Seybert A, Frangakis AS (2008) Classification of cryo-electron sub-tomograms using constrained correlation. *J Struct Biol* 161:276-286
- Förster U, Grunewald C, Engels JW, Wachtveitl J (2010) Ultrafast dynamics of 1-ethynylpyrene-modified RNA: a photophysical probe of intercalation. *J Phys Chem B* 114:11638-45
- Förster U, Lommel K, Sauter D, Grunewald C, Engels JW, Wachtveitl J (2010) 2-(1-Ethynylpyrene)-adenosine as a folding probe for RNA-pyrene in or out. *ChemBioChem* 11:664-672
- Franke L, Schwarz O, Muller-Kuhr L, Hoernig C, Fischer L, George S, Tanrikulu Y, Schneider P, Werz O, Steinhilber D, Schneider G (2007) Identification of natural-product-derived inhibitors of 5-lipoxygenase activity by ligand-based virtual screening. *J Med Chem* 50:2640-2646
- Friedrich MG, Plum MA, Santonicola MG, Kirste VU, Knoll W, Ludwig B, Naumann RLC (2008) In situ monitoring of the catalytic activity of cytochrome c oxidase in a biomimetic architecture. *Biophys J* 95:1500-1510
- Fritscher J, Prisner TF, MacMillan F (2006) Theoretical investigation of Q(A)(-)(center dot) - Ligand interactions in bacterial reaction centers of *Rhodobacter sphaeroides*. *Appl Magn Reson* 30:251-268
- Fritz M, Klyszejko AL, Morgner N, Vonck J, Brutschy B, Muller DJ, Meier T, Muller V (2008) An intermediate step in the evolution of ATPases - a hybrid F₀-V₀ rotor in a bacterial Na⁺F₁F₀ ATP synthase. *FEBS J* 275:1999-2007
- Fuchs SW, Jaskolla TW, Bochmann S, Kotter P, Wichelhaus T, Karas M, Stein T, Entian KD (2011) Entianin, a novel subtilin-like lantibiotic from *Bacillus subtilis* subsp *spizizenii* DSM 15029(T) with high antimicrobial activity. *Appl Environ Microb* 77:1698-1707
- Fürtig B, Buck J, Manoharan V, Bermel W, Jaschke A, Wenter P, Pitsch S, Schwalbe H (2007) Time-resolved NMR studies of RNA folding. *Biopolymers* 86:360-383
- Fürtig B, Buck J, Richter C, Schwalbe H (2011) Functional dynamics of RNA ribozymes studied by NMR spectroscopy. In: J Hartig (ed) *Ribozymes: Methods and Protocols*, pp in print (Methods in Molecular Biology):
- Fürtig B, Buck J, Rinnenthal J, Wacker A, Schwalbe H (2011) NMR-Spektroskopie zum Verständnis RNA-basierter Regulation. *Biospektrum* 17:174-177

- Fürtig B, Richter C, Schell P, Wenter P, Pitsch S, Schwalbe H (2008) NMR-spectroscopic characterization of phosphodiester bond cleavage catalyzed by the minimal hammerhead ribozyme. *RNA Biol* 5:41-48
- Fürtig B, Wenter P, Pitsch S, Schwalbe H (2010) Probing mechanism and transition state of RNA refolding. *ACS Chem Biol* 5:753-765
- Fürtig B, Wenter P, Reymond L, Richter C, Pitsch S, Schwalbe H (2007) Conformational dynamics of bistable RNAs studied by time-resolved NMR spectroscopy. *J Am Chem Soc* 129:16222-16229
- Gafurov M, Lyubenova S, Denysenkov V, Ouari O, Karoui H, Le Moigne F, Tordo P, Prisner TF (2010) EPR characterization of a Rigid Bis-TEMPO-Bis-Ketal for dynamic nuclear polarization. *Appl Magn Reson* 37:505-514
- Galkin A, Dröse S, Brandt U (2006) The proton pumping stoichiometry of purified mitochondrial complex I reconstituted into proteoliposomes. *BBA-Bioenergetics* 1757:1575-1581
- Galkin A, Meyer B, Wittig I, Karas M, Schägger H, Vinogradov A, Brandt U (2008) Identification of the mitochondrial ND3 subunit as a structural component involved in the active/deactive enzyme transition of respiratory complex I. *J Biol Chem* 283:20907-20913
- Gambaryan S, Kobsar A, Hartmann S, Birschmann I, Kuhlencordt PJ, Müller-Esterl W, Lohmann SM, Walter U (2008) NO-synthase-/NO-independent regulation of human and murine platelet soluble guanylyl cyclase activity. *J Thromb Haemost* 6:1376-1384
- Garofano A, Eschemann A, Brandt U, Kerscher S (2006) Substrate-inducible versions of internal alternative NADH: ubiquinone oxidoreductase from *Yarrowia lipolytica*. *Yeast* 23:1129-1136
- Garzon D, Bond PJ, Faraldo-Gomez JD (2009) Predicted structural basis for CD1c presentation of mycobacterial branched polyketides and long lipopeptide antigens. *Mol Immunol* 47:253-60
- Gauntlett JC, Gebhard S, Keis S, Manson JM, Pos KM, Cook GM (2008) Molecular analysis of BcrR, a membrane-bound bacitracin sensor and DNA-binding protein from *Enterococcus faecalis*. *J Biol Chem* 283:8591-8600
- Gaussmann A, Wenger T, Eberle I, Bursen A, Bracharz S, Herr I, Dingermann T, Marschalek R (2007) Combined effects of the two reciprocal t(4; 11) fusion proteins MLL . AF4 and AF4 . MLL confer resistance to apoptosis, cell cycling capacity and growth transformation. *Oncogene* 26:3352-3363
- Gelin MF, Riehn C, Kunitski M, Brutschy B (2010) Strong field effects in rotational femtosecond degenerate four-wave mixing. *J Chem Phys* 132:9
- Gerum C, Schlepckow K, Schwalbe H (2010) The unfolded state of the murine prion protein and properties of single-point mutants related to human prion diseases. *J Mol Biol* 401:7-12
- Gerum C, Silvers R, Wirmer-Bartoschek J, Schwalbe H (2009) Unfolded-state structure and dynamics influence the fibril formation of human prion protein13. *Angew Chem Int Edit* 48:9452-9456
- Geys SA, Bamberg E, Dempski RE (2009) Ligand-dependent effects on the conformational equilibrium of the Na⁺,K⁺-ATPase as monitored by voltage clamp fluorometry. *Biophys J* 96:4561-4570
- Ghanem E, Fritzsche S, Al-Balushi M, Hashem J, Ghuneim L, Thomer L, Kalbacher H, van Endert P, Wiertz E, Tampé R, Springer S (2010) The transporter associated with antigen processing (TAP) is active in a post-ER compartment. *J Cell Sci* 123:4271-4279
- Ghosh A, Smits M, Bredenbeck J, Bonn M (2007) Membrane-bound water is energetically decoupled from nearby bulk water: An ultrafast surface-specific investigation. *J Am Chem Soc* 129:9608-+

- Giannone G, Hosy E, Levet F, Constals A, Schulze K, Sobolevsky AI, Rosconi MP, Gouaux E, Tampé R, Choquet D, Cognet L (2010) Dynamic superresolution imaging of endogenous proteins on living cells at ultra-high density. *Biophys J* 99:1303-1310
- Gieldon A, Lopez JJ, Glaubitz C, Schwalbe H (2008) Theoretical study of the human bradykinin-bradykinin B2 receptor complex. *ChemBioChem* 9:2487-2497
- Gildenhoff N, Amarie S, Gundermann K, Beer A, Büchel C, Wachtveitl J (2010) Oligomerization and pigmentation dependent excitation energy transfer in fucoxanthin-chlorophyll proteins. *BBA-Bioenergetics* 1797:543-549
- Gildenhoff N, Gundermann K, Büchel C, Wachtveitl J (2011) Coherent effects in the carbonyl containing carotenoid fucoxanthin In: M Chergui, DM Jonas, E Riedle, RW Schoenlein, AJ Taylor (eds) *Ultrafast Phenomena XVII*. Springer, Berlin / Heidelberg / New York, pp 361-363
- Gildenhoff N, Herz J, Gundermann K, Büchel C, Wachtveitl J (2010) The excitation energy transfer in the trimeric fucoxanthin-chlorophyll protein from *Cyclotella meneghiniana* analyzed by polarized transient absorption spectroscopy. *Chem Phys* 373:104-109
- Gipson P, Mills DJ, Wouts R, Grininger M, Vonck J, Kühlbrandt W (2010) Direct structural insight into the substrate-shuttling mechanism of yeast fatty acid synthase by electron cryomicroscopy. *P Natl Acad Sci USA* 107:9164-9
- Gispert S, Ricciardi F, Kurz A, Azizov M, Hoepken HH, Becker D, Voos W, Leuner K, Muller WE, Kudin AP, Kunz WS, Zimmermann A, Roeper J, Wenzel D, Jendrach M, Garcia-Arencibia M, Fernandez-Ruiz J, Huber L, Rohrer H, Barrera M, Reichert AS, Rub U, Chen A, Nussbaum RL, Auburger G (2009) Parkinson phenotype in aged PINK1-deficient mice is accompanied by progressive mitochondrial dysfunction in absence of neurodegeneration. *PLoS One* 4:15
- Golinski PA, Zoller N, Kippenberger S, Menke H, Bereiter-Hahn J, Bernd A (2009) Development of an engraftable skin equivalent based on matrigel (R) with human keratinocytes and fibroblasts. *Handchir Mikrochir P* 41:327-332
- Gomez J, Arnsen W, Betz H, Eulenburg V (2006) Lessons from the knocked-out glycine transporters. *Handb Exp Pharmacol* 175:457-83
- Gompf S, Zutz A, Hofacker M, Haase W, van der Does C, Tampé R (2007) Switching of the homooligomeric ATP-binding cassette transport complex MDL1 from post-translational mitochondrial import to endoplasmic reticulum insertion. *FEBS J* 274:5298-5310
- Gonçalves DPN, Schmidt TL, Koepfel MB, Heckel A (2010) DNA minicircles connected via G-Quadruplex interaction modules. *SMALL* 6:1347-1352
- Gorbunov D, Gorboulev V, Shatskaya N, Mueller T, Bamberg E, Friedrich T, Koepsell H (2008) High-affinity cation binding to organic cation transporter 1 induces movement of helix 11 and blocks transport after mutations in a modeled interaction domain between two helices. *Mol Pharmacol* 73:50-61
- Gordiyenko Y, Videler H, Zhou M, McKay AR, Fucini P, Biegel E, Muller V, Robinson CV (2010) Mass spectrometry defines the stoichiometry of ribosomal stalk complexes across the phylogenetic tree. *Mol Cell Proteomics* 9:1774-1783
- Goswami P, Paulino C, Hizlan D, Vonck J, Yildiz O, Kühlbrandt W (2011) Structure of the archaeal Na⁺/H⁺ antiporter NhaP1 and functional role of transmembrane helix 1. *EMBO J* 30:439-449
- Gottschalk A, Schafer WR (2006) Visualization of integral and peripheral cell surface proteins in live *Caenorhabditis elegans*. *J Neurosci Meth* 154:68-79
- Grabbe C, Dikic I (2008) Cell biology going global on ubiquitin. *Science* 322:872-873

- Grabbe C, Dikic I (2009) Functional roles of Ubiquitin-like domain (ULD) and Ubiquitin-binding domain (UBD) containing proteins. *Chem Rev* 109:1481-1494
- Graf J, Nguyen PH, Stock G, Schwalbe H (2007) Structure and dynamics of the homologous series of alanine peptides: A joint molecular dynamics/NMR study. *J Am Chem Soc* 129:1179-1189
- Graf R, Kock M, Bock A, Schubert-Zsilavec M, Steinhilber D, Kaufmann R, Gassenmeier T, Beschmann H, Bernd A, Kippenberger S (2009) Lipophilic prodrugs of amino acids and vitamin E as osmolytes for the compensation of hyperosmotic stress in human keratinocytes. *Exp Dermatol* 18:370-377
- Gredilla R, Grief J, Osiewacz HD (2006) Mitochondrial free radical generation and lifespan control in the fungal aging model *Podospora anserina*. *Exp Gerontol* 41:439-447
- Grimaldi S, Arias-Cartin R, Lanciano P, Lyubenova S, Endeward B, Prisner TF, Magalon A, Guigliarelli B (2010) Direct evidence for nitrogen ligation to the high stability semiquinone intermediate in Escherichia coli nitrate reductase A. *J Biol Chem* 285:179-187
- Grininger M, Seiler F, Zeth K, Oesterhelt D (2006) Dodecin sequesters FAD in closed conformation from the aqueous solution. *J Mol Biol* 364:561-566
- Grininger M, Staudt H, Johansson P, Wachtveitl J, Oesterhelt D (2009) Dodecin is the key player in flavin homeostasis of archaea. *J Biol Chem* 284:13068-13076
- Grininger M, Zeth K, Oesterhelt D (2006) Dodecins: A family of lumichrome binding proteins. *J Mol Biol* 357:842-857
- Groebe K, Krause F, Kunstmann B, Unterluggauer H, Relfschneider NH, Scheckhuber CQ, Sastri C, Stegmann W, Wozny W, Schwall GP, Poznanovic S, Dencher NA, Jansen-Durr P, Osiewacz HD, Schrattenholz A (2007) Differential proteomic profiling of mitochondria from *Podospora anserina*, rat and human reveals distinct patterns of age-related oxidative changes. *Exp Gerontol* 42:887-898
- Grünwald C, Kwon T, Piton N, Förster U, Wachtveitl J, Engels JW (2008) RNA as scaffold for pyrene excited complexes. *Bioorgan Med Chem* 16:19-26
- Grunwald C, Schulze K, Giannone G, Cognet L, Lounis B, Choquet D, Tampe R (2011) Quantum-Yield-Optimized Fluorophores for Site-Specific Labeling and Super-Resolution Imaging. *Journal of the American Chemical Society* 133:8090-8093
- Grunwald C, Schulze K, Reichel A, Weiss VU, Blaas D, Piehler J, Wiesmüller KH, Tampé R (2010) In situ assembly of macromolecular complexes triggered by light. *P Natl Acad Sci USA* 107:6146-6151
- Guo C, Tang TS, Bienko M, Dikic I, Friedberg EC (2008) Requirements for the interaction of mouse pol kappa with ubiquitin and its biological significance. *J Biol Chem* 283:4658-4664
- Guo CX, Tang TS, Bienko M, Parker JL, Bielen AB, Sonoda E, Takeda S, Ulrich HD, Dikic I, Friedberg EC (2006) Ubiquitin-binding motifs in REV1 protein are required for its role in the tolerance of DNA damage. *Mol Cell Biol* 26:8892-8900
- Haarmann R, Ibrahim M, Stevanovic M, Bredemeier R, Schleiff E (2010) The properties of the outer membrane localized Lipid A transporter LptD. *J Phys-Condens Matter* 22:12
- Haase A, Wood PG, Pintschovius V, Bamberg E, Hartung K (2007) Time resolved kinetics of the guinea pig Na-Ca exchanger (NCX1) expressed in Xenopus oocytes: voltage and Ca²⁺ dependence of pre-steady-state current investigated by photolytic Ca²⁺ concentration jumps. *Pflug Arch Eur J Phy* 454:1031-1042
- Haber-Pohlmeier S, Abarca-Heidemann K, Korschen HG, Dhiman HK, Heberle J, Schwalbe H, Klein-Seetharaman J, Kaupp UB, Pohlmeier A (2007) Binding of Ca²⁺ to glutamic acid-rich polypeptides from the rod outer segment. *Biophys J* 92:3207-3214

- Haehnke V, Hofmann B, Grgat T, Proschak E, Steinhilber D, Schneider G (2009) PhAST: Pharmacophore Alignment Search Tool. *J Comput Chem* 30:761-771
- Haendeler J, Drose S, Buchner N, Jakob S, Altschmied J, Goy C, Spyridopoulos I, Zeiher AM, Brandt U, Dimmeler S (2009) Mitochondrial telomerase reverse transcriptase binds to and protects mitochondrial DNA and function from damage. *Arterioscl Throm Vas* 29:929-935
- Hagarman A, Measey TJ, Mathieu D, Schwalbe H, Schweitzer-Stenner R (2010) Intrinsic propensities of amino acid residues in GxG peptides inferred from amide I' band profiles and NMR scalar coupling constants. *J Am Chem Soc* 132:540-551
- Haglund K, Nezis IP, Lemus D, Grabbe C, Wesche J, Liestol K, Dikic I, Palmer R, Stenmark H (2010) Cindr interacts with anillin to control cytokinesis in drosophila melanogaster. *Curr Biol* 20:944-950
- Hahn A, Bublak D, Schleiff E, Scharf KD (2011) Crosstalk between Hsp90 and Hsp70 chaperones and heat stress transcription factors in tomato. *Plant Cell* 23:741-755
- Hahn CD, Leitner C, Weinbrenner T, Schlapak R, Tinazli A, Tampé R, Lackner B, Steindl C, Hinterdorfer P, Gruber HJ, Holzl M (2007) Self-assembled monolayers with latent aldehydes for protein immobilization. *Bioconjugate Chem* 18:247-253
- Hahn CD, Tinazli A, Holzl M, Leitner C, Frederix F, Lackner B, Muller N, Klampfl C, Tampé R, Gruber HJ (2007) Pragmatic studies on protein-resistant self-assembled monolayers. *Monatsh Chem* 138:245-252
- Hähnke MJ, Richter C, Heinicke F, Schwalbe H (2010) The HN(COCA)HAHB NMR experiment for the stereospecific assignment of H-beta-protons in non-native states of proteins. *J Am Chem Soc* 132:918-+
- Halami PM, Stein T, Chandrashekar A, Entian KD (2010) Maturation and processing of Spal, the lipoprotein involved in subtilin immunity in *Bacillus subtilis* ATCC 6633. *Microbiol Res* 165:183-189
- Hamann A, Brust D, Osiewacz HD (2007) Deletion of putative apoptosis factors leads to lifespan extension in the fungal ageing model *Podospora anserina*. *Mol Microbiol* 65:948-958
- Hamann A, Brust D, Osiewacz HD (2008) Apoptosis pathways in fungal growth, development and ageing. *Trends Microbiol* 16:276-283
- Hamid R, Kilger E, Willem M, Vassallo N, Kostka M, Bornhövd C, Reichert AS, Kretzschmar HA, Haass C, Herms J (2007) Amyloid precursor protein intracellular domain modulates cellular calcium homeostasis and ATP content. *J Neurochem* 102:1264-1275
- Hamm P, Helbing J, Bredenbeck J (2008) Two-dimensional infrared spectroscopy of photoswitchable peptides. *Annu Rev Phys Chem* 59:291-317
- Hannappel A, Bundschuh FA, Greiner P, Alles M, Werner C, Richter OM, Ludwig B (2011) Bacterial model systems for cytochrome c oxidase biogenesis. *Indian J Chem A* 50:374-382
- Hannappel A, Bundschuh FA, Ludwig B (2011) Characterization of heme-binding properties of *Paracoccus denitrificans* Surf1 proteins. *FEBS J*:in print
- Hänsel R, Foldynova-Trantirkova S, Lohr F, Buck J, Bongartz E, Bamberg E, Schwalbe H, Dötsch V, Trantirek L (2009) Evaluation of parameters critical for observing nucleic acids inside living *Xenopus laevis* oocytes by in-cell NMR spectroscopy. *J Am Chem Soc* 131:15761-15768
- Harms JM, Wilson DN, Schluenzen F, Connell SR, Stachelhaus T, Zaborowska Z, Spahn CMT, Fucini P (2008) Translational regulation via L11: Molecular switches on the ribosome turned on and off by thiostrepton and micrococcin. *Mol Cell* 30:26-38

- Hartmann K, Corvey C, Skerka C, Kirschfink M, Karas M, Brade V, Miller JC, Stevenson B, Wallich R, Zipfel PF, Kraiczy P (2006) Functional characterization of BbCRASP-2, a distinct outer membrane protein of *Borrelia burgdorferi* that binds host complement regulators factor H and FHL-1. *Mol Microbiol* 61:1220-1236
- Hartshorne RS, Kern M, Meyer B, Clarke TA, Karas M, Richardson DJ, Simon J (2007) A dedicated haem lyase is required for the maturation of a novel bacterial cytochrome c with unconventional covalent haem binding. *Mol Microbiol* 64:1049-1060
- Hauptmann S, Scherping I, Dröse S, Brandt U, Schulz KL, Jendrach M, Leuner K, Eckert A, Müller WE (2009) Mitochondrial dysfunction: An early event in Alzheimer pathology accumulates with age in AD transgenic mice. *Neurobiol Aging* 30:1574-1586
- Heckel A, Famulok M (2008) Building objects from nucleic acids for a nanometer world. *Biochimie* 90:1096-1107
- Hecker CM, Rabiller M, Haglund K, Bayer P, Dikic I (2006) Specification of SUMO1- and SUMO2-interacting motifs. *J Biol Chem* 281:16117-16127
- Hedderich T, Marcia M, Kopke J, Michel H (2011) PICKScreens, a new database for the comparison of crystallization screens for biological macromolecules. *Cryst Growth Des* 11:488-491
- Hefke F, Bagaria A, Reckel S, Ullrich S, Dötsch V, Glaubitz C, Güntert P (2011) Optimization of amino acid type-specific (¹³C and ¹⁵N) labeling for the backbone assignment of membrane proteins by solution- and solid-state NMR with the UPLABEL algorithm *J Biomol NMR* 49:75-84
- Heinzmann S, Entian KD, Stein T (2006) Engineering *Bacillus subtilis* ATCC 6633 for improved production of the lantibiotic subtilin. *Appl Microbiol Biot* 69:532-536
- Helfrich M, Entian KD, Stein T (2007) Structure-function relationships of the lanthionine cyclase SpaC involved in biosynthesis of the *Bacillus subtilis* peptide antibiotic subtilin. *Biochemistry* 46:3224-3233
- Hellmich UA, Haase W, Velamakanni S, van Veen HW, Glaubitz C (2008) Caught in the Act: ATP hydrolysis of an ABC-multidrug transporter followed by real-time magic angle spinning NMR. *FEBS Lett* 582:3557-3562
- Hellwig P, Boehm A, Pfitzner U, Maentele W, Ludwig B (2008) Spectroscopic study on the communication between a heme a(3) propionate, Asp399 and the binuclear center of cytochrome c oxidase from *Paracoccus denitrificans*. *BBA-Bioenergetics* 1777:220-226
- Hempelmann F, Hölper S, Verhoefen MK, Woerner AC, Köhler T, Fiedler SA, Pflieger N, Wachtveitl J, Glaubitz C (2011) The His75-Asp97 cluster in green proteorhodopsin. *J Am Chem Soc* 133:4645-4654
- Herget M, Baldauf C, Scholz C, Parcej D, Wiesmuller KH, Tampé R, Abele R, Bordignon E (2011) Conformation of peptides bound to the transporter associated with antigen processing (TAP). *P Natl Acad Sci USA* 108:1349-1354
- Herget M, Kreissig N, Kolbe C, Scholz C, Tampé R, Abele R (2009) Purification and reconstitution of the antigen transport complex TAP: a prerequisite for determination of peptide stoichiometry and ATP hydrolysis. *J Biol Chem* 284:33740-9
- Herget M, Oancea G, Schrodt S, Karas M, Tampé R, Abele R (2007) Mechanism of substrate sensing and signal transmission within an ABC transporter - Use of a trojan horse strategy. *J Biol Chem* 282:3871-3880
- Herget M, Tampé R (2007) Intracellular peptide transporters in human - compartmentalization of the "peptidome". *Pflug Arch Eur J Phy* 453:591-600

- Hering O, Brenneis M, Beer J, Suess B, Soppa J (2009) A novel mechanism for translation initiation operates in haloarchaea. *Mol Microbiol* 71:1451-1463
- Hermann FG, Egerer L, Brauer F, Gerum C, Schwalbe H, Dietrich U, von Laer D (2009) Mutations in gp120 contribute to the resistance of human immunodeficiency virus type 1 to membrane-anchored C-peptide maC46. *J Virol* 83:4844-4853
- Herzog E, Frigato T, Helms V, Lancaster CRD (2006) Energy barriers of proton transfer reactions between amino acid side chain analogs and water from ab initio calculations. *J Comput Chem* 27:1534-1547
- Hiller M, Higman VA, Jehle S, van Rossum BJ, Kühlbrandt W, Oschkinat H (2008) [2,3-C-13]-labeling of aromatic residues-getting a head start in the magic-angle-spinning NMR assignment of membrane proteins. *J Am Chem Soc* 130:408+
- Hirzel K, Muller U, Latal AT, Huelsmann S, Grudzinska J, Seeliger MW, Betz H, Laube B (2006) Hyperekplexia phenotype of glycine receptor alpha 1 subunit mutant mice identifies Zn²⁺ as an essential endogenous modulator of glycinergic neurotransmission. *Neuron* 52:679-690
- Hoang T, Roth U, Kowalewski K, Belisle C, Steinert K, Karas M (2010) Highly specific capture and direct MALDI MS analysis of phosphopeptides by zirconium phosphonate on self-assembled monolayers. *Anal Chem* 82:219-228
- Hoepken HH, Gispert S, Morales B, Wingerter O, Del Turco D, Mulsch A, Nussbaum RL, Muller K, Droese S, Brandt U, Deller T, Wirth B, Kudin AP, Kunz WS, Auburger G (2007) Mitochondrial dysfunction, peroxidation damage and changes in glutathione metabolism in PARK6. *Neurobiol Dis* 25:401-411
- Hofacker M, Gompf S, Zutz A, Presenti C, Haase W, van der Does C, Model K, Tampé R (2007) Structural and functional fingerprint of the mitochondrial ATP-binding cassette transporter Mdl1 from *Saccharomyces cerevisiae*. *J Biol Chem* 282:3951-3961
- Hofer P, Carl P, Guthausen G, Prisner TF, Reese M, Carlomagno T, Griesinger C, Bennati M (2008) Studies of dynamic nuclear polarization with nitroxides in aqueous solution. *Appl Magn Reson* 34:393-398
- Hoffman J, Aslimovska L, Bamann C, Glaubitz C, Bamberg E, Brutschy B (2010) Studying the stoichiometries of membrane proteins by mass spectrometry: microbial rhodopsins and a potassium ion channel. *Phys Chem Chem Phys* 12:3480-3485
- Hoffmann J, Schmidt TL, Heckel A, Brutschy B (2009) Probing the limits of liquid droplet laser desorption mass spectrometry in the analysis of oligonucleotides and nucleic acids. *Rapid Commun Mass Sp* 23:2176-2180
- Hoffmann J, Sokolova L, Preiss L, Hicks DB, Krulwich TA, Morgner N, Wittig I, Schagger H, Meier T, Brutschy B (2010) ATP synthases: cellular nanomotors characterized by LILBID mass spectrometry. *Phys Chem Chem Phys* 12:13375-82
- Hoffmann M, Lopez JJ, Pergola C, Feisst C, Pawelczik S, Jakobsson PJ, Sorg BL, Glaubitz C, Steinhilber D, Werz O (2010) Hyperforin induces Ca²⁺-dependent arachidonic acid release in human platelets by facilitating cytosolic phospholipase A(2) activation through select phospholipid interactions. *BBA-Mol Cell Biol L* 1801:462-472
- Hofmann B, Barzen S, Rodl CB, Kiehl A, Borig J, Zivkovic A, Stark H, Schneider G, Steinhilber D (2011) A Class of 5-Benzylidene-2-phenylthiazolinones with High Potency as Direct 5-Lipoxygenase Inhibitors. *J Med Chem* 54:1943-1947
- Hofmann B, Franke L, Proschak E, Tanrikulu Y, Schneider P, Steinhilber D, Schneider G (2008) Scaffold-hopping cascade yields potent inhibitors of 5-lipoxygenase. *ChemMedChem* 3:1535-1538

Hofmann B, Maybeck V, Eick S, Meffert S, Ingebrandt S, Wood P, Bamberg E, Offenhausser A (2010) Light induced stimulation and delay of cardiac activity. *Lab on a Chip* 10:2588-2596

Hofmann M, Guschel M, Bernd A, Bereiter-Hahn J, Kaufmann R, Tandl C, Wiig H, Kippenberger S (2006) Lowering of tumor interstitial fluid pressure reduces tumor cell proliferation in a xenograft tumor model. *Neoplasia* 8:89-95

Hofmann M, McCormack E, Mujic M, Rossberg M, Bernd A, Bereiter-Hahn J, Gjertsen BT, Wiig H, Kippenberger S (2009) Increased plasma colloid osmotic pressure facilitates the uptake of therapeutic macromolecules in a xenograft tumor model. *Neoplasia* 11:812-822

Hofmann M, Schultz M, Bernd A, Bereiter-Hahn J, Kaufmann R, Kippenberger S (2007) Long-term lowering of tumour interstitial fluid pressure reduces Ki-67 expression. *J Biomech* 40:2324-2329

Höller D, Crosetto N, Blagoev B, Raiborg C, Tikkanen R, Wagner S, Kowanetz K, Breitling R, Mann M, Stenmark H, Dikic I (2006) Regulation of ubiquitin-binding proteins by monoubiquitination. *Nat Cell Biol* 8:163-U45

Höller D, Dikic I (2009) Targeting the ubiquitin system in cancer therapy. *Nature* 458:438-444

Höller D, Hecker CM, Dikic I (2006) Ubiquitin and ubiquitin-like proteins in cancer pathogenesis. *Nat Rev Cancer* 6:776-788

Höller D, Hecker CM, Wagner S, Rogov V, Dötsch V, Dikic I (2007) E3-independent monoubiquitination of ubiquitin-binding proteins. *Mol Cell* 26:891-898

Hölzl M, Tinazli A, Leitner C, Hahn CD, Lackner B, Tampé R, Gruber HJ (2007) Protein-resistant self-assembled monolayers on gold with latent aldehyde functions. *Langmuir* 23:5571-5577

Horneffer V, Gluckmann M, Kruger B, Karas M, Strupat K, Hillenkamp F (2006) Matrix-analyte-interaction in MALDI-MS: Pellet and nano-electrospray preparations. *Int J Mass Spectrom* 249:426-432

Hsu CF, Phillips JW, Trauger JW, Farkas ME, Belitsky JM, Heckel A, Olenyuk BZ, Puckett JW, Wang CCC, Dervan PB (2007) Completion of a programmable DNA-binding small molecule library. *Tetrahedron* 63:6146-6151

Hsu STD, Cabrita LD, Fucini P, Christodoulou J, Dobson CM (2009) Probing side-chain dynamics of a ribosome-bound nascent chain using methyl NMR spectroscopy. *J Am Chem Soc* 131:8366-8367

Hsu STD, Cabrita LD, Fucini P, Dobson CM, Christodoulou J (2009) Structure, dynamics and folding of an immunoglobulin domain of the gelation factor (ABP-120) from *Dictyostelium discoideum*. *J Mol Biol* 388:865-879

Hsu STD, Fucini P, Cabrita LD, Launay H, Dobson CM, Christodoulou J (2007) Structure and dynamics of a ribosome-bound nascent chain by NMR spectroscopy. *P Natl Acad Sci USA* 104:16516-16521

Hunsicker A, Steber M, Mayer G, Meitert J, Klotzsche M, Blind M, Hillen W, Berens C, Suess B (2009) An RNA aptamer that induces transcription. *Chem Biol* 16:173-180

Hunte C, Richers S (2008) Lipids and membrane protein structures. *Curr Opin Struct Biol* 18:406-411

Hunte C, Zickermann V, Brandt U (2010) Functional modules and structural basis of conformational coupling in mitochondrial complex I. *Science* 329:448-451

Hunzinger C, Wozny W, Schwall GP, Poznanovic S, Stegmann W, Zengerling H, Schoepf R, Groebe K, Cahill MA, Osiewacz HD, Jagemann N, Bloch M, Dencher NA, Krause F, Schratzenholz A (2006) Comparative profiling of the mammalian mitochondrial proteome: Multiple aconitase-2 isoforms

- including N-formylkynurenine modifications as part of a protein biomarker signature for reactive oxidative species. *J Proteome Res* 5:625-633
- Husnjak K, Dikic I (2006) EGFR trafficking: parkin' in a jam. *Nat Cell Biol* 8:787-788
- Husnjak K, Elsasser S, Zhang NX, Chen X, Randles L, Shi Y, Hofmann K, Walters KJ, Finley D, Dikic I (2008) Proteasome subunit Rpn13 is a novel ubiquitin receptor. *Nature* 453:481-488
- Hutter C, Attarbaschi A, Fischer S, Meyer C, Dworzak M, Konig M, Marschalek R, Mann G, Haas OA, Panzer-Grumayer ER (2010) Acute monocytic leukaemia originating from MLL-MLLT3-positive pre-B cells. *Brit J Haematol* 150:621-623
- Icking A, Amaddii M, Ruonala M, Honing S, Tikkanen R (2007) Polarized transport of alzheimer amyloid precursor protein is mediated by adaptor protein complex AP1-1B. *Traffic* 8:285-296
- Icking A, Schilling K, Wiesenthal A, Opitz N, Müller-Esterl W (2006) FCH/Cdc15 domain determines distinct subcellular localization of NOSTRIN. *FEBS Lett* 580:223-228
- Iha H, Peloponese JM, Verstrepen L, Zapart G, Ikeda F, Smith CD, Starost MF, Yedavalli V, Heyninck K, Dikic I, Beyaert R, Jeang KT (2008) Inflammatory cardiac valvulitis in TAX1BP1-deficient mice through selective NF-kappa B activation. *EMBO J* 27:629-641
- Ihalainen JA, Bredenbeck J, Pfister R, Helbing J, Chi L, van Stokkum IHM, Woolley GA, Hamm P (2007) Folding and unfolding of a photoswitchable peptide from picoseconds to microseconds. *P Natl Acad Sci USA* 104:5383-5388
- Ihalainen JA, Paoli B, Muff S, Backus EHG, Bredenbeck J, Woolley GA, Cafisch A, Hamm P (2008) α -Helix folding in the presence of structural constraints. *P Natl Acad Sci USA* 105:9588-9593
- Ikeda F, Crosetto N, Dikic I (2010) What determines the specificity and outcomes of ubiquitin signaling? *Cell* 143:677-681
- Ikeda F, Deribe YL, Skanland SS, Stieglitz B, Grabbe C, Franz-Wachtel M, van Wijk SJL, Goswami P, Nagy V, Terzic J, Tokunaga F, Androulidaki A, Nakagawa T, Pasparakis M, Iwai K, Sundberg JP, Schaefer L, Rittinger K, Macek B, Dikic I (2011) SHARPIN forms a linear ubiquitin ligase complex regulating NF-kappa B activity and apoptosis. *Nature* 471:637-U120
- Ikeda F, Dikic I (2006) CYLD in ubiquitin signaling and tumor pathogenesis. *Cell* 125:643-645
- Ikeda F, Dikic I (2008) Atypical ubiquitin chains: new molecular signals - 'Protein modifications: Beyond the usual suspects' review series. *EMBO Rep* 9:536-542
- Ikeda F, Hecker CM, Rozenknop A, Nordmeier RD, Rogov V, Hofmann K, Akira S, Dötsch V, Dikic I (2007) Involvement of the ubiquitin-like domain of TBK1/IKK-i kinases in regulation of IFN-inducible genes. *EMBO J* 26:3451-3462
- Ito HT, Schuman EM (2009) Distance-dependent homeostatic synaptic scaling mediated by a-type potassium channels. *Front Cell Neurosci* 3:15
- Jacobs DM, Langer T, Elshorst B, Saxena K, Fiebig KM, Vogtherr M, Schwalbe H (2006) NMR backbone assignment of the N-terminal domain of human HSP90. *J Biomol NMR* 36:52-52
- Jakob V, Schreiner A, Tikkanen R, Starzinski-Powitz A (2006) Targeting of transmembrane protein shrew-1 to adherens junctions is controlled by cytoplasmic sorting motifs. *Mol Biol Cell* 17:3397-3408
- Jaks E, Gavutis M, Uze G, Martal J, Piehler J (2007) Differential receptor subunit affinities of Type I interferons govern differential signal activation. *J Mol Biol* 366:525-539

Janes PW, Wimmer-Kleikamp SH, Frangakis AS, Treble K, Griesshaber B, Sabet O, Grabenbauer M, Ting AY, Saftig P, Bastiaens PI, Lackmann M (2009) Cytoplasmic relaxation of active Eph controls Ephrin shedding by ADAM10. *PLoS Biol* 7:17

Jansen M, Corral L, van der Velden VHJ, Panzer-Grumayer R, Schrappe M, Schrauder A, Marschalek R, Meyer C, den Boer ML, Hop WJC, Valsecchi MG, Basso G, Biondi A, Pieters R, van Dongen JJM (2007) Immunobiological diversity in infant acute lymphoblastic leukemia is related to the occurrence and type of MLL gene rearrangement. *Leukemia* 21:633-641

Janzon J, Eichhorn AC, Ludwig B, Malatesta F (2008) Electron transfer kinetics between soluble modules of *Paracoccus denitrificans* cytochrome c(1) and its physiological redox partners. *BBA-Bioenergetics* 1777:250-259

Janzon J, Ludwig B, Malatesta F (2007) Electron transfer kinetics of soluble fragments indicate a direct interaction between complex III and the caa(3) oxidase in *Thermus thermophilus*. *J Mol Biol* 369:563-569

Janzon J, Yuan Q, Malatesta F, Hellwig P, Ludwig B, Durham B, Millett F (2008) Probing the *Paracoccus denitrificans* cytochrome c(1)-cytochrome c(552) interaction by mutagenesis and fast kinetics. *Biochemistry* 47:12974-12984

Jaskolla T, Fuchs B, Karas M, Schiller J (2009) The new matrix 4-chloro-alpha-cyanocinnamic acid allows the detection of phosphatidylethanolamine chloramines by MALDI-TOF mass spectrometry. *J Am Soc Mass Spectr* 20:867-874

Jaskolla TW, Karas M, Roth U, Steinert K, Menzel C, Reihls K (2009) Comparison between vacuum sublimed matrices and conventional dried droplet preparation in MALDI-TOF mass spectrometry. *J Am Soc Mass Spectr* 20:1104-1114

Jaskolla TW, Lehmann WD, Karas M (2008) 4-Chloro- α -cyanocinnamic acid is an advanced, rationally designed MALDI matrix. *P Natl Acad Sci USA* 105:12200-12205

Jaskolla TW, Papatirou DG, Karas M (2009) Comparison between the Matrices alpha-Cyano-4-hydroxycinnamic Acid and 4-Chloro-alpha-cyanocinnamic Acid for Trypsin, Chymotrypsin, and Pepsin Digestions by MALDI-TOF Mass Spectrometry. *J Proteome Res* 8:3588-3597

Jayapal P, Mayer G, Heckel A, Wennmohs F (2009) Structure-activity relationships of a caged thrombin binding DNA aptamer: Insight gained from molecular dynamics simulation studies. *J Struct Biol* 166:241-250

Jedlicka P, Papadopoulos T, Deller T, Betz H, Schwarzacher SW (2009) Increased network excitability and impaired induction of long-term potentiation in the dentate gyrus of collybistin-deficient mice in vivo. *Mol Cell Neurosci* 41:94-100

Jekely G, Colombelli J, Hausen H, Guy K, Stelzer EHK, Nedelec F, Arendt D (2008) Mechanism of phototaxis in marine zooplankton. *Nature* 456:395-399

Jendrach M, Mai S, Pohl S, Voth M, Bereiter-Hahn J (2008) Short- and long-term alterations of mitochondrial morphology, dynamics and mtDNA after transient oxidative stress. *Mitochondrion* 8:293-304

Jonker HRA, Ilin S, Grimm SK, Wöhnert J, Schwalbe H (2007) L11 domain rearrangement upon binding to RNA and thiostrepton studied by NMR spectroscopy. *Nucleic Acids Res* 35:441-454

Jonker HRA, Ilin S, Baumann S, Wolf A, Schoof S, Hiller F, Schulte KW, Kirschner KN, Schwalbe H, Arndt HD (2011) NMR structures of thiostrepton derivatives for characterization of the ribosomal binding site. *Angew Chem Int Edit* 50:3308-3312

- Juhnke HD, Hiltscher H, Nasiri HR, Schwalbe H, Lancaster CRD (2009) Production, characterization and determination of the real catalytic properties of the putative 'succinate dehydrogenase' from *Wolinella succinogenes*. *Mol Microbiol* 71:1088-1101
- Junge F, Luh LM, Proverbio D, Schafer B, Abele R, Beyermann M, Dötsch V, Bernhard F (2010) Modulation of G-protein coupled receptor sample quality by modified cell-free expression protocols: A case study of the human endothelin A receptor. *J Struct Biol* 172:94-106
- Junge F, Schneider B, Reckel S, Schwarz D, Dötsch V, Bernhard F (2008) Large-scale production of functional membrane proteins. *Cell Mol Life Sci* 65:1729-1755
- Juric S, Hazler-Pilepic K, Tomasic A, Lepedus H, Jelacic B, Puthiyaveetil S, Bionda T, Vojta L, Allen JF, Schleiff E, Fulgosi H (2009) Tethering of ferredoxin:NADP plus oxidoreductase to thylakoid membranes is mediated by novel chloroplast protein TROL. *Plant J* 60:783-794
- Kai L, Kaldenhoff R, Lian JZ, Zhu XC, Dötsch V, Bernhard F, Cen PL, Xu ZN (2010) Preparative scale production of functional mouse aquaporin 4 using different cell-free expression modes. *PLoS One* 5:8
- Kaiser C, Lopez JJ, Bermel W, Glaubitz C (2007) Dual transformation of homonuclear solid-state NMR spectra-an option to decrease measuring time. *BBA-Biomembranes* 1768:3107-3115
- Kalmbach R, Chizhov I, Schumacher MC, Friedrich T, Bamberg E, Engelhard M (2007) Functional cell-free synthesis of a seven helix membrane protein: In situ insertion of bacteriorhodopsin into liposomes. *J Mol Biol* 371:639-648
- Kaminishi T, Wilson DN, Takemoto C, Harms JM, Kawazoe M, Schlunzen F, Hanawa-Suetsugu K, Shirouzu M, Fucini P, Yokoyama S (2007) A snapshot of the 30S ribosomal subunit capturing mRNA via the Shine-Dalgarno interaction. *Structure* 15:289-297
- Kaminski BM, Loitsch SM, Ochs MJ, Reuter KC, Steinhilber D, Stein J, Ulrich S (2010) Isothiocyanate sulforaphane inhibits protooncogenic ornithine decarboxylase activity in colorectal cancer cells via induction of the TGF-beta/Smad signaling pathway. *Mol Nutr Food Res* 54:1486-1496
- Kankate L, Werner U, Turchanin A, Golzhauser A, Grossmann H, Tampé R (2010) Protein resistant oligo (ethylene glycol) terminated self-assembled monolayers of thiols on gold by vapor deposition in vacuum. *Biointerphases* 5:30-36
- Karas M (2007) Analytic - On the revolution on ripeness *Nachr Chem*, pp 1016-1019 vol 55
- Katic M, Bosnjak B, Gall-Troselj K, Dikic I, Pavelic K (2006) A clinoptilolite effect on cell media and the consequent effects on tumor cells in vitro. *Front Biosci* 11:1722-1732
- Katryniok C, Schnur N, Gillis A, von Knethen A, Sorg BL, Looijenga L, Radmark O, Steinhilber D (2009) Role of DNA methylation and methyl-DNA binding proteins in the repression of 5-lipoxygenase promoter activity. *BBA-Mol Cell Biol L* 1801:49-57
- Katryniok C, Schnur N, Gillis A, von Knethen A, Sorg BL, Looijenga L, Radmark O, Steinhilber D (2010) Role of DNA methylation and methyl-DNA binding proteins in the repression of 5-lipoxygenase promoter activity. *BBA-Gen Subjects* 1801:49-57
- Kedrov A, Appel M, Baumann H, Ziegler C, Müller DJ (2008) Examining the dynamic energy landscape of an antiporter upon inhibitor binding. *J Mol Biol* 375:1258-1266
- Kedrov A, Janovjak H, Ziegler C, Kühlbrandt W, Müller DJ (2006) Observing folding pathways and kinetics of a single sodium-proton antiporter from *Escherichia coli*. *J Mol Biol* 355:2-8
- Keller PJ, Pampaloni F, Lattanzi G, Stelzer EHK (2008) Three-dimensional microtubule behavior in xenopus egg extracts reveals four dynamic states and state-dependent elastic properties. *Biophys J* 95:1474-1486

Keller PJ, Schmidt AD, Santella A, Khairy K, Bao Z, Wittbrodt J, Stelzer EHK (2010) Fast, high-contrast imaging of animal development with scanned light sheet-based structured-illumination microscopy. *Nat Methods* 7:637-642

Keller PJ, Schmidt AD, Wittbrodt J, Stelzer EHK (2008) Reconstruction of zebrafish early embryonic development by scanned light sheet microscopy. *Science* 322:1065-1069

Keller PJ, Stelzer EHK (2008) Quantitative in vivo imaging of entire embryos with digital scanned laser light sheet fluorescence microscopy. *Curr Opin Neurobiol* 18:624-632

Keller PJ, Stelzer EHK (2010) Digital scanned laser light sheet fluorescence microscopy. *Cold Spring Harb Protoc* 2010:pdb.top78

Keller T, Schwarz D, Bernhard F, Dötsch V, Hunte C, Gorboulev V, Koepsell H (2008) Cell free expression and functional reconstitution of eukaryotic drug transporters. *Biochemistry* 47:4552-4564

Kelly AE, Kranitz H, Dötsch V, Mullins RD (2006) Actin binding to the central domain of WASP/Scar proteins plays a critical role in the activation of the arp2/3 complex. *J Biol Chem* 281:10589-10597

Kempa S, Rozhon W, Samaj J, Erban A, Baluska F, Becker T, Haselmayer J, Schleiff E, Kopka J, Hirt H, Jonak C (2007) A plastid-localized glycogen synthase kinase 3 modulates stress tolerance and carbohydrate metabolism. *Plant J* 49:1076-1090

Kerscher S, Drose S, Zickermann V, Brandt U (2008) The three families of respiratory NADH dehydrogenases. *Results Probl Cell Differ* 45:185-222

Khafizov K, Perez C, Tsai C-J, Ziegler C, Forrest LR (2011) Computational and experimental studies of substrate binding, conformational change and importance of the trimeric state in the glycine betaine transporter BetP. *Biophys J* 100:132a-132a

Khairy K, Reynaud E, Stelzer EHK (2008) Detection of deformable objects in 3D images using Markov-Chain Monte Carlo and spherical harmonics. *Med Image Comput Comput Assist Interv* 11:1075-82

Kiesel M, Reuss R, Endter J, Zimmermann D, Zimmermann H, Shirakashi R, Bamberg E, Zimmermann U, Sukhorukov VL (2006) Swelling-activated pathways in human T-lymphocytes studied by cell volumetry and electrorotation. *Biophys J* 90:4720-4729

Kijak M, Nosenko Y, Singh A, Thurnmel RP, Brutschy B, Waluk J (2007) Ground and excited state vibrations of 2-(2'-pyridyl)pyrrole. *J Mol Struct* 844:286-299

Kim SA, Tai CY, Mok LP, Mosser EA, Schuman EM (2011) Calcium-dependent dynamics of cadherin interactions at cell-cell junctions. *P Natl Acad Sci USA*:in print

Kirkin V, Dikic I (2007) Role of ubiquitin- and Ubl-binding proteins in cell signaling. *Curr Opin Cell Biol* 19:199-205

Kirkin V, Dikic I (2011) Ubiquitin networks in cancer. *Curr Opin Genet Dev* 21:21-28

Kirkin V, Lamark T, Johansen T, Dikic I (2009) NBR1 cooperates with p62 in selective autophagy of ubiquitinated targets. *Autophagy* 5:732-733

Kirkin V, Lamark T, Sou Y, Bjorkoy G, Nunn J, Bruun J, Shvets E, Mc Ewan D, Clausen T, Wild P, Bilusic I, Theurillat JP, Overvatn A, Ishii T, Elazar Z, Komatsu M, Dikic I, Johansen T (2009) A role for NBR1 in autophagosomal degradation of ubiquitinated substrates. *Mol Cell* 33:505-516

Kirkin V, McEwan DG, Novak I, Dikic I (2009) A Role for Ubiquitin in Selective Autophagy. *Mol Cell* 34:259-269

- Klajnert B, Appelhans D, Komber H, Morgner N, Schwarz S, Richter S, Brutschy B, Ionov M, Tonkikh AK, Bryszewska M, Voit B (2008) The influence of densely organized maltose shells on the biological properties of poly(propylene imine) dendrimers: New effects dependent on hydrogen bonding. *Chem-Eur J* 14:7030-7041
- Klammt C, Schwarz D, Dötsch V, Bernhard F (2007) Cell-free production of integral membrane proteins on a preparative scale. *Methods Mol Biol* 375:57-78
- Klammt C, Schwarz D, Eifler N, Engel A, Piehler J, Haase W, Hahn S, Dötsch V, Bernhard F (2007) Cell-free production of G protein-coupled receptors for functional and structural studies. *J Struct Biol* 158:482-493
- Klammt C, Schwarz D, Löhr F, Schneider B, Dötsch V, Bernhard F (2006) Cell-free expression as an emerging technique for the large scale production of integral membrane protein. *FEBS J* 273:4141-4153
- Klammt C, Srivastava A, Eifler N, Junge F, Beyermann M, Schwarz D, Michel H, Dötsch V, Bernhard F (2007) Functional analysis of cell-free-produced human endothelin B receptor reveals transmembrane segment 1 as an essential area for ET-1 binding and homodimer formation. *FEBS J* 274:3257-3269
- Kleefen A, Pedone D, Grunwald C, Wei R, Firnkes M, Abstreiter G, Rant U, Tampé R (2010) Multiplexed parallel single transport recordings on nanopore arrays. *Nano Lett* 10:5080-5087
- Kleinlogel S, Feldbauer K, Dempski RE, Fotis H, Wood PG, Bamann C, Bamberg E (2011) Ultra light-sensitive and fast neuronal activation with the Ca(2+)-permeable channelrhodopsin CatCh. *Nat Neurosci* 14:513-U152
- Kleinschroth T, Anderka O, Ritter M, Stocker A, Link TA, Ludwig B, Hellwig P (2008) Characterization of mutations in crucial residues around the Q(o) binding site of the cytochrome bc(1) complex from *Paracoccus denitrificans*. *FEBS J* 275:4773-4785
- Klenkar G, Valiokas R, Lundstrom I, Tinazli A, Tampé R, Piehler J, Liedberg B (2006) Piezo dispensed microarray of multivalent chelating thiols for dissecting complex protein-protein interactions. *Anal Chem* 78:3643-3650
- Klingen AR, Palsdottir H, Hunte C, Ullmann GM (2007) Redox-linked protonation state changes in cytochrome bc(1) identified by Poisson-Boltzmann electrostatics calculations. *BBA-Bioenergetics* 1767:204-221
- Klohs J, Grafe M, Graf K, Steinbrink J, Dietrich T, Stibenz D, Bahmani P, Kronenberg G, Harms C, Endres M, Lindauer U, Greger K, Stelzer EHK, Dirnagl U, Wunder A (2008) In vivo imaging of the inflammatory receptor CD40 after cerebral ischemia using a fluorescent antibody. *Stroke* 39:2845-2852
- Klyszejko AL, Shastri S, Mari SA, Grubmuller H, Muller DJ, Glaubitz C (2008) Folding and assembly of proteorhodopsin. *J Mol Biol* 376:35-41
- Knauer O, Binai NA, Carra G, Beckhaus T, Hanschmann KM, Renne T, Backert S, Karas M, Wessler S (2008) Differential phosphoproteome profiling reveals a functional role for VASP in *Helicobacter pylori*-induced cytoskeleton turnover in gastric epithelial cells. *Cell Microbiol* 10:2285-2296
- Knies Y, Bernd A, Kaufmann R, Bereiter-Hahn J, Kippenberger S (2006) Mechanical stretch induces clustering of beta 1-integrins and facilitates adhesion. *Exp Dermatol* 15:347-355
- Kocerha J, Prucha MS, Kroll KJ, Steinhilber D, Denslow N (2010) Regulation of steroidogenic acute regulatory protein transcription in largemouth bass by orphan nuclear receptor signaling pathways. *Endocrinology* 151:341-9

Koch J, Guntrum R, Tampé R (2006) The first N-terminal transmembrane helix of each subunit of the antigenic peptide transporter TAP is essential for independent tapasin binding. *FEBS Lett* 580:4091-4096

Koch J, Tampé R (2006) The macromolecular peptide-loading complex in MHC class I-dependent antigen presentation. *Cell Mol Life Sci* 63:653-662

Koeberle A, Rossi A, Zettl H, Pergola C, Dehm F, Bauer J, Greiner C, Reckel S, Hoernig C, Northoff H, Bernhard F, Dötsch V, Sautebin L, Schubert-Zsilavecz M, Werz O (2010) The Molecular Pharmacology and In Vivo Activity of 2-(4-Chloro-6-(2,3-dimethylphenylamino)pyrimidin-2-ylthio)octanoic acid (YS121), a Dual Inhibitor of Microsomal Prostaglandin E-2 Synthase-1 and 5-Lipoxygenase. *J Pharmacol Exp Ther* 332:840-848

Koenig M, Huenecke S, Salzmann-Manrique E, Esser R, Quaritsch R, Steinhilber D, Radeke HH, Martin H, Bader P, Klingebiel T, Schwabe D, Schneider G, Lehrnbecher T, Orth A, Koehl U (2010) Multivariate analyses of immune reconstitution in children after allo-SCT: risk-estimation based on age-matched leukocyte sub-populations. *Bone Marrow Transpl* 45:613-621

Koenig P, Mirus O, Haarmann R, Sommer MS, Sinning I, Schleiff E, Tews I (2010) Conserved properties of polypeptide transport-associated (POTRA) domains derived from cyanobacterial Omp85. *J Biol Chem* 285:18016-18024

Koenig P, Oreb M, Hofle A, Kaltofen S, Rippe K, Sinning I, Schleiff E, Tews I (2008) The GTPase cycle of the chloroplast import receptors Toc33/Toc34: Implications from monomeric and dimeric structures. *Structure* 16:585-596

Koenig P, Oreb M, Rippe K, Muhle-Goll C, Sinning I, Schleiff E, Tews I (2008) On the significance of Toc-GTPase homodimers. *J Biol Chem* 283:23104-23112

Koepke J, Olkhova E, Angerer H, Muller H, Peng GH, Michel H (2009) High resolution crystal structure of *Paracoccus denitrificans* cytochrome c oxidase: New insights into the active site and the proton transfer pathways. *BBA-Bioenergetics* 1787:635-645

Koglin A, Dötsch V, Bernhard F (2010) Molecular engineering aspects for the production of new and modified biosurfactants Biosurfactants. Springer-Verlag Berlin, Berlin, pp 158-169 (Advances in Experimental Medicine and Biology vol 672)

Koglin A, Klarnt C, Trbovic N, Schwarz D, Schneider B, Schafer B, Lohr F, Bernhard F, Dötsch V (2006) Combination of cell-free expression and NMR spectroscopy as a new approach for structural investigation of membrane proteins. *Magn Reson Chem* 44:S17-S23

Koglin A, Lohr F, Bernhard F, Rogov VV, Frueh DP, Strieter ER, Mofid MR, Guntert P, Wagner G, Walsh CT, Marahiel MA, Dötsch V (2008) Structural basis for the selectivity of the external thioesterase of the surfactin synthetase. *Nature* 454:907-911

Koglin A, Mofid MR, Lohr F, Schafer B, Rogov VV, Blum MM, Mittag T, Marahiel MA, Bernhard F, Dötsch V (2006) Conformational switches modulate protein interactions in peptide antibiotic synthetases. *Science* 312:273-276

Kohlstedt K, Gershon C, Friedrich M, Müller-Esterl W, Alhenc-Gelas F, Busse R, Fleming I (2006) Angiotensin-converting enzyme (ACE) dimerization is the initial step in the ACE inhibitor-induced ACE signaling cascade in endothelial cells. *Mol Pharmacol* 69:1725-1732

Koller AN, Schwalbe H, Gohlke H (2008) Starting structure dependence of NMR order parameters derived from MD simulations: Implications for judging force-field quality. *Biophys J* 95:L4-L6

Koller FO, Reho R, Schrader TE, Moroder L, Wachtveitl J, Zinth W (2007) Infrared studies of small azobenzene peptides: Unexpectedly slow reactions on the time range of minutes. *J Phys Chem B* 111:10481-10486

- Koppers-Lalic D, Verweij MC, Lipinska AD, Wang Y, Quinten E, Reits EA, Koch J, Loch S, Rezende MM, Daus F, Bienkowska-Szewczyk K, Osterrieder N, Mettenleiter TC, Heemskerk MHM, Tampé R, Neeffjes JJ, Chowdhury SI, Rensing ME, Rijsewijk FAM, Wiertz E (2008) Varicellovirus UL49.5 proteins differentially affect the function of the transporter associated with antigen processing, TAP. *PLoS Pathog* 4:e1000080
- Korkmaz-Özkan F, Köster S, Kühlbrandt W, Mäntele W, Yildiz Ö (2010) Correlation between the OmpG secondary structure and its pH-dependent alterations monitored by FTIR. *J Mol Biol* 401:56-67
- Kortmann J, Sczodrok S, Rinnenthal J, Schwalbe H, Narberhaus F (2011) Translation on demand by a simple RNA-based thermosensor. *Nucleic Acids Res* 39:2855-2868
- Köster S, Kühlbrandt W, Yildiz O (2009) Purification, crystallization and preliminary X-ray diffraction analysis of the FeoB G domain from *Methanococcus jannaschii*. *Acta Crystallogr F* 65:684-687
- Köster S, Wehner M, Herrmann C, Kühlbrandt W, Yildiz O (2009) Structure and function of the FeoB G-domain from *Methanococcus jannaschii*. *J Mol Biol* 392:405-419
- Kötter P, Weigand JE, Meyer B, Entian KD, Suess B (2009) A fast and efficient translational control system for conditional expression of yeast genes. *Nucleic Acids Res* 37:7
- Kouyianou K, Aivaliotis M, Gevaert K, Karas M, Tsiotis G (2010) Membrane proteome of the green sulfur bacterium *Chlorobium tepidum* (syn. *Chlorobaculum tepidum*) analyzed by gel-based and gel-free methods. *Photosynth Res* 104:153-162
- Kowarz E, Burmeister T, Lo Nigro L, Jansen M, Delabesse E, Klingebiel T, Dingermann T, Meyer C, Marschalek R (2007) Complex MLL rearrangements in t(4;11) leukemia patients with absent AF4 center dot MLL fusion allele. *Leukemia* 21:1232-1238
- Kozlova MA, Juhnke HD, Cherepanov DA, Lancaster CRD, Mulikidjanian AY (2006) Proton transfer coupled to the ubiquinone reduction in the reaction center of *Blastochloris viridis*. *BBA-Bioenergetics*:283-284
- Krah A, Pogoryelov D, Langer JD, Bond PJ, Meier T, Faraldo-Gómez JD (2010) Structural and energetic basis for H⁺ versus Na⁺ binding selectivity in ATP synthase Fo rotors. *BBA-Bioenergetics* 1797:763-772
- Krah A, Pogoryelov D, Meier T, Faraldo-Gomez JD (2010) On the structure of the proton-binding site in the F(o) rotor of chloroplast ATP synthases. *J Mol Biol* 395:20-7
- Krämer R, Ziegler C (2009) Regulative interactions of the osmosensing C-terminal domain in the trimeric glycine betaine transporter BetP from *Corynebacterium glutamicum*. *Biol Chem* 390:685-691
- Krause F, Scheckhuber CQ, Werner A, Rexroth S, Reifschneider NH, Dencher NA, Osiewacz HD (2006) OXPPOS Supercomplexes. *Ann NY Acad Sci* 1067:106-115
- Krauter J, Wagner K, Schafer I, Marschalek R, Meyer C, Heil G, Schaich M, Ehninger G, Niederwieser D, Krahl R, Buchner T, Sauerland C, Schlegelberger B, Dohner K, Dohner H, Schlenk RF, Ganser A (2009) Prognostic factors in adult patients up to 60 years old with acute myeloid leukemia and translocations of chromosome band 11q23: Individual patient data-based meta-analysis of the German Acute Myeloid Leukemia Intergroup. *J Clin Oncol* 27:3000-3006
- Krieger F, Mourot A, Araoz R, Kotzyba-Hibert F, Molgo J, Bamberg E, Goeldner M (2008) Fluorescent agonists for the torpedo nicotinic acetylcholine receptor. *ChemBioChem* 9:1146-1153
- Krstic I, Frolow O, Sezer D, Endeward B, Weigand JE, Suess B, Engels JW, Prisner TF (2010) PELDOR spectroscopy reveals preorganization of the neomycin-responsive riboswitch tertiary structure. *J Am Chem Soc* 132:1454-1455

- Krstić I, Hänsel R, Romainczyk O, Engels JW, Dötsch V, Prisner TF (2011) Long-range distance measurements on nucleic acids in cells by pulsed EPR spectroscopy. *Angew Chem Int Edit*:in print
- Kruger P, Daneshfar R, Eckert GP, Klein J, Volmer DA, Bahr U, Muller WE, Karas M, Schubert-Zsilavec M, Abdel-Tawab M (2008) Metabolism of boswellic acids in vitro and in vivo. *Drug Metab Dispos* 36:1135-1142
- Kubeil M, Stephan H, Pietzsch H-J, Geipel G, Appelhans D, Voit B, Hoffmann J, Brutschy B, Mironov YV, Brylev KA, Fedorov VE (2010) Sugar-decorated dendritic nanocarriers: encapsulation and release of the octahedral rhenium cluster complex [Re₆S₈(OH)₆]₄. *Chem Asian J* 5:2507-14
- Kuhlmann SI, van Scheltinga ACT, Bienert R, Kunte HJ, Ziegler C (2008) 1.55 angstrom structure of the ectoine binding protein TeaA of the osmoregulated TRAP-transporter TeaABC from *Halomonas elongata*. *Biochemistry* 47:9475-9485
- Kühner S, van Noort V, Betts MJ, Leo-Macias A, Batisse C, Rode M, Yamada T, Maier T, Bader S, Beltran-Alvarez P, Castano-Diez D, Chen WH, Devos D, Guell M, Norambuena T, Racke I, Rybin V, Schmidt A, Yus E, Aebersold R, Herrmann R, Bottcher B, Frangakis AS, Russell RB, Serrano L, Bork P, Gavin AC (2009) Proteome organization in a genome-reduced bacterium. *Science* 326:1235-1240
- Kuipers JE, Coenen EA, Balgobind BV, Stary J, Baruchel A, de Haas V, de Bont E, Reinhardt D, Kaspers GJL, Cloos J, Danen-van Oorschot AA, den Boer ML, Marschalek R, Meyer C, Pieters R, Zwaan CM, van den Heuvel-Eibrink MM (2011) High IGSF4 expression in pediatric M5 acute myeloid leukemia with t(9;11)(p22;q23). *Blood* 117:928-935
- Kumar J, Sreeramulu S, Schmidt TL, Richter C, Vonck J, Heckel A, Glaubitz C, Schwalbe H (2010) Prion protein amyloid formation involves structural rearrangements in the C-terminal domain. *ChemBioChem* 11:1208-1213
- Kundu T, Lee JP, Blase C, Bereiter-Hahn J (2006) Acoustic microscope lens modeling and its application in determining biological cell properties from single- and multi-layered cell models. *J Acoust Soc Am* 120:1646-1654
- Kunitski M, Knippenberg S, Gelin M, Riehn C, Dreuw A, Brutschy B (2010) Ring-puckering motion in cyclopentene studied by time-resolved rotational coherence spectroscopy and ab initio calculations. *Phys Chem Chem Phys* 12:8190-200
- Kunitski M, Riehn C, Matylitsky VV, Tarakeshwar P, Brutschy B (2010) Pseudorotation in pyrrolidine: rotational coherence spectroscopy and ab initio calculations of a large amplitude intramolecular motion. *Phys Chem Chem Phys* 12:72-81
- Kunstmann B, Osiewacz HD (2008) Over-expression of an S-adenosylmethionine-dependent methyltransferase leads to an extended lifespan of *Podospira anserina* without impairments in vital functions. *Aging Cell* 7:651-662
- Kunstmann B, Osiewacz HD (2009) The S-adenosylmethionine dependent O-methyltransferase PaMTH1: a longevity assurance factor protecting *Podospira anserina* against oxidative stress. *Aging-US* 1:328-334
- Kusebauch U, Cadamuro SA, Musiol HJ, Lenz MO, Wachtveitl J, Moroder L, Renner C (2006) Photocontrolled folding and unfolding of a collagen triple helix. *Angew Chem Int Edit* 45:7015-7018
- Kuster L, Grausenburger R, Fuka G, Kaindl U, Krapf G, Inthal A, Mann G, Kauer M, Rainer J, Kofler R, Hall A, Metzler M, Meyer LH, Meyer C, Harbott J, Marschalek R, Strehl S, Haas OA, Panzer-Grumayer R (2011) ETV6/RUNX1-positive relapses evolve from an ancestral clone and frequently acquire deletions of genes implicated in glucocorticoid signaling. *Blood* 117:2658-2667
- Ladig R, Sommer MS, Hahn A, Leisegang MS, Papatotiriou DG, Ibrahim M, Elkehal R, Karas M, Zickermann V, Gutensohn M, Brandt U, Klösgen RB, Schleiff E (2011) A high-definition native

polyacrylamide gel electrophoresis system for the analysis of membrane complexes. *Plant J* 67:181-194

Lamark T, Kirkin V, Dikic I, Johansen T (2009) NBR1 and p62 as cargo receptors for selective autophagy of ubiquitinated targets. *Cell Cycle* 8:1986-1990

Lamoureux G, Faraldo-Gomez JD, Krupin S, Noskov SY (2009) Polarizable model of chloroform based on classical Drude oscillators. *Chem Phys Lett* 468:270-274

Lancaster CRD, Haas AH, Madej MG, Mileni M (2006) Recent progress on obtaining theoretical and experimental support for the "E-pathway hypothesis" of coupled transmembrane electron and proton transfer in dihaem-containing quinol : fumarate reductase. *BBA-Bioenergetics* 1757:988-995

Lancaster CRD, Hunte C, Kelley J, Trumppower BL, Ditchfield R (2007) A comparison of stigmatellin conformations, free and bound to the photosynthetic reaction center and the cytochrome bc(1) complex. *J Mol Biol* 368:197-208

Landrieu I, Lacosse L, Leroy A, Wieruszkeski JM, Trivelli X, Sillen A, Sibille N, Schwalbe H, Saxena K, Langer T, Lippens G (2006) NMR analysis of a tau phosphorylation pattern. *J Am Chem Soc* 128:3575-3583

Landshamer S, Hoehn M, Barth N, Duvezin-Caubet S, Schwake G, Tobaben S, Kazhdan I, Becattini B, Zahler S, Vollmar A, Pellicchia M, Reichert AS, Plesnila N, Wagner E, Culmsee C (2008) Bid-induced release of AIF from mitochondria causes immediate neuronal cell death. *Cell Death Differ* 15:1553-1563

Landwehr J, George S, Karg EM, Poeckel D, Steinhilber D, Troschuetz R, Werz O (2006) Design and synthesis of novel 2-amino-5-hydroxyindole derivatives that inhibit human 5-lipoxygenase. *J Med Chem* 49:4327-4332

Lappe-Siefke C, Loebrich S, Hevers W, Waidmann OB, Schweizer M, Fehr S, Fritschy JM, Dikic I, Eilers J, Wilson SM, Kneussel M (2009) The ataxia (ax(J)) mutation causes abnormal GABA(A) receptor turnover in mice. *PLoS Genet* 5:12

Lata S, Gavutis M, Tampé R, Piehler J (2006) Specific and stable fluorescence labeling of histidine-tagged proteins for dissecting multi-protein complex formation. *J Am Chem Soc* 128:2365-2372

Lata S, Piehler J (2006) Synthesis of a multivalent chelator lipid for stably tethering histidine-tagged proteins onto membranes. *Nat Protoc* 1:2104-2109

Laubach V, Zoller N, Rossberg M, Gorg K, Kippenberger S, Bereiter-Hahn J, Kaufmann R, Bernd A (2011) Integration of Langerhans-like cells into a human skin equivalent. *Arch Dermatol Res* 303:135-139

Lechtken A, Hornig M, Werz O, Corvey N, Zundorf I, Dingermann T, Brandes R, Steinhilber D (2007) Extracellular signal-regulated kinase-2 phosphorylates ROR alpha 4 in vitro. *Biochem Biophys Res Commun* 358:890-896

Lechtken A, Zundorf I, Dingermann T, Firla B, Steinhilber D (2006) Overexpression, refolding, and purification of polyhistidine-tagged human retinoic acid related orphan receptor ROR alpha 4. *Protein Express Purif* 49:114-120

Ledwidge R, Hong B, Dotsch V, Miller SM (2010) NmerA of Tn501 mercuric ion reductase: structural modulation of the pK(a) values of the metal binding cysteine thiols. *Biochemistry* 49:8988-8998

Lee SG, Park TS, Won SC, Song J, Lee KA, Choi JR, Marschalek R, Meyer C (2010) Three-way translocation involving MLL, MLLT1, and a novel third partner, NRXN1, in a patient with acute lymphoblastic leukemia and t(2;19;11) (p12;p13.3;q23). *Cancer Genet Cytogen* 197:32-8

- Lehmann P, Bohnsack MT, Schleiff E (2011) The functional domains of the chloroplast unusual positioning protein 1. *Plant Sci* 180:650-654
- Lehmann P, Nothen J, von Braun SS, Bohnsack MT, Mirus O, Schleiff E (2011) Transitions of gene expression induced by short-term blue light. *Plant Biol* 13:349-361
- Lehner I, Basting D, Meyer B, Haase W, Manolikas T, Kaiser C, Karas M, Glaubitz C (2008) The key residue for substrate transport (Glu(14)) in the EmrE dimer is asymmetric. *J Biol Chem* 283:3281-3288
- Lenz MO, Huber R, Schmidt B, Gilch P, Kalmbach R, Engelhard M, Wachtveitl J (2006) First steps of retinal photoisomerization in proteorhodopsin. *Biophys J* 91:255-262
- Lenz MO, Wachtveitl J (2008) Quenching of triplet state formation by electron transfer for merocyanine/TiO₂ systems. *J Phys Chem C* 112:11973-11977
- Leone V, Krah A, Faraldo-Gomez JD (2010) On the question of hydronium binding to ATP-synthase membrane rotors. *Biophys J* 99:L53-5
- Leulliot N, Bohnsack MT, Graille M, Tollervey D, Van Tilbeurgh H (2008) The yeast ribosome synthesis factor Emg1 is a novel member of the superfamily of alpha/beta knot fold methyltransferases. *Nucleic Acids Res* 36:629-639
- Li ZL, Strunk JJ, Lamken P, Piehler J, Walz T (2008) The EM structure of a type I interferon-receptor complex reveals a novel mechanism for cytokine signaling. *J Mol Biol* 377:715-724
- Liao PN, Holleboom CP, Wilk L, Kühlbrandt W, Walla PJ (2010) Correlation of Car S-1 -> Chl with Chl -> Car S-1 energy transfer supports the excitonic model in quenched light harvesting complex II. *J Phys Chem B* 114:15650-15655
- Liewald JF, Brauner M, Stephens GJ, Bouhours M, Schultheis C, Zhen M, Gottschalk A (2008) Optogenetic analysis of synaptic function. *Nat Methods* 5:895 - 902
- Lin SS, Kerscher S, Saleh A, Brandt U, Gross U, Bohne W (2008) The *Toxoplasma gondii* type-II NADH dehydrogenase TgNDH2-I is inhibited by 1-hydroxy-2-alkyl-4(1H)quinolones. *BBA-Bioenergetics* 1777:1455-1462
- Lindner SC, Kohl U, Maier TJ, Steinhilber D, Sorg BL (2009) TLR2 ligands augment cPLA(2)alpha activity and lead to enhanced leukotriene release in human monocytes. *J Leukocyte Biol* 86:389-399
- Linke B, Pierre S, Coste O, Angioni C, Becker W, Maier TJ, Steinhilber D, Wittpoth C, Geisslinger G, Scholich K (2009) Toponomics analysis of drug-induced changes in arachidonic acid-dependent signaling pathways during spinal nociceptive processing. *J Proteome Res* 8:4851-4859
- Loch S, Klauschies F, Scholz C, Verweij MC, Wiertz E, Koch J, Tampé R (2008) Signaling of a varicelloviral factor across the endoplasmic reticulum membrane induces destruction of the peptide-loading complex and immune evasion. *J Biol Chem* 283:13428-13436
- Lohr F, Hansel R, Rogov VV, Dötsch V (2007) Improved pulse sequences for sequence specific assignment of aromatic proton resonances in proteins. *J Biomol NMR* 37:205-224
- Lopez JJ, Kaiser C, Asami S, Glaubitz C (2009) Higher sensitivity through selective C-13 excitation in solid-state NMR spectroscopy. *J Am Chem Soc* 131:15970-15971
- Lopez JJ, Kaiser C, Shastri S, Glaubitz C (2008) Double quantum filtering homonuclear MAS NMR correlation spectra: a tool for membrane protein studies. *J Biomol NMR* 41:97-104
- Lopez JJ, Mason AJ, Kaiser C, Glaubitz C (2007) Separated local field NMR experiments on oriented samples rotating at the magic angle. *J Biomol NMR* 37:97-111

Lopez JJ, Shukla AK, Reinhart C, Schwalbe H, Michel H, Glaubitz C (2008) The structure of the neuropeptide bradykinin bound to the human G-protein coupled receptor bradykinin B2 as determined by solid-state NMR spectroscopy. *Angew Chem Int Edit* 47:1668-1671

Lorenz L, Plotner J, Matylitsky VV, Dreuw A, Wachtveitl J (2007) Ultrafast photoinduced dynamics of pigment yellow 101: Fluorescence, excited-state intramolecular proton transfer, and isomerization. *J Phys Chem A* 111:10891-10898

Lorinczi E, Tsivkovskii R, Haase W, Bamberg E, Lutsenko S, Friedrich T (2008) Delivery of the Cu-transporting ATPase ATP7B to the plasma membrane in *Xenopus oocytes*. *BBA-Biomembranes* 1778:896-906

Lorinczi E, Verhoefen MK, Wachtveitl J, Woerner AC, Glaubitz C, Engelhard M, Bamberg E, Friedrich T (2009) Voltage- and pH-dependent changes in vectoriality of photocurrents mediated by wild-type and mutant proteorhodopsins upon expression in *Xenopus Oocytes*. *J Mol Biol* 393:320-341

Lotz M, Haase W, Kühlbrandt W, Collinson I (2008) Projection structure of yidC: A conserved mediator of membrane protein assembly. *J Mol Biol* 375:901-907

Luce K, Osiewacz HD (2009) Increasing organismal healthspan by enhancing mitochondrial protein quality control. *Nat Cell Biol* 11:852-858

Luce K, Weil AC, Osiewacz HD (2010) Mitochondrial protein quality control systems in aging and disease Protein Metabolism and Homeostasis in Aging. Springer-Verlag Berlin, Berlin, pp 108-125 (Advances in Experimental Medicine and Biology vol 694)

Lucioli S, Hoffmeier K, Carozzo R, Tessa A, Ludwig B, Santorelli FM (2006) Introducing a novel human mtDNA mutation into the *Paracoccus denitrificans* COX I gene explains functional deficits in a patient. *Neurogenetics* 7:51-57

Ludden MJW, Mulder A, Tampé R, Reinhoudt DN, Huskens J (2007) Molecular printboards as a general platform for protein immobilization: A supramolecular solution to nonspecific adsorption. *Angew Chem Int Edit* 46:4104-4107

Ludden MLW, Mulder A, Schulze K, Subramaniam V, Tampé R, Huskens J (2008) Anchoring of histidine-tagged proteins to molecular printboards: Self-assembly, thermodynamic modeling, and patterning. *Chem-Eur J* 14:2044-2051

Ludwig B, Michel H, Brandt U (2009) Structures and mechanisms in molecular bioenergetics preface. *BBA-Bioenergetics* 1787:561-562

Ludwig V, Krebs A, Stoll M, Dietrich U, Ferner J, Schwalbe H, Scheffer U, Durner G, Gobel MW (2007) Tripeptides from synthetic amino acids block the Tat-TAR association and slow down HIV spread in cell cultures. *ChemBioChem* 8:1850-1856

Lundstrom K, Wagner R, Reinhart C, Desmyter A, Cherouati N, Magnin T, Zeder-Lutz G, Courtot M, Prual C, André N, Hassaine G, Michel H, Cambillau C, Pattus F (2006) Structural genomics on membrane proteins: comparison of more than 100 GPCRs in 3 expression systems. *J Struct Funct Genomics* 7:77-91

Luttrupp D, Schade M, Baer PC, Bereiter-Hahn J (2011) Respiration Rate in Human Primary Renal Proximal and Early Distal Tubular Cells In Vitro: Considerations for Biohybrid Renal Devices. *Biotechnol Progr* 27:262-268

Lutz AK, Exner N, Fett ME, Schlehe JS, Kloos K, Lammermann K, Brunner B, Kurz-Drexler A, Vogel F, Reichert AS, Bouman L, Vogt-Weisenhorn D, Wurst W, Tatzelt J, Haass C, Winklhofer KF (2009) Loss of parkin or PINK1 function increases Drp1-dependent mitochondrial fragmentation. *J Biol Chem* 284:22938-22951

- Lyubenova S, Maly T, Zwicker K, Brandt U, Ludwig B, Prisner TF (2010) Multifrequency pulsed electron paramagnetic resonance on metalloproteins. *Accounts Chem Res* 43:181-189
- Lyubenova S, Siddiqui MK, de Vries MJMP, Ludwig B, Prisner TF (2007) Protein-protein interactions studied by EPR relaxation measurements: Cytochrome c and cytochrome c oxidase. *J Phys Chem B* 111:3839-3846
- MacMillan F, Budiman K, Angerer H, Michel H (2006) The role of tryptophan 272 in the *Paracoccus denitrificans* cytochrome c oxidase. *FEBS Lett* 580:1345-1349
- MacMillan F, Kacprzak S, Hellwig P, Grimaldi S, Michel H, Kaupp M (2011) Elucidating mechanisms in haem copper oxidases: The high-affinity Q(H) binding site in quinol oxidase as studied by DONUT-HYSCORE spectroscopy and density functional theory. *Faraday Discuss* 148:315-344
- MacMillan F, Lange C, Hunte C (2007) Resolving protein-cofactor interactions in the cytochrome bc(1) complex. *Photosynth Res* 91:195-196
- Madej MG, Nasiri HR, Hilgendorff NS, Schwalbe H, Lancaster CRD (2006) Evidence for transmembrane proton transfer in a dihaem-containing membrane protein complex. *EMBO J* 25:4963-4970
- Madej MG, Nasiri HR, Hilgendorff NS, Schwalbe H, Uden G, Lancaster CRD (2006) Experimental evidence for proton motive force-dependent catalysis by the diheme-containing succinate: Menaquinone oxidoreductase from the gram-positive bacterium *Bacillus licheniformis*. *Biochemistry* 45:15049-15055
- Madry C, Betz H, Geiger JRP, Laube B (2008) Supralinear potentiation of NR1/NR3A excitatory glycine receptors by Zn²⁺ and NR1 antagonist. *P Natl Acad Sci USA* 105:12563-12568
- Madry C, Mesic I, Bartholomaeus I, Nicke A, Betz H, Laube B (2007) Principal role of NR3 subunits in NR1/NR3 excitatory glycine receptor function. *Biochem Biophys Res Co* 354:102-108
- Madry C, Mesic I, Betz H, Laube B (2007) The N-terminal domains of both NR1 and NR2 Subunits determine allosteric Zn²⁺ inhibition and glycine affinity of N-methyl-D-aspartate receptors. *Mol Pharmacol* 72:1535-1544
- Mahoney TR, Luo S, Round EK, Brauner M, Gottschalk A, Thomas JH, Nonet ML (2008) Intestinal signaling to GABAergic neurons regulates a rhythmic behavior in *Caenorhabditis elegans*. *P Natl Acad Sci USA* 105:16350-16355
- Mai S, Klinkenberg M, Auburger G, Bereiter-Hahn J, Jendrach M (2010) Decreased expression of Drp1 and Fis1 mediates mitochondrial elongation in senescent cells and enhances resistance to oxidative stress through PINK1. *J Cell Sci* 123:917-926
- Maier P, Rathfelder N, Maeder CI, Colombelli J, Stelzer EHK, Knop M (2008) The SpoMB pathway drives membrane bending necessary for cytokinesis and spore formation in yeast meiosis. *EMBO J* 27:2363-2374
- Maier TJ, Schiffmann S, Wobst I, Birod K, Angioni C, Hoffmann M, Lopez JJ, Glaubitz C, Steinhilber D, Geisslinger G, Grosch S (2009) Cellular membranes function as a storage compartment for celecoxib. *J Mol Med-Jmm* 87:981-993
- Maier TJ, Tausch L, Hoernig M, Coste O, Schmidt R, Angioni C, Metzner J, Groesch S, Pergola C, Steinhilber D, Wertz O, Geisslinger G (2008) Celecoxib inhibits 5-lipoxygenase. *Biochem Pharmacol* 76:862-872
- Maksay G, Laube B, Schemm R, Grudzinska J, Drwal M, Betz H (2009) Different binding modes of tropeines mediating inhibition and potentiation of alpha 1 glycine receptors. *J Neurochem* 109:1725-1732

- Maly T, Grgic L, Zwicker K, Zickermann V, Brandt U, Prisner TF (2006) Cluster N1 of complex I from *Yarrowia lipolytica* studied by pulsed EPR spectroscopy. *J Biol Inorg Chem* 11:343-350
- Maly T, Zwicker K, Cernescu A, Brandt U, Prisner TF (2009) New pulsed EPR methods and their application to characterize mitochondrial complex I. *BBA-Bioenergetics* 1787:584-592
- Manoharan V, Furtig B, Jaschke A, Schwalbe H (2009) Metal-induced folding of diels-alderase ribozymes studied by static and time-resolved NMR spectroscopy. *J Am Chem Soc* 131:6261-6270
- Marafioti T, Paterson JC, Ballabio E, Reichard KK, Tedoldi S, Hollowood K, Dictor M, Hansmann ML, Pileri SA, Dyer MJ, Sozzani S, Dikic I, Shaw AS, Petrella T, Stein H, Isaacson PG, Facchetti F, Mason DY (2008) Novel markers of normal and neoplastic human plasmacytoid dendritic cells. *Blood* 111:3778-3792
- Marcia M, Ermler U, Peng GH, Michel H (2009) The structure of *Aquifex aeolicus* sulfide:quinone oxidoreductase, a basis to understand sulfide detoxification and respiration. *P Natl Acad Sci USA* 106:9625-9630
- Marcia M, Ermler U, Peng GH, Michel H (2010) A new structure-based classification of sulfide:quinone oxidoreductases. *Proteins* 78:1073-1083
- Marcia M, Langer JD, Parcej D, Vogel V, Peng G, Michel H (2010) Characterizing a monotopic membrane enzyme. Biochemical, enzymatic and crystallization studies on *Aquifex aeolicus* sulfide:quinone oxidoreductase. *BBA-Biomembranes* 1798:2114-23
- Margraf D, Bode BE, Marko A, Schiemann O, Prisner TF (2007) Conformational flexibility of nitroxide biradicals determined by X-band PELDOR experiments. *Mol Phys* 105:2153-2160
- Margraf D, Cekan P, Prisner TF, Sigurdsson ST, Schiemann O (2009) Ferro- and antiferromagnetic exchange coupling constants in PELDOR spectra. *Phys Chem Chem Phys* 11:6708-6714
- Margraf D, Schuetz D, Prisner TF, Bats JW (2009) Biphenyl-4,4'-diyl bis(2,2,5,5-tetramethyl-1-oxyl-3-pyrroline-3-carboxylate). *Acta Crystallogr E* 65:O1784-U2312
- Mari SA, Koster S, Bippes CA, Yildiz O, Kühlbrandt W, Muller DJ (2010) pH-induced conformational change of the beta-barrel-forming protein OmpG reconstituted into native *E. coli* lipids. *J Mol Biol* 396:610-616
- Marko A, Margraf D, Cekan P, Sigurdsson ST, Schiemann O, Prisner TF (2010) Analytical method to determine the orientation of rigid spin labels in DNA. *Phys Rev E* 81:021911
- Marko A, Margraf D, Yu H, Mu Y, Stock G, Prisner TF (2009) Molecular orientation studies by pulsed electron-electron double resonance experiments. *J Chem Phys* 130:064102
- Marschalek R (2008) Etoposide-treatment and MLL rearrangements. *Eur J Haematol* 81:481-482
- Marschalek R (2010) Mixed lineage leukemia: roles in human malignancies and potential therapy. *FEBS J* 277:1822-1831
- Marschalek R (2011) Mechanisms of leukemogenesis by MLL fusion proteins. *Brit J Haematol* 152:141-154
- Marshall D, Fisher N, Grigic L, Zickermann V, Brandt U, Shannon RJ, Hirst J, Lawrence R, Rich PR (2006) ATR-FTIR redox difference spectroscopy of *Yarrowia lipolytica* and bovine complex I. *Biochemistry* 45:5458-5467
- Martin LJ, Hahnke MJ, Nitz M, Wöhnert J, Silvaggi NR, Allen KN, Schwalbe H, Imperiali B (2007) Double-lanthanide-binding tags: Design, photophysical properties, and NMR applications. *J Am Chem Soc* 129:7106-7113

- Martin V, Groenendyk J, Steiner SS, Guo L, Dabrowska M, Parker JMR, Müller-Esterl W, Opas M, Michalak M (2006) Identification by mutational analysis of amino acid residues essential in the chaperone function of calreticulin. *J Biol Chem* 281:2338-2346
- Maslennikov I, Klammt C, Hwang E, Kefala G, Okamura M, Esquivies L, Mors K, Glaubitz C, Kwiatkowski W, Jeon YH, Choe S (2010) Membrane domain structures of three classes of histidine kinase receptors by cell-free expression and rapid NMR analysis. *P Natl Acad Sci USA* 107:10902-10907
- Maslennikov I, Klammt C, Hwang E, Kefala G, Okamura M, Esquivies L, Mors K, Glaubitz C, Kwiatkowski W, Jeon YH, Choe S (2010) Membrane domain structures of three classes of histidine kinase receptors by cell-free expression and rapid NMR analysis. *P Natl Acad Sci USA* 107:10902-10907
- Matsuki Y, Maly T, Ouari O, Karoui H, Le Moigne F, Rizzato E, Lyubenova S, Herzfeld J, Prisner TF, Tordo P, Griffin RG (2009) Dynamic nuclear polarization with a rigid biradical. *Angew Chem Int Edit* 48:4996-5000
- Matthies D, Preiss L, Klyszejko AL, Muller DJ, Cook GM, Vonck J, Meier T (2009) The c13 ring from a thermoalkaliphilic ATP synthase reveals an extended diameter due to a special structural region. *J Mol Biol* 388:611-618
- Matylytsky VV, Dworak L, Breus VV, Basché T, Wachtveitl J (2009) Ultrafast charge separation in multiexcited CdSe quantum dots mediated by adsorbed electron acceptors. *J Am Chem Soc* 131:2424-2425
- Matylytsky VV, Dworak L, Wachtveitl J (2010) Donor/Acceptor adsorbates on the surface of metal oxide nanoporous films: a spectroscopic probe for different electron transfer pathways. *ChemPhysChem* 11:2027-2035
- Matylytsky VV, Lenz MO, Wachtveitl J (2006) Observation of pH-dependent back-electron-transfer dynamics in alizarin/TiO₂ adsorbates: Importance of trap states. *J Phys Chem B* 110:8372-8379
- Matylytsky VV, Shavel A, Gaponik N, Eychmuller A, Wachtveitl J (2008) Ultrafast interfacial charge carrier dynamics in ZnSe and ZnSe/ZnS core/shell nanoparticles: Influence of shell formation. *J Phys Chem C* 112:2703-2710
- Mayer G, Heckel A (2007) Light-stimulated patterning of cells. *ChemBioChem* 8:857-858
- Mayer G, Lohberger A, Butzen S, Pofahl M, Blind M, Heckel A (2009) From selection to caged aptamers: Identification of light-dependent ssDNA aptamers targeting cytohesin. *Bioorg Med Chem Lett* 19:6561-6564
- Mayer G, Muller J, Mack T, Freitag DF, Hover T, Potzsch B, Heckel A (2009) Differential regulation of protein subdomain activity with caged bivalent ligands. *ChemBioChem* 10:654-657
- McEwan DG, Dikic I (2010) Not all autophagy membranes are created equal. *Cell* 141:564-566
- Meier T, Ferguson SA, Cook GM, Dimroth P, Vonck J (2006) Structural investigations of the membrane-embedded rotor ring of the F-ATPase from *Clostridium paradoxum*. *J Bacteriol* 188:7759-7764
- Meier T, Krah A, Bond PJ, Pogoryelov D, Diederichs K, Faraldo-Gomez JD (2009) Complete ion-coordination structure in the rotor ring of Na⁺-dependent F-ATP synthases. *J Mol Biol* 391:498-507
- Meier T, Morgner N, Matthies D, Pogoryelov D, Keis S, Cook GM, Dimroth P, Brutschy B (2007) A tridecameric c ring of the adenosine triphosphate (ATP) synthase from the thermoalkaliphilic *Bacillus* sp strain TA2.A1 facilitates ATP synthesis at low electrochemical proton potential. *Mol Microbiol* 65:1181-1192

- Mendl N, Occhipinti A, Muller M, Wild P, Dikic I, Reichert AS (2011) Mitophagy in yeast is independent of mitochondrial fission and requires the stress response gene WHI2. *J Cell Sci* 124:1339-1350
- Meschi F, Wiertz F, Klauss L, Cavalieri C, Blok A, Ludwig B, Heering HA, Merli A, Rossi GL, Ubbink M (2010) Amicyanin transfers electrons from methylamine dehydrogenase to cytochrome c-551i via a ping-pong mechanism, not a Ternary Complex. *J Am Chem Soc* 132:14537-45
- Messmer A, Blanco Rodrigues AM, Sebera J, Hamm P, Zalis S, Vlcek A, Bredenbeck J (2009) Exchange transient 2D-IR spectroscopy probes the remixing vibrational eigenstates upon electronic excitation - a benchmark for DFT calculations, 16 edn.
- Metzler M, Staeger MS, Harder L, Mendelova D, Zuna J, Fronkova E, Meyer C, Flohr T, Bednarova D, Harbott J, Langer T, Gesk S, Trka J, Siebert R, Dingermann T, Marschalek R, Niemeyer C, Rascher W (2008) Inv(11)(q21q23) fuses MLL to the Notch co-activator mastermind-like 2 in secondary T-cell acute lymphoblastic leukemia. *Leukemia* 22:1807-1811
- Meurer S, Pioch S, Pabst T, Opitz N, Schmidt PM, Beckhaus T, Wagner K, Matt S, Gegenbauer K, Geschka S, Karas M, Stasch JP, Schmidt H, Müller-Esterl W (2009) Nitric oxide-independent vasodilator rescues heme-oxidized soluble guanylate cyclase from proteasomal degradation. *Circ Res* 105:33-U91
- Meyer B, Wittig I, Trifilieff E, Karas M, Schägger H (2007) Identification of two proteins associated with mammalian ATP synthase. *Mol Cell Proteomics* 6:1690-1699
- Meyer B, Wurm JP, Kotter P, Leisegang MS, Schilling V, Buchhaupt M, Held M, Bahr U, Karas M, Heckel A, Bohnsack MT, Wöhnert J, Entian KD (2011) The Bowen-Conradi syndrome protein Nep1 (Emg1) has a dual role in eukaryotic ribosome biogenesis, as an essential assembly factor and in the methylation of Psi 1191 in yeast 18S rRNA. *Nucleic Acids Res* 39:1526-1537
- Meyer C, Brieger A, Plotz G, Weber N, Passmann S, Dingermann T, Zeuzem S, Trojan J, Marschalek R (2009) An interstitial deletion at 3p21.3 results in the genetic fusion of MLH1 and ITGA9 in a lynch syndrome family. *Clin Cancer Res* 15:762-769
- Meyer C, Burmeister T, Strehl S, Schneider B, Hubert D, Zach O, Haas O, Klingebiel T, Dingermann T, Marschalek R (2007) Spliced MLL fusions: a novel mechanism to generate functional chimeric MLL-MLLT1 transcripts in t(11;19)(23; p13.3) leukemia. *Leukemia* 21:588-590
- Meyer C, Kowarz E, Hofmann J, Renneville A, Zuna J, Trka J, Ben Abdelali R, Macintyre E, De Braekeleer E, De Braekeleer M, Delabesse E, de Oliveira MP, Cave H, Clappier E, van Dongen JJM, Balgobind BV, van den Heuvel-Eibrink MM, Beverloo HB, Panzer-Grumayer R, Teigler-Schlegel A, Harbott J, Kjeldsen E, Schnittger S, Koehl U, Gruhn B, Heidenreich O, Chan LC, Yip SF, Krzywinski M, Eckert C, Moricke A, Schrappe M, Alonso CN, Schafer BW, Krauter J, Lee DA, zur Stadt U, Te Kronnie G, Sutton R, Izraeli S, Trakhtenbrot L, Lo Nigro L, Tsaur G, Fechina L, Szczepanski T, Strehl S, Ilencikova D, Molkentin M, Burmeister T, Dingermann T, Klingebiel T, Marschalek R (2009) New insights to the MLL recombinome of acute leukemias. *Leukemia* 23:1490-1499
- Meyer C, Kowarz E, Schneider B, Oehm C, Klingebiel T, Dingermann T, Marschalek R (2006) Genomic DNA of leukemic patients: Target for clinical diagnosis of MLL rearrangements. *Biotechnol J* 1:656-663
- Meyer C, Schneider B, Jakob S, Strehl S, Attarbaschi A, Schnittger S, Schoch C, Jansen M, Dongen JJM, Boer ML, Pieters R, Ennas MG, Angelucci E, Koehl U, Greil J, Griesinger F, zur Stadt U, Eckert C, Szczepanski T, Niggli FK, Schäfer BW, Kempinski H, Brady HJM, Zuna J, Trka J, Nigro LL, Biondi A, Delabesse E, Macintyre E, Stanulla M, Schrappe M, Haas OA, Burmeister T, Dingermann T, Klingebiel T, Marschalek R (2006) The MLL recombinome of acute leukemias. *Leukemia* 20:777-784
- Michel AAY, Steinhilber D, Werz O (2008) Development of a method for expression and purification of the regulatory C2-like domain of human 5-lipoxygenase. *Protein Express Purif* 59:110-116

- Mickler M, Schleiff E, Hugel T (2008) From biological towards artificial molecular motors. *ChemPhysChem* 9:1503-1509
- Mikat V, Heckel A (2007) Light-dependent RNA interference with nucleobase-caged siRNAs. *RNA* 13:2341-2347
- Mileni M, MacMillan F, Tziatzios C, Zwicker K, Haas AH, Mantele W, Simon J, Lancaster CRD (2006) Heterologous production in *Wolinella succinogenes* and characterization of the quinol : fumarate reductase enzymes from *Helicobacter pylori* and *Campylobacter jejuni*. *Biochem J* 395:191-201
- Mirus O, Bionda T, von Haeseler A, Schleiff E (2009) Evolutionarily evolved discriminators in the 3-TPR domain of the Toc64 family involved in protein translocation at the outer membrane of chloroplasts and mitochondria. *J Mol Model* 15:971-982
- Mirus O, Schleiff E (2009) The evolution of tetratricopeptide repeat domain containing receptors involved in protein translocation. *Endocytobiosis Cell Res* 19:31-50
- Mirus O, Strauss S, Nicolaisen K, von Haeseler A, Schleiff E (2009) TonB-dependent transporters and their occurrence in cyanobacteria. *Bmc Biol* 7:25
- Mitchell N, Ebner A, Hinterdorfer P, Tampé R, Howorka S (2010) Chemical tags mediate the orthogonal self-assembly of DNA duplexes into supramolecular structures. *SMALL* 6:1732-1735
- Model K, Meisinger C, Kühlbrandt W (2008) Cryo-electron microscopy structure of a yeast mitochondrial preprotein translocase. *J Mol Biol* 383:1049-1057
- Mohl A, Marschalek R, Masszi T, Nagy E, Obser T, Oyen F, Sallai K, Bodo I, Schneppenheim R (2008) An Alu-mediated novel large deletion is the most frequent cause of type 3 von Willebrand disease in Hungary. *J Thromb Haemost* 6:1729-1735
- Moncalian G, Cardenes N, Deribe YL, Spinola-Amilibia M, Dikic I, Bravo J (2006) Atypical polyproline recognition by the CMS N-terminal SRC homology 3 domain. *J Biol Chem* 281:38845-38853
- Monteiro AC, Schmitz V, Morrot A, de Arruda LB, Nagajyothi F, Granato A, Pesquero JB, Müller-Esterl W, Tanowitz HB, Scharfstein J (2007) Bradykinin B-2 receptors of dendritic cells, acting as sensors of Kinins proteolytically released by *Trypanosoma cruzi*, are critical for the development of protective type-1 responses. *PLoS Pathog* 3:1730-1744
- Monteiro AC, Schmitz V, Svensjo E, Gazzinelli RT, Almeida IC, Todorov A, de Arruda LB, Torrecilhas ACT, Pesquero JB, Morrot A, Bouskela E, Bonomo A, Lima A, Müller-Esterl W, Scharfstein J (2006) Cooperative activation of TLR2 and bradykinin B-2 receptor is required for induction of type 1 immunity in a mouse model of subcutaneous infection by *Trypanosoma cruzi*. *J Immunol* 177:6325-6335
- Mookerjee RP, Wiesenthal A, Icking A, Hodges SJ, Davies NA, Schilling K, Sen S, Williams R, Novelli M, Müller-Esterl W, Jalan R (2007) Increased gene and protein expression of the novel eNOS regulatory protein NOSTRIN and a variant in alcoholic hepatitis. *Gastroenterology* 132:2533-2541
- Mooser D, Maneg O, MacMillan F, Malatesta F, Soulimane T, Ludwig B (2006) The menaquinol-oxidizing cytochrome bc complex from *Thermus thermophilus*: Protein domains and subunits. *BBA-Bioenergetics* 1757:1084-1095
- Morciano M, Beckhaus T, Karas M, Zimmermann H, Volkandt W (2009) The proteome of the presynaptic active zone: from docked synaptic vesicles to adhesion molecules and maxi-channels. *J Neurochem* 108:662-675
- Morgner N, Barth HD, Brutschy B (2006) A new way to detect noncovalently bonded complexes of biomolecules from liquid micro-droplets by laser mass spectrometry. *Aust J Chem* 59:109-114

- Morgner N, Barth HD, Brutschy B, Scheffer U, Breitung S, Gobel M (2008) Binding sites of the viral RNA element TAR and of TAR mutants for various peptide ligands, probed with LILBID: A new laser mass spectrometry. *J Am Soc Mass Spectr* 19:1600-1611
- Morgner N, Barth HD, Schmidt TL, Heckel A, Scheffer U, Gobel M, Fucini P, Brutschy B (2007) Detecting specific ligand binding to nucleic acids: A test for ultrasoft laser mass spectrometry. *Z Phys Chem* 221:689-704
- Morgner N, Hoffmann J, Barth HD, Meier T, Brutschy B (2008) LILBID-mass spectrometry applied to the mass analysis of RNA polymerase II and an F1Fo-ATP synthase. *Int J Mass Spectrom* 277:309-313
- Morgner N, Kleinschroth T, Barth HD, Ludwig B, Brutschy B (2007) A novel approach to analyze membrane proteins by laser mass spectrometry: From protein subunits to the integral complex. *J Am Soc Mass Spectr* 18:1429-1438
- Morgner N, Zickermann V, Kerscher S, Wittig I, Abdrakhmanova A, Barth HD, Brutschy B, Brandt U (2008) Subunit mass fingerprinting of mitochondrial complex I. *BBA-Bioenergetics* 1777:1384-1391
- Moritz A, Scheschonka A, Beckhaus T, Karas M, Betz H (2009) Metabotropic glutamate receptor 4 interacts with microtubule-associated protein 1B. *Biochem Biophys Res Commun* 390:82-86
- Moslavac S, Nicolaisen K, Mirus O, Al Dehni F, Pernil R, Flores E, Maldener I, Schleiff E (2007) A TolC-like protein is required for heterocyst development in *Anabaena* sp strain PCC 7120. *J Bacteriol* 189:7887-7895
- Moslavac S, Reisinger V, Berg M, Mirus O, Vosyka O, Ploscher M, Flores E, Eichacker LA, Schleiff E (2007) The proteome of the heterocyst cell wall in *Anabaena* sp PCC 7120. *Biol Chem* 388:823-829
- Muller D, Krick A, Kehraus S, Mehner C, Hart M, Kupper FC, Saxena K, Prinz H, Schwalbe H, Janning P, Waldmann H, Konig GM (2006) Brunsvicamides A-C: Sponge-related cyanobacterial peptides with Mycobacterium tuberculosis protein tyrosine phosphatase inhibitory activity. *J Med Chem* 49:4871-4878
- Müller-Ohldach M, Brust D, Hamann A, Osiewacz HD (2011) Overexpression of PaParp encoding the poly(ADP-ribose) polymerase of *Podospira anserina* affects organismal aging. *Mech Ageing Dev* 132:33-42
- Muresanu L, Pristovsek P, Lohr F, Maneg O, Mukrasch MD, Ruterjans H, Ludwig B, Lucke C (2006) The electron transfer complex between cytochrome c552 and the CuA domain of the *Thermus thermophilus* ba3 Oxidase: A combined NMR and computational approach. *J Biol Chem* 281:14503-14513
- Muster B, Kohl W, Wittig I, Strecker V, Joos F, Haase W, Bereiter-Hahn J, Busch K (2010) Respiratory chain complexes in dynamic mitochondria display a patchy distribution in life cells. *PLoS One* 5:13
- Mutig K, Paliege A, Kahl T, Jons T, Müller-Esterl W, Bachmann S (2007) Vasopressin V-2 receptor expression along rat, mouse, and human renal epithelia with focus on TAL. *Am J Physiol-Renal* 293:F1166-F1177
- Nack M, Radu I, Bamann C, Bamberg E, Heberle J (2009) The retinal structure of channelrhodopsin-2 assessed by resonance Raman spectroscopy. *FEBS Lett* 583:3676-3680
- Nack M, Radu I, Gossing M, Bamann C, Bamberg E, von Mollard GF, Heberle J (2010) The DC gate in Channelrhodopsin-2: crucial hydrogen bonding interaction between C128 and D156. *Photochem Photobiol Sci* 9:194-198
- Nagy V, Dikic I (2010) Ubiquitin ligase complexes: from substrate selectivity to conjugational specificity. *Biol Chem* 391:163-169

- Namgaladze D, Preiss S, Dröse S, Brandt U, Brüne B (2010) Phospholipase A2-modified low density lipoprotein induces mitochondrial uncoupling and lowers reactive oxygen species in phagocytes. *Atherosclerosis* 208:142-147
- Nandi CK, Parui PP, Brutschy B, Scheffer U, Gobel M (2008) Fluorescence correlation spectroscopy at single molecule level on the Tat-TAR complex and its inhibitors. *Biopolymers* 89:17-25
- Nandi CK, Parui PP, Schmidt TL, Heckel A, Brutschy B (2008) Binding of hairpin polyamides to DNA studied by fluorescence correlation spectroscopy for DNA nanoarchitectures. *Anal Bioanal Chem* 390:1595-1603
- Nasiri HR, Bolte M, Lorch M, Schwalbe H (2006) Crystal structure of 4-hexyl-4'-hydroxyazobenzene isopropanol hemisolvate, C₁₈H₂₂N₂O center dot 1/2C(3)H(8)O. *Z Krist-Neu Cryst St* 221:219-220
- Nasiri HR, Bolte M, Schwalbe H (2006) Tautomerism of 4-Hydroxy-4(1H) quinolon. *Heterocycl Commun* 12:319-322
- Nasiri HR, Bolte M, Schwalbe H (2008) Electrochemical and crystal structural analysis of alpha- and dehydro-alpha-lapachones. *Nat Prod Res* 22:1231-1236
- Nasiri HR, Madej MG, Lancaster CRD, Schwalbe H, Bolte M (2006) 2-Hydroxy-3-(3-oxobutyl)naphthalene-1,4-dione. *Acta Crystallogr C* 62:O671-O673
- Nasiri HR, Panisch R, Madej MG, Bats JW, Lancaster CRD, Schwalbe H (2009) The correlation of cathodic peak potentials of vitamin K-3 derivatives and their calculated electron affinities The role of hydrogen bonding and conformational changes. *BBA-Bioenergetics* 1787:601-608
- Neumann K, Verhoefen MK, Weber I, Glaubitz C, Wachtveitl J (2008) Initial reaction dynamics of proteorhodopsin observed by femtosecond infrared and visible spectroscopy. *Biophys J* 94:4796-4807
- Neumann-Giesen C, Fernow I, Amaddii M, Tikkanen R (2007) Role of EGF-induced tyrosine phosphorylation of reggie-1/flotillin-2 in cell spreading and signaling to the actin cytoskeleton. *J Cell Sci* 120:395-406
- Ngo JT, Champion JA, Mahdavi A, Tanrikulu IC, Beatty KE, Connor RE, Yoo TH, Dieterich DC, Schuman EM, Tirrell DA (2009) Cell-selective metabolic labeling of proteins. *Nat Chem Biol* 5:715-717
- Nicolaisen K, Hahn A, Schleiff E (2009) The cell wall in heterocyst formation by *Anabaena* sp PCC 7120. *J Basic Microb* 49:5-24
- Nicolaisen K, Hahn A, Valdebenito M, Moslavac S, Samborski A, Maldener I, Wilken C, Valladares A, Flores E, Hantke K, Schleiff E (2010) The interplay between siderophore secretion and coupled iron and copper transport in the heterocyst-forming cyanobacterium *Anabaena* sp. PCC 7120. *BBA-Biomembranes* 1798:2131-40
- Nicolaisen K, Mariscal V, Bredemeier R, Pernil R, Moslavac S, Lopez-Igual R, Maldener I, Herrero A, Schleiff E, Flores E (2009) The outer membrane of a heterocyst-forming cyanobacterium is a permeability barrier for uptake of metabolites that are exchanged between cells. *Mol Microbiol* 74:58-70
- Nicolaisen K, Moslavac S, Samborski A, Valdebenito M, Hantke K, Maldener I, Muro-Pastor AM, Flores E, Schleiff E (2008) Alr0397 is an outer membrane transporter for the siderophore schizokinen in *Anabaena* sp strain PCC 7120. *J Bacteriol* 190:7500-7507
- Nikles D, Tampé R (2007) Targeted degradation of ABC transporters in health and disease. *J Bioenerg Biomembr* 39:489-497

- Noeske J, Buck J, Furtig B, Nasiri HR, Schwalbe H, Wöhnert J (2007) Interplay of 'induced fit' and preorganization in the ligand induced folding of the aptamer domain of the guanine binding riboswitch. *Nucleic Acids Res* 35:572-583
- Noeske J, Richter C, Stiral E, Schwalbe H, Wöhnert J (2006) Phosphate-group recognition by the aptamer domain of the thiamine pyrophosphate sensing riboswitch. *ChemBioChem* 7:1451-1456
- Noeske J, Schwalbe H, Wöhnert J (2007) Metal-ion binding and metal-ion induced folding of the adenine-sensing riboswitch aptamer domain. *Nucleic Acids Res* 35:5262-5273
- Nomura AM, Marnett AB, Shimba N, Dötsch V, Craik CS (2006) One functional switch mediates reversible and irreversible inactivation of a herpesvirus protease. *Biochemistry* 45:3572-3579
- Nonis D, Schmidt MHH, van de Loo S, Eich F, Dikic I, Nowock J, Auburger G (2008) Ataxin-2 associates with the endocytosis complex and affects EGF receptor trafficking. *Cell Signal* 20:1725-1739
- Noren-Muller A, Reis-Correa I, Prinz H, Rosenbaum C, Saxena K, Schwalbe H, Vestweber D, Cagna G, Schunk S, Schwarz O, Schiewe H, Waldmann H (2006) Discovery of protein phosphatase inhibitor classes by biology-oriented synthesis. *P Natl Acad Sci USA* 103:10606-10611
- Noren-Muller A, Wilk W, Saxena K, Schwalbe H, Kaiser M, Waldmann H (2008) Discovery of a new class of inhibitors of Mycobacterium tuberculosis protein tyrosine phosphatase B by biology-oriented synthesis. *Angew Chem Int Edit* 47:5973-5977
- Nosenko Y, Kunitski M, Riehn C, Harbach PHP, Dreuw A, Brutschy B (2010) The structure of adenine monohydrates studied by femtosecond multiphoton ionization detected IR spectroscopy and quantum chemical calculations. *Phys Chem Chem Phys* 12:863-70
- Nosenko Y, Kunitski M, Riehn C, Thummel RP, Kyrychenko A, Herbich J, Waluk J, Brutschy B (2008) Separation of different hydrogen-bonded clusters by femtosecond UV-ionization-detected infrared spectroscopy: 1H-pyrrolo[3,2-h]quinoline center dot(H₂O)(n=1,2) complexes. *J Phys Chem A* 112:1150-1156
- Nosenko Y, Kunitski M, Thummel RP, Kyrychenko A, Herbich J, Waluk J, Riehn C, Brutschy B (2006) Detection and structural characterization of clusters with ultrashort-lived electronically excited states: IR absorption detected by femtosecond multiphoton ionization. *J Am Chem Soc* 128:10000-10001
- Nosenko Y, Kyrychenko A, Thummel RP, Waluk J, Brutschy B, Herbich J (2007) Fluorescence quenching in cyclic hydrogen-bonded complexes of 1H-pyrrolo[3,2-h] quinoline with methanol: cluster size effect. *Phys Chem Chem Phys* 9:3276-3285
- Nosenko Y, Wiosna-Salyga G, Kunitski M, Petkova I, Singh A, Buma WJ, Thummel RP, Brutschy B, Waluk J (2008) Proton transfer with a twist? Femtosecond dynamics of 7-(2-pyridyl)-indole in condensed phase and in supersonic jets. *Angew Chem Int Edit* 47:6037-6040
- Novak I, Dikic I (2011) Autophagy receptors in developmental clearance of mitochondria. *Autophagy* 7:301-303
- Novak I, Kirkin V, McEwan DG, Zhang J, Wild P, Rozenknop A, Rogov V, Lohr F, Popovic D, Occhipinti A, Reichert AS, Terzic J, Dötsch V, Ney PA, Dikic I (2010) Nix is a selective autophagy receptor for mitochondrial clearance. *EMBO Rep* 11:45-51
- Nowrousian M, Stajich JE, Chu M, Engh I, Espagne E, Halliday K, Kamerewerd J, Kempken F, Knab B, Kuo HC, Osiewacz HD, Pöggeler S, Read ND, Seiler S, Smith KM, Zickler D, Kück U, Freitag M (2010) De novo assembly of a 40 Mb eukaryotic genome from short sequence reads: *Sordaria macrospora*, a Model Organism for Fungal Morphogenesis. *PLoS Genet* 6:e1000891
- Nozinovic S, Furtig B, Jonker HRA, Richter C, Schwalbe H (2010) High-resolution NMR structure of an RNA model system: the 14-mer cUUCGg tetraloop hairpin RNA. *Nucleic Acids Res* 38:683-694

Nozinovic S, Gupta P, Fürtig B, Richter C, Tüllmann S, Duchardt-Ferner E, Holthausen MC, Schwalbe H (2011) Determination of the conformation of the 2'OH group in RNA by NMR spectroscopy and DFT calculations. *Angew Chem Int Edit*:in print

Nozinovic S, Richter C, Rinnenthal J, Furtig B, Duchardt-Ferner E, Weigand JE, Schwalbe H (2010) Quantitative 2D and 3D Gamma-HCP Experiments for the Determination of the Angles alpha and zeta in the Phosphodiester Backbone of Oligonucleotides. *J Am Chem Soc* 132:10318-10329

Nübel E, Wittig I, Kerscher S, Brandt U, Schägger H (2009) Two-dimensional native electrophoretic analysis of respiratory supercomplexes from *Yarrowia lipolytica*. *Proteomics* 9:2408-2418

Oancea G, O'Mara ML, Bennett WFD, Tieleman DP, Abele R, Tampé R (2009) Structural arrangement of the transmission interface in the antigen ABC transport complex TAP. *P Natl Acad Sci USA* 106:5551-5556

Obolensky OI, Schlepckow K, Schwalbe H, Solov'yov AV (2007) Theoretical framework for NMR residual dipolar couplings in unfolded proteins. *J Biomol NMR* 39:1-16

O'Donoghue SI, Goodsell DS, Frangakis AS, Jossinet F, Laskowski RA, Nilges M, Saibil HR, Schafferhans A, Wade RC, Westhof E, Olson AJ (2010) Visualization of macromolecular structures. *Nat Methods* 7:S42-55

Oess S, Icking A, Fulton D, Govers R, Müller-Esterl W (2006) Subcellular targeting and trafficking of nitric oxide synthases. *Biochem J* 396:401-409

Olkhova E, Hunte C, Screpanti E, Padan E, Michel H (2006) Multiconformation continuum electrostatics analysis of the NhaA Na⁺/H⁺ antiporter of *Escherichia coli* with functional implications. *P Natl Acad Sci USA* 103:2629-2634

Olkhova E, Kozachkov L, Padan E, Michel H (2009) Combined computational and biochemical study reveals the importance of electrostatic interactions between the "pH sensor" and the cation binding site of the sodium/proton antiporter NhaA of *Escherichia coli*. *Proteins* 76:548-559

Olkhova E, Padan E, Michel H (2007) The influence of protonation states on the dynamics of the NhaA antiporter from *Escherichia coli*. *Biophys J* 92:3784-3791

Olzsha H, Schermann SM, Woerner AC, Pinkert S, Hecht MH, Tartaglia GG, Vendruscolo M, Hayer-Hartl M, Hartl FU, Vabulas RM (2011) Amyloid-like aggregates sequester numerous metastable proteins with essential cellular functions. *Cell* 144:67-78

Oreb M, Hofle A, Mirus O, Schleiff E (2008) Phosphorylation regulates the assembly of chloroplast import machinery. *J Exp Bot* 59:2309-2316

Oreb M, Tews I, Schleiff E (2008) Policing Tic 'n' Toc, the doorway to chloroplasts. *Trends Cell Biol* 18:19-27

Oreb M, Zoryan M, Vojta A, Maier UG, Eichacker LA, Schleiff E (2007) Phospho-mimicry mutant of atToc33 affects early development of *Arabidopsis thaliana*. *FEBS Lett* 581:5945-5951

Oschatz C, Maas C, Lecher B, Jansen T, Bjorkqvist J, Tradler T, Sedlmeier R, Burfeind P, Cichon S, Hammerschmidt S, Müller-Esterl W, Wuillemin WA, Nilsson G, Renne T (2011) Mast cells increase vascular permeability by heparin-initiated bradykinin formation in vivo. *Immunity* 34:258-268

Osiewacz HD (2011) Regulation of the mitochondrial transition pore: impact on mammalian aging. *Aging-US* 3:10-11

Osiewacz HD, Scheckhuber CQ (2006) Impact of ROS on ageing of two fungal model systems: *Saccharomyces cerevisiae* and *Podospira anserina*. *Free Radical Res* 40:1350-1358

- O'Sullivan GA, Hofer W, Betz H (2009) Inhibitory postsynaptic membrane specializations are formed in gephyrin-deficient mice. *Neurosci Lett* 458:106-110
- Oswald C, Pos KM (2011) Drug Resistance: A Periplasmic Ménage à Trois. *Chem Biol* 18:405-407
- Ou HD, Löhr F, Vogel V, Mäntele W, Dötsch V (2007) Structural evolution of C-terminal domains in the p53 family. *EMBO J* 26:3463-3473
- Paarmann I, Schmitt B, Meyer B, Karas M, Betz H (2006) Mass spectrometric analysis of glycine receptor-associated gephyrin splice variants. *J Biol Chem* 281:34918-34925
- Palacios MA, Standfuss J, Vengris M, van Oort BF, van Stokkum IHM, Kühlbrandt W, van Amerongen H, van Grondelle R (2006) A comparison of the three isoforms of the light-harvesting complex II using transient absorption and time-resolved fluorescence measurements. *Photosynth Res* 88:269-285
- Pampaloni F, Stelzer EHK, Leicht S, Marcello M (2010) Madin-Darby canine kidney cells are increased in aerobic glycolysis when cultured on flat and stiff collagen-coated surfaces rather than in physiological 3-D cultures. *Proteomics* 10:3394-3413
- Pampaloni F, Stelzer EHK, Masotti A (2009) Three-dimensional tissue models for drug discovery and toxicology. *Recent Pat Biotechnol* 3:103-17
- Papadopoulos T, Eulenburg V, Reddy-Alla S, Mansuy IM, Li YQ, Betz H (2008) Collybistin is required for both the formation and maintenance of GABAergic postsynapses in the hippocampus. *Mol Cell Neurosci* 39:161-169
- Papadopoulos T, Korte M, Eulenburg V, Kubota H, Retiounskaia M, Harvey RJ, Harvey K, O'Sullivan GA, Laube B, Huelsmann S, Geiger JRP, Betz H (2007) Impaired GABAergic transmission and altered hippocampal synaptic plasticity in collybistin-deficient mice. *EMBO J* 26:3888-3899
- Papasotiriou DG, Jaskolla TW, Markoutsas S, Baeumlisberger D, Karas M, Meyer B (2010) Peptide mass fingerprinting after less specific In-Gel Proteolysis using MALDI-LTQ-Orbitrap and 4-Chloro-alpha-cyanocinnamic acid. *J Proteome Res* 9:2619-2629
- Papasotiriou DG, Markoutsas S, Meyer B, Papadioti A, Karas M, Tsiotis G (2008) Comparison of the membrane subproteomes during growth of a new Pseudomonas strain on lysogeny broth medium, glucose, and phenol. *J Proteome Res* 7:4278-4288
- Parcej D, Tampé R (2007) Caught in the act: an ABC transporter on the move. *Structure* 15:1028-1030
- Parcej D, Tampé R (2009) Solute-binding sites in ABC transporters for recognition, occlusion and trans-inhibition. *ChemMedChem* 4:25-28
- Parcej D, Tampé R (2010) ABC proteins in antigen translocation and viral inhibition. *Nat Chem Biol* 6:572-580
- Park TS, Lee SG, Song J, Lee KA, Kim J, Choi JR, Lee ST, Marschalek R, Meyer C (2009) CASP8AP2 is a novel partner gene of MLL rearrangement with t(6;11)(q15;q23) in acute myeloid leukemia. *Cancer Genet Cytogen* 195:94-95
- Parker JL, Bielen AB, Dikic I, Ulrich HD (2007) Contributions of ubiquitin- and PCNA-binding domains to the activity of polymerase eta in Saccharomyces cerevisiae. *Nucleic Acids Res* 35:881-889
- Parnas I, Rashkovan G, O'Connor V, El-Far O, Betz H, Parnas H (2006) Role of NSF in neurotransmitter release: A peptide microinjection study at the crayfish neuromuscular junction. *J Neurophysiol* 96:1053-1060

- Pedo M, Lohr F, D'Onofrio M, Assfalg M, Dötsch V, Molinari H (2009) NMR Studies Reveal the Role of Biomembranes in Modulating Ligand Binding and Release by Intracellular Bile Acid Binding Proteins. *J Mol Biol* 394:852-863
- Pellecchia M, Bertini I, Cowburn D, Dalvit C, Giralt E, Jahnke W, James TL, Homans SW, Kessler H, Luchinat C, Meyer B, Oschkinat H, Peng J, Schwalbe H, Siegal G (2008) Perspectives on NMR in drug discovery: a technique comes of age. *Nat Rev Drug Discov* 7:738-745
- Peng GH, Bostina M, Radermacher M, Rais I, Karas M, Michel H (2006) Biochemical and electron microscopic characterization of the F1F0 ATP Synthase from the hyperthermophilic eubacterium *Aquifex aeolicus*. *FEBS Lett* 580:5934-5940
- Perez C, Khafizov K, Forrest LR, Krämer R, Ziegler C (2011) The role of trimerization in the osmoregulated betaine transporter BetP. *EMBO Rep* 12:804-810
- Perez C, Koshy C, Ressler S, Nicklisch S, Kramer R, Ziegler C (2011) Substrate specificity and ion coupling in the Na⁺/betaine symporter BetP. *EMBO J* 30:1221-1229
- Persike M, Karas M (2009) Rapid simultaneous quantitative determination of different small pharmaceutical drugs using a conventional matrix-assisted laser desorption/ionization time-of-flight mass spectrometry system. *Rapid Commun Mass Sp* 23:3555-3562
- Persike M, Zimmermann M, Klein J, Karas M (2010) Quantitative determination of acetylcholine and choline in microdialysis samples by MALDI-TOF MS. *Anal Chem* 82:922-929
- Petrosky KY, Lohr F, Dötsch V (2006) NMR assignment of the L27 heterodimer from LIN-2 and LIN-7 scaffold proteins. *J Biomol NMR* 36:15-15
- Pfenninger A, Chan SY, Karas M, Finke B, Stahl B, Costello CE (2008) Mass spectrometric detection of multiple extended series of neutral highly fucosylated N-acetyllactosamine oligosaccharides in human milk. *Int J Mass Spectrom* 278:129-136
- Pfleger N, Lorch M, Woerner AC, Shastri S, Glaubitz C (2008) Characterisation of Schiff base and chromophore in green proteorhodopsin by solid-state NMR. *J Biomol NMR* 40:15-21
- Pfleger N, Wörner AC, Yang J, Shastri S, Hellmich UA, Aslimovska L, Maier MSM, Glaubitz C (2009) Solid-state NMR and functional studies on proteorhodopsin. *BBA-Bioenergetics* 1787:697-705
- Pietras Z, Lin HT, Surade S, Luisi B, Slattery O, Pos KM, Moreno A (2010) The use of novel organic gels and hydrogels in protein crystallization. *J Appl Crystallogr* 43:58-63
- Piton N, Mu YG, Stock G, Prisner TF, Schiemann O, Engels JW (2007) Base-specific spin-labeling of RNA for structure determination. *Nucleic Acids Res* 35:3128-3143
- Pless B, Oehm C, Knauer S, Stauber RH, Dingermann T, Marschalek R (2011) The heterodimerization domains of MLL-FYRN and FYRC-are potential target structures in t(4;11) leukemia. *Leukemia* 25:663-670
- Plewnia G, Schulze K, Hunte C, Tampé R, Koch J (2007) Modulation of the antigenic peptide transporter TAP by recombinant antibodies binding to the last five residues of TAP1. *J Mol Biol* 369:95-107
- Poeckel D, Greiner C, Verhoff M, Rau O, Tausch L, Hornig C, Steinhilber D, Schubert-Zsilavecz M, Werz O (2008) Carnosic acid and carnosol potently inhibit human 5-lipoxygenase and suppress pro-inflammatory responses of stimulated human polymorphonuclear leukocytes. *Biochem Pharmacol* 76:91-97
- Pogoryelov D, Krah A, Langer JD, Yildiz O, Faraldo-Gomez JD, Meier T (2010) Microscopic rotary mechanism of ion translocation in the F₀ complex of ATP synthases. *Nat Chem Biol* 6:891-899

- Pogoryelov D, Nikolaev Y, Schlattner U, Pervushin K, Dimroth P, Meier T (2008) Probing the rotor subunit interface of the ATP synthase from *Ilyobacter tartaricus*. *FEBS J* 275:4850-4862
- Pogoryelov D, Reichen C, Klyszejko AL, Brunisholz R, Muller DJ, Dimroth P, Meier T (2007) The oligomeric state of c rings from cyanobacterial F-ATP synthases varies from 13 to 15. *J Bacteriol* 189:5895-5902
- Pogoryelov D, Yildiz O, Faraldo-Gomez JD, Meier T (2009) High-resolution structure of the rotor ring of a proton-dependent ATP synthase. *Nat Struct Mol Biol* 16:1068-1073
- Poncet D, Pauleau AL, Szabadkai G, Voza A, Scholz SR, Le Bras M, Briere JJ, Jalil A, Le Moigne R, Brenner C, Hahn G, Wittig I, Schägger H, Lemaire C, Bianchi K, Souquere S, Pierron G, Rustin P, Goldmacher VS, Rizzuto R, Palmieri F, Kroemer G (2006) Cytopathic effects of the cytomegalovirus-encoded apoptosis inhibitory protein vMIA. *J Cell Biol* 174:985-996
- Porrati F, Sachser R, Schwalb CH, Frangakis AS, Huth M (2011) Tuning the electrical conductivity of Pt-containing granular metals by postgrowth electron irradiation. *J Appl Phys* 109:063715
- Pos KM (2009) Drug transport mechanism of the AcrB efflux pump. *BBA-Proteins Proteom* 1794:782-793
- Poulopoulos A, Aramuni G, Meyer G, Soykan T, Hoon M, Papadopoulos T, Zhang MY, Paarmann I, Fuchs C, Harvey K, Jedlicka P, Schwarzacher SW, Betz H, Harvey RJ, Brose N, Zhang WQ, Varoqueaux F (2009) Neuroligin 2 drives postsynaptic assembly at perisomatic inhibitory synapses through Gephyrin and Collybistin. *Neuron* 63:628-642
- Prandolini MJ, Denysenkov VP, Gafurov M, Endeward B, Prisner TF (2009) High-field dynamic nuclear polarization in aqueous solutions. *J Am Chem Soc* 131:6090-6091
- Prandolini MJ, Denysenkov VP, Gafurov M, Lyubenova S, Endeward B, Bennati M, Prisner TF (2008) First DNP results from a liquid water-TEMPOL sample at 400 MHz and 260 GHz. *Appl Magn Reson* 34:399-407
- Preiss L, Yildiz O, Hicks DB, Krulwich TA, Meier T (2010) A new type of proton coordination in an F1Fo-ATP synthase rotor ring. *PLoS Biol* 8:10
- Prestele M, Vogel F, Reichert AS, Herrmann JM, Ott M (2009) Mrpl36 is important for generation of assembly competent proteins during mitochondrial translation. *Mol Biol Cell* 20:2615-2625
- Pretz MG, Albers SV, Schuurman-Wolters G, Tampé R, Driessen AJM, van der Does C (2006) Thermodynamics of the ATPase cycle of GlcV, the nucleotide-binding domain of the glucose ABC transporter of *Sulfolobus solfataricus*. *Biochemistry* 45:15056-15067
- Prisner TF, Kockenberger W (2008) Dynamic nuclear polarization: New experimental and methodology approaches and applications in physics, chemistry, biology and medicine. *Appl Magn Reson* 34:213-218
- Pruggnaller S, Mayr M, Frangakis AS (2008) A visualization and segmentation toolbox for electron microscopy. *J Struct Biol* 164:161-165
- Qbadou S, Becker T, Bionda T, Reger K, Ruprecht M, Soll J, Schleiff E (2007) Toc64 - A preprotein-receptor at the outer membrane with bipartite function. *J Mol Biol* 367:1330-1346
- Rabl R, Soubannier V, Scholz R, Vogel F, Mendl N, Vasiljev-Neumeyer A, Korner C, Jagasia R, Keil T, Baumeister W, Cyrklaff M, Neupert W, Reichert AS (2009) Formation of cristae and crista junctions in mitochondria depends on antagonism between Fcj1 and Su e/g. *J Cell Biol* 185:1047-1063
- Radermacher M, Ruiz T, Clason T, Benjamin S, Brandt U, Zickermann V (2006) The three-dimensional structure of complex I from *Yarrowia lipolytica*: A highly dynamic enzyme. *J Struct Biol* 154:269-279

- Radmark O, Werz O, Steinhilber D, Samuelsson B (2007) 5-Lipoxygenase: regulation of expression and enzyme activity. *Trends Biochem Sci* 32:332-341
- Radu I, Bamann C, Nack M, Nagel G, Bamberg E, Heberle J (2009) Conformational changes of Channelrhodopsin-2. *J Am Chem Soc* 131:7313-7319
- Raguz J, Wagner S, Dikic I, Hoeller D (2007) Suppressor of T-cell receptor signalling 1 and 2 differentially regulate endocytosis and signalling of receptor tyrosine kinases. *FEBS Lett* 581:4767-4772
- Rahighi S, Ikeda F, Kawasaki M, Akutsu M, Suzuki N, Kato R, Kensche T, Uejima T, Bloor S, Komander D, Randow F, Wakatsuki S, Dikic I (2009) Specific recognition of linear ubiquitin chains by NEMO is important for NF- κ B activation p1098. *Cell* 136:1098-1109
- Raja C, Ferner J, Dietrich U, Avilov S, Ficheux D, Darlix JL, de Rocquigny H, Schwalbe H, Mely Y (2006) A tryptophan-rich hexapeptide inhibits nucleic acid destabilization chaperoned by the HIV-1 nucleocapsid protein. *Biochemistry* 45:9254-9265
- Rajendran C, Ermler U, Ludwig B, Michel H (2010) Structure at 1.5 angstrom resolution of cytochrome c(552) with its flexible linker segment, a membrane-anchored protein from *Paracoccus denitrificans*. *Acta Crystallogr D* 66:850-854
- Rakonjac M, Fischer L, Provost P, Werz O, Steinhilber D, Samuelsson B, Radmark O (2006) Coactosin-like protein supports 5-lipoxygenase enzyme activity and up-regulates leukotriene A(4) production. *P Natl Acad Sci USA* 103:13150-13155
- Ramadass R, Becker D, Jendrach M, Bereiter-Hahn J (2007) Spectrally and spatially resolved fluorescence lifetime imaging in living cells: TRPV4-microfilament interactions. *Arch Biochem Biophys* 463:27-36
- Ramadass R, Bereiter-Hahn J (2007) Photophysical properties of DASPMI as revealed by spectrally resolved fluorescence decays. *J Phys Chem B* 111:7681-7690
- Ramadass R, Bereiter-Hahn J (2008) How DASPMI reveals mitochondrial membrane potential: Fluorescence decay kinetics and steady-state anisotropy in living cells. *Biophys J* 95:4068-4076
- Rasched G, Ackermann D, Schmidt TL, Broekmann P, Heckel A, Famulok M (2008) DNA minicircles with gaps for versatile functionalization. *Angew Chem Int Edit* 47:967-970
- Rashid UJ, Hoffmann J, Brutschy B, Piehler J, Chen JCH (2008) Multiple targets for suppression of RNA interference by tomato aspermy virus protein 2B. *Biochemistry* 47:12655-12657
- Rashid UJ, Paterok D, Koglin A, Gohlke H, Piehler J, Chen JCH (2007) Structure of Aquifex aeolicus Argonaute highlights conformational flexibility of the PAZ domain as a potential regulator of RNA-induced silencing complex function. *J Biol Chem* 282:13824-13832
- Ratje AH, Loerke J, Mikolajka A, Brunner M, Hildebrand PW, Starosta AL, Donhofer A, Connell SR, Fucini P, Mielke T, Whitford PC, Onuchic JN, Yu YN, Sanbonmatsu KY, Hartmann RK, Penczek PA, Wilson DN, Spahn CMT (2010) Head swivel on the ribosome facilitates translocation by means of intra-subunit tRNA hybrid sites. *Nature* 468:713-U143
- Rau O, Zettl H, Popescu L, Steinhilber D, Schubert-Zsilavec M (2008) The treatment of dyslipidemia - What's left in the pipeline? *ChemMedChem* 3:206-221
- Raunser S, Appel M, Ganea C, Geldmacher-Kaufner U, Fendler K, Kühlbrandt W (2006) Structure and function of prokaryotic glutamate transporters from *Escherichia coli* and *Pyrococcus horikoshii*. *Biochemistry* 45:12796-12805

- Raunser S, Haase W, Franke C, Eckert GP, Muller WE, Kühlbrandt W (2006) Heterologously expressed GLT-1 associates in similar to 200-nm protein-lipid islands. *Biophys J* 91:3718-3726
- Reckel S, Hansel R, Lohr F, Dötsch V (2007) In-cell NMR spectroscopy. *Prog Nucl Mag Res Sp* 51:91-101
- Reckel S, Sobhanifar S, Durst F, Lohr F, Shirokov VA, Dötsch V, Bernhard F (2010) Strategies for the cell-free expression of membrane proteins. *Methods Mol Biol* 607:187-212
- Reckel S, Sobhanifar S, Schneider B, Junge F, Schwarz D, Durst F, Lohr F, Guntert P, Bernhard F, Dötsch V (2008) Transmembrane segment enhanced labeling as a tool for the backbone assignment of alpha-helical membrane proteins. *P Natl Acad Sci USA* 105:8262-8267
- Redemann S, Pecreaux J, Goehring NW, Khairy K, Stelzer EHK, Hyman AA, Howard J (2010) Membrane invaginations reveal cortical sites that pull on mitotic spindles in one-cell *C. elegans* embryos. *PLoS One* 5:e12301
- Reese ML, Dakoji S, Bredt DS, Dötsch V (2007) The guanylate kinase domain of the MAGUK PSD-95 binds dynamically to a conserved motif in MAP1a. *Nat Struct Mol Biol* 14:155-163
- Rehm S, Han S, Hassani I, Sokocevic A, Jonker HRA, Engels JW, Schwalbe H (2009) The high resolution NMR structure of Parvulostat (Z-2685) from *Streptomyces parvulus* FH-1641: Comparison with Tendamistat from *Streptomyces tendae* 4158. *ChemBioChem* 10:119-127
- Rehm S, Lenz MO, Mensch S, Schwalbe H, Wachtveitl J (2006) Ultrafast spectroscopy of a photoswitchable 30-amino acid de novo synthesized peptide. *Chem Phys* 323:28-35
- Reichel A, Schaible D, Al Furoukh N, Cohen M, Schreiber G, Piehler J (2007) Noncovalent, site-specific biotinylation of histidine-tagged proteins. *Anal Chem* 79:8590-8600
- Reining SC, Gisler SM, Fuster D, Moe OW, O'Sullivan GA, Betz H, Biber J, Murer H, Hernando N (2009) GABARAP deficiency modulates expression of NaPi-IIa in renal brush-border membranes. *Am J Physiol-Renal* 296:F1118-F1128
- Renner S, van Otterlo WAL, Dominguez Seoane M, Mocklinghoff S, Hofmann B, Wetzel S, Schuffenhauer A, Ertl P, Oprea TI, Steinhilber D, Brunsveld L, Rauh D, Waldmann H (2009) Bioactivity-guided mapping and navigation of chemical space. *Nat Chem Biol* 5:585-592
- Resenberger UK, Harmeier A, Woerner AC, Goodman JL, Muller V, Krishnan R, Vabulas RM, Kretzschmar HA, Lindquist S, Hartl FU, Multhaup G, Winklhofer KF, Tatzelt J (2011) The cellular prion protein mediates neurotoxic signalling of [beta]-sheet-rich conformers independent of prion replication. *EMBO J* 30:2057-2070
- Ressl S, van Scheltinga ACT, Vornrhein C, Ott V, Ziegler C (2009) Molecular basis of transport and regulation in the Na⁺/betaine symporter BetP. *Nature* 458:47-U1
- Reynaud EG, Krzic U, Greger K, Stelzer EHK (2008) Light sheet-based fluorescence microscopy: more dimensions, more photons, and less photodamage. *HFSP J* 2:266-275
- Reynders V, Loitsch S, Steinhauer C, Wagner T, Steinhilber D, Bargon J (2006) Peroxisome Proliferator-Activated Receptor alpha (PPAR alpha) down-regulation in cystic fibrosis lymphocytes. *Resp Res* 7:104
- Rhein V, Song XM, Wiesner A, Ittner LM, Baysang G, Meier F, Ozmen L, Bluethmann H, Drose S, Brandt U, Savaskan E, Czech C, Gotz J, Eckert A (2009) Amyloid-beta and tau synergistically impair the oxidative phosphorylation system in triple transgenic Alzheimer's disease mice. *P Natl Acad Sci USA* 106:20057-20062

- Rhinow D, Büenfeld M, Weber N-E, Beyer A, Gölzhäuser A, Kühlbrandt W, Hampf N, Turchanin A (2011) Energy-filtered transmission electron microscopy of biological samples on highly transparent carbon nanomembranes. *Ultramicroscopy* 111:342-349
- Rhinow D, Kühlbrandt W (2008) Electron cryo-microscopy of biological specimens on conductive titanium-silicon metal glass films. *Ultramicroscopy* 108:698-705
- Richter C, Kovacs H, Buck J, Wacker A, Fuertig B, Bermel W, Schwalbe H (2010) C-13-direct detected NMR experiments for the sequential J-based resonance assignment of RNA oligonucleotides. *J Biomol NMR* 47:259-269
- Richter OMH, Ludwig B (2009) Electron transfer and energy transduction in the terminal part of the respiratory chain - Lessons from bacterial model systems. *BBA-Bioenergetics* 1787:626-634
- Rid R, Onder K, Trost A, Bauer J, Hintner H, Ritter M, Jakab M, Costa I, Reischl W, Richter K, MacDonald S, Jendrach M, Bereiter-Hahn J, Breitenbach M (2010) H₂O₂-dependent translocation of TCTP into the nucleus enables its interaction with VDR in human keratinocytes: TCTP as a further module in calcitriol signalling. *J Steroid Biochem* 118:29-40
- Rietschel B, Arrey TN, Meyer B, Bornemann S, Schuerken M, Karas M, Poetsch A (2009) Elastase digests new ammunition for shotgun membrane proteomics. *Mol Cell Proteomics* 8:1029-1043
- Rietschel B, Baeumlisberger D, Arrey TN, Bornemann S, Rohmer M, Schuerken M, Karas M, Meyer B (2009) The benefit of combining nLC-MALDI-Orbitrap MS data with nLC-MALDI-TOF/TOF data for proteomic analyses employing elastase. *J Proteome Res* 8:5317-24
- Rietschel B, Bornemann S, Arrey TN, Baeumlisberger D, Karas M, Meyer B (2009) Membrane protein analysis using an improved peptic in-solution digestion protocol. *Proteomics* 9:5553-5557
- Rimon A, Hunte C, Michel H, Padan E (2008) Epitope mapping of conformational monoclonal antibodies specific to NhaA Na⁺/H⁺ antiporter: Structural and functional implications. *J Mol Biol* 379:471-481
- Rinnenthal J, Klinkert B, Narberhaus F, Schwalbe H (2010) Direct observation of the temperature-induced melting process of the Salmonella fourU RNA thermometer at base-pair resolution. *Nucleic Acids Res* 38:3834-3847
- Rinnenthal J, Richter C, Ferner J, Duchardt E, Schwalbe H (2007) Quantitative Gamma-HCNCH: determination of the glycosidic torsion angle chi in RNA oligonucleotides from the analysis of CH dipolar cross-correlated relaxation by solution NMR spectroscopy. *J Biomol NMR* 39:17-29
- Rinnenthal J, Richter C, Nozinovic S, Furtig B, Lopez JJ, Glaubitz C, Schwalbe H (2009) RNA phosphodiester backbone dynamics of a perdeuterated cUUCGg tetraloop RNA from phosphorus-31 NMR relaxation analysis. *J Biomol NMR* 45:143-155
- Rinnenthal J, Schwalbe H (2009) HNHC: a triple resonance experiment for correlating the H2, N1(N3) and C2 resonances in adenine nucleobases of C-13-, N-15-labeled RNA oligonucleotides. *J Biomol NMR* 44:101-105
- Rodrigues-Correia A, Koepfel MB, Schafer F, Joshi KB, Mack T, Heckel A (2011) Comparison of the duplex-destabilizing effects of nucleobase-caged oligonucleotides. *Anal Bioanal Chem* 399:441-447
- Rogov VV, Lohr F, Rogova N, Klammt C, Koglin A, Bernhard F, Dötsch V (2007) NMR assignment of H-1, C-13 and N-15 resonances of the truncated Escherichia coli RcsC (700-949), including the phosphoreceiver domain. *J Biomol NMR* 38:165-165
- Rogov VV, Rogova NY, Bernhard F, Koglin A, Lohr F, Dötsch V (2006) A new structural domain in the Escherichia coli RcsC hybrid sensor kinase connects histidine kinase and phosphoreceiver domains. *J Mol Biol* 364:68-79

- Rogov VV, Schmoie K, Löhr F, Rogova NY, Bernhard F, Dötsch V (2008) Modulation of the Rcs-mediated signal transfer by conformational flexibility. *Biochem Soc T* 36:1427-1432
- Rohmer M, Meyer B, Mank M, Stahl B, Bahr U, Karas M (2010) 3-Aminoquinoline acting as matrix and derivatizing agent for MALDI MS analysis of oligosaccharides. *Anal Chem* 82:3719-3726
- Röhrs S, Dirks WG, Meyer C, Marschalek R, Scherr M, Slany R, Wallace A, Drexler HG, Quentmeier H (2009) Hypomethylation and expression of BEX2, IGSF4 and TIMP3 indicative of MLL translocations in Acute Myeloid Leukemia. *Mol Cancer* 8:11
- Romainczyk O, Endeward B, Prisner TF, Engels JW (2011) The RNA-DNA hybrid structure determined by EPR, CD and RNase H1. *Mol Biosyst* 7:1050-1052
- Rosenow A, Arrey TN, Bouwman FG, Noben JP, Wabitsch M, Mariman ECM, Karas M, Renes J (2010) Identification of novel human adipocyte secreted proteins by using SGBS Cells. *J Proteome Res* 9:5389-5401
- Rosso L, Marques A, Reichert AS, Kaessmann H (2008) Mitochondrial targeting adaptation of the hominoid-specific glutamate dehydrogenase driven by positive darwinian selection. *PLoS Genet* 4:e1000150
- Roth L, Marschalek R, Oldenburg J, Oyen F, Schneppenheim R (2011) Characterisation of two novel large F8 deletions in patients with severe haemophilia A and factor VIII inhibitors. *Thromb Haemost* 105:279-284
- Roukos V, Kinkhabwala A, Colombelli J, Kotsantis P, Taraviras S, Nishitani H, Stelzer EHK, Bastiaens P, Lygerou Z (2011) Dynamic recruitment of licensing factor Cdt1 to sites of DNA damage. *J Cell Sci* 124:422-434
- Roy A, Shukla AK, Haase W, Michel H (2008) Employing Rhodobacter sphaeroides to functionally express and purify human G protein-coupled receptors. *Biol Chem* 389:69-78
- Rubio M, Rinehart J, Krett B, Duvezin-Caubet AS, Reichert AS, Söll D, Alfonzo JD (2008) Mammalian mitochondria have the innate ability to import tRNAs by a mechanism distinct from protein import. *P Natl Acad Sci USA* 105:9186-9191
- Ruprecht M, Bionda T, Sato T, Sommer MS, Endo T, Schleiff E (2010) On the impact of precursor unfolding during protein import into chloroplasts. *Mol Plant* 3:499-508
- Rutishauser U, Ross IB, Mamelak AN, Schuman EM (2010) Human memory strength is predicted by theta-frequency phase-locking of single neurons. *Nature* 464:903-907
- Sabbioneda S, Green CM, Bienko M, Kannouche P, Dikic I, Lehmann AR (2009) Ubiquitin-binding motif of human DNA polymerase eta is required for correct localization P Natl Acad Sci USA, pp E20-E20 (Letter) vol 106)
- Safferling RB, Abarca-Heidemann K, Korschen HG, Tziatzios C, Stoldt M, Budyak I, Willbold D, Schwalbe H, Klein-Seetharaman J, Kaupp UB (2006) Glutamic acid-rich proteins of rod photoreceptors are natively unfolded. *J Biol Chem* 281:1449-1460
- Saiyed T, Paarmann I, Schmitt B, Haeger S, Sola M, Schmalzing G, Weissenhorn W, Betz H (2007) Molecular basis of gephyrin clustering at inhibitory synapses - Role of G- and E-domain interactions. *J Biol Chem* 282:5625-5632
- Sankaran J, Shi X, Ho L, Stelzer EHK, Wohland T (2010) ImFCS: a software for imaging FCS data analysis and visualization. *Opt Express* 18:25468-25481
- Sapra KT, Damaghi M, Koster S, Yildiz O, Kühlbrandt W, Muller DJ (2009) One beta hairpin after the other: Exploring mechanical unfolding pathways of the transmembrane beta-barrel protein OmpG. *Angew Chem Int Edit* 48:8306-8308

Sargin B, Choudhary C, Crosetto N, Schmidt MHH, Grundler R, Rensinghoff M, Thiessen C, Tickenbrock L, Schwable J, Brandts C, August B, Koschmieder S, Bandi SR, Duyster J, Berdel WE, Muller-Tidow C, Dikic I, Serve H (2007) Flt3-dependent transformation by inactivating c-Cbl mutations in AML. *Blood* 110:1004-1012

Savard M, Barbaz D, Belanger S, Müller-Esterl W, Bkaily G, D'Orlans-Juste P, Cote J, Bovenzi V, Gobeil F (2008) Expression of endogenous nuclear bradykinin B2 receptors mediating signaling in immediate early gene activation. *J Cell Physiol* 216:234-244

Sawamiphak S, Ritter M, Acker-Palmer A (2010) Preparation of retinal explant cultures to study ex vivo tip endothelial cell responses. *Nat Protoc* 5:1659 -1665

Sawamiphak S, Seidel S, Essmann CL, Wilkinson GA, Pitulescu ME, Acker T, Acker-Palmer A (2010) Ephrin-B2 regulates VEGFR2 function in developmental and tumour angiogenesis. *Nature* 465:487-491

Saxena K, Schieborr U, Anderka O, Duchardt-Ferner E, Elshorst B, Gande SL, Janzon J, Kudlinzki D, Sreeramulu S, Dreyer MK, Wendt KU, Herbert C, Duchaussoy P, Bianciotto M, Driguez PA, Lassalle G, Savi P, Mohammadi M, Bono F, Schwalbe H (2010) Influence of heparin mimetics on assembly of the FGF center dot FGFR4 signaling complex. *J Biol Chem* 285:26628-26640

Schäfer A, Reichert AS (2009) Emerging roles of mitochondrial membrane dynamics in health and disease. *Biol Chem* 390:707-715

Schäfer A, Zick M, Kief J, Steger M, Heide H, Duvezin-Caubet S, Neupert W, Reichert AS (2010) Intramembrane proteolysis of Mgm1 by the mitochondrial rhomboid protease is highly promiscuous regarding the sequence of the cleaved hydrophobic segment. *J Mol Biol*:Published online 14 June 2010

Schafer F, Joshi KB, Fichte MAH, Mack T, Wachtveitl J, Heckel A (2011) Wavelength-selective uncaging of dA and dC residues. *Org Lett* 13:1450-1453

Schägger H (2006) Tricine-SDS-PAGE. *Nat Protoc* 1:16-22

Scharf S, Zech J, Bursen A, Schraets D, Oliver PL, Kliem S, Pfitzner E, Gillert E, Dingermann T, Marschalek R (2007) Transcription linked to recombination: a gene-internal promoter coincides with the recombination hot spot II of the human MLL gene. *Oncogene* 26:1361-1371

Scharner D, Rossig L, Carmona G, Chavakis E, Urbich C, Fischer A, Kang TB, Wallach D, Chiang YJ, Deribe YL, Dikic I, Zeiher AM, Dimmeler S (2009) Caspase-8 is involved in neovascularization-promoting progenitor cell functions. *Arterioscl Throm Vas* 29:571-U268

Scheckhuber CQ, Erjavec N, Tinazli A, Hamann A, Nyström T, Osiewacz HD (2007) Reducing mitochondrial fission results in increased life span and fitness of two fungal ageing models. *Nat Cell Biol* 9:99-U129

Scheckhuber CQ, Grief J, Boilan E, Luce K, Debacq-Chainiaux F, Rittmeyer C, Gredilla R, Kolbesen BO, Toussaint O, Osiewacz HD (2009) Age-related cellular copper dynamics in the fungal ageing model *Podospora anserina* and in ageing human fibroblasts. *PLoS One* 4:14

Scheckhuber CQ, Houthoofd K, Weil AC, Werner A, De Vreese A, Vanfleteren JR, Osiewacz HD (2011) Alternative oxidase dependent respiration leads to an increased mitochondrial content in two long-lived mutants of the ageing model *Podospora anserina*. *PLoS One* 6:9

Scheckhuber CQ, Mitterbauer R, Osiewacz HD (2009) Molecular basis of and interference into degenerative processes in fungi: potential relevance for improving biotechnological performance of microorganisms. *Appl Microbiol Biot* 85:27-35

Scheckhuber CQ, Osiewacz HD (2008) *Podospora anserina*: a model organism to study mechanisms of healthy ageing. *Mol Genet Genomics* 280:365-374

Scheschonka A, Findlow S, Schemm R, El Far O, Caldwell JH, Crump MP, Holden-Dye K, O'Connor V, Betz H, Werner JM (2008) Structural determinants of calmodulin binding to the intracellular c-terminal domain of the metabotropic glutamate receptor 7A. *J Biol Chem* 283:5577-5588

Scheschonka A, Tang ZS, Betz H (2007) Sumoylation in neurons: nuclear and synaptic roles? *Trends Neurosci* 30:85-91

Schiemann O, Cekan P, Margraf D, Prisner TF, Sigurdsson ST (2009) Relative orientation of rigid nitroxides by PELDOR: Beyond distance measurements in nucleic acids. *Angew Chem Int Edit* 48:3292-3295

Schiemann O, Piton N, Plackmeyer J, Bode BE, Prisner TF, Engels JW (2007) Spin labeling of oligonucleotides with the nitroxide TPA and use of PELDOR, a pulse EPR method, to measure intramolecular distances. *Nat Protoc* 2:904-923

Schiemann O, Prisner TF (2007) Long-range distance determinations in biomacromolecules by EPR spectroscopy. *Q Rev Biophys* 40:1-53

Schilling K, Opitz N, Wiesenthal A, Oess S, Tikkanen R, Müller-Esterl W, Icking A (2006) Translocation of endothelial nitric-oxide synthase involves a ternary complex with caveolin-1 and NOSTRIN. *Mol Biol Cell* 17:3870-3880

Schlegel T, Mirus O, von Haeseler A, Schleiff E (2007) The tetratricopeptide repeats of receptors involved in protein translocation across membranes. *Mol Biol Evol* 24:2763-2774

Schleiff E, Becker T (2011) Common ground for protein translocation: access control for mitochondria and chloroplasts. *Nat Rev Mol Cell Biol* 12:48-59

Schleiff E, Maier UG, Becker T (2011) Omp85 in eukaryotic systems: one protein family with distinct functions. *Biol Chem* 392:21-27

Schleiff E, Tampé R (2009) Membrane proteins take center stage in Frankfurt. *Nat Chem Biol* 5:135-139

Schlepckow K, Fürtig B, Schwalbe H (2011) Nonequilibrium NMR methods for monitoring protein and RNA folding. *Z Phys Chem*:in press ??

Schlepckow K, Wirmer J, Bachmann A, Kiefhaber T, Schwalbe H (2008) Conserved folding pathways of alpha-lactalbumin and lysozyme revealed by kinetic CD, fluorescence, NMR, and interrupted refolding experiments. *J Mol Biol* 378:686-698

Schlorb C, Mensch S, Richter C, Schwalbe H (2006) Photo-CIDNP reveals differences in compaction of non-native states of lysozyme. *J Am Chem Soc* 128:1802-1803

Schmidt MHH, Bicker F, Nikolic I, Meister J, Babuke T, Picuric S, Müller-Esterl W, Plate KH, Dikic I (2009) Epidermal growth factor-like domain 7 (EGFL7) modulates Notch signalling and affects neural stem cell renewal. *Nat Cell Biol* 11:873-896

Schmidt MHH, Dikic I (2006) Assays to monitor degradation of the EGF receptor. *Methods Mol Biol* 327:131-138

Schmidt MHH, Husnjak K, Szymkiewicz I, Haglund K, Dikic I (2006) Cbl escapes Cdc42-mediated inhibition by downregulation of the adaptor molecule beta Pix. *Oncogene* 25:3071-3078

Schmidt TL, Heckel A (2009) Pyrrole/imidazole-polyamide anchors for DNA tertiary interactions. *SMALL* 5:1517-1520

Schmidt TL, Heckel A (2011) Construction of a structurally defined double-stranded DNA catenane. *Nano Lett* 11:1739-1742

Schmidt TL, Nandi CK, Rasched G, Parui PP, Brutschy B, Famulok M, Heckel A (2007) Polyamide struts for DNA architectures. *Angew Chem Int Edit* 46:4382-4384

Schmidt von Braun S, Schleiff E (2008) Moving the green: CHUP1 and chloroplast movement-An obvious relationship? *Plant Signal Behav* 3:488-9

Schmidt-Glenewinkel H, Vacheva I, Hoeller D, Dikic I, Eils R (2008) An ultrasensitive sorting mechanism for EGF Receptor Endocytosis. *BMC Syst Biol* 2:32 (7 April 2008)

Schmidtke SR, Duchardt-Ferner E, Weigand JE, Suess B, Wöhnert J (2010) NMR resonance assignments of an engineered neomycin-sensing riboswitch RNA bound to ribostamycin and tobramycin. *Biomol NMR Assign* 4:115-118

Schmidt-Krey I, Haase W, Mutucumarana V, Stafford DW, Kühlbrandt W (2007) Two-dimensional crystallization of human vitamin K-dependent gamma-glutamyl carboxylase. *J Struct Biol* 157:437-442

Schneider B, Junge F, Shirokov VA, Durst F, Schwarz D, Dötsch V, Bernhard F (2010) Membrane protein expression in cell-free systems. *Methods Mol Biol* 601:165-86

Schnell Ramos M, Abele R, Nagy R, Suter Grotemeyer M, Tampé R, Rentsch D, Martinoia E (2011) Characterization of a transport activity for long-chain peptides in barley mesophyll vacuoles. *J Exp Bot* 62:2403-2410

Schneppenheim R, Castaman G, Federici A, Kreuz W, Marschalek R, Oldenburg J, Oyen F, Budde U (2007) A common 253-kb deletion involving VWF and TMEM16B in German and Italian patients with severe von Willebrand disease type 3. *J Thromb Haemost* 5:722-728

Schnur N, Seuter S, Katryniok C, Radmark O, Steinhilber D (2007) The histone deacetylase inhibitor trichostatin A mediates upregulation of 5-lipoxygenase promoter activity by recruitment of Sp1 to distinct GC-boxes. *BBA-Mol Cell Biol L* 1771:1271-1282

Schölz C, Parcej D, Ejsing CS, Robenek H, Urbatsch IL, Tampé R (2011) Specific Lipids Modulate the Transporter Associated with Antigen Processing (TAP). *J Biol Chem* 286:13346-13356

Schölz C, Parcej D, Ejsing CS, Robenek H, Urbatsch IL, Tampé R (2011) Transporter associated with antigen processing (TAP) is modulated by lipids. *J Biol Chem*:in print

Schramme A, Abdel-Bakky MS, Gutwein P, Obermuller N, Baer PC, Hauser IA, Ludwig A, Gauer S, Schafer L, Sobkowiak E, Altevogt P, Koziol M, Kiss E, Grone HJ, Tikkanen R, Goren I, Radeke H, Pfeilschifter J (2008) Characterization of CXCL16 and ADAM10 in the normal and transplanted kidney. *Kidney Int* 74:328-338

Schreiner P, Chen X, Husnjak K, Randles L, Zhang NX, Elsasser S, Finley D, Dikic I, Walters KJ, Groll M (2008) Ubiquitin docking at the proteasome through a novel pleckstrin-homology domain interaction. *Nature* 453:548-552

Schrodt S, Koch J, Tampé R (2006) Membrane topology of the transporter associated with antigen processing (TAP1) within an assembled functional peptide-loading complex. *J Biol Chem* 281:6455-6462

Schroeder C, Werner K, Otten H, Kratzig S, Schwalbe H, Essen LO (2008) Influence of a joining helix on the BLUF domain of the YcgF photoreceptor from *Escherichia coli*. *ChemBioChem* 9:2463-2473

Schuetz D, Margraf D, Prisner TF, Bats JW (2010) 4,4',4''-(Methanetriyl)triphenyl tris(2,2,5,5-tetramethyl-1-oxyl-3-pyrroline-3-carboxylate) benzene trisolvate. *Acta Crystallogr E* 66:O729-U1444

Schultheis C, Liewald JF, Bamberg E, Nagel G, Gottschalk A (2011) Optogenetic long-term manipulation of behavior and animal development. *PLoS One* 6:e18766

- Schulz E, Karas M, Rosu F, Gabelica V (2006) Influence of the matrix on analyte fragmentation in atmospheric pressure MALDI. *J Am Soc Mass Spectr* 17:1005-1013
- Schulze K, Mulder A, Tinazli A, Tampé R (2006) Controlling the activity of the 20S proteasome complex by synthetic gatekeepers. *Angew Chem Int Edit* 45:5702-5705
- Schulze S, Koster S, Geldmacher U, van Scheltinga ACT, Kühlbrandt W (2010) Structural basis of Na⁺-independent and cooperative substrate/product antiport in CaiT. *Nature* 467:233-U129
- Schuman EM, Zhuang X (2010) New technologies. *Curr Opin Neurobiol* 20:608-9
- Schwab M, Reynders V, Loitsch S, Shastri YM, Steinhilber D, Schroder O, Stein J (2008) PPAR gamma is involved in mesalazine-mediated induction of apoptosis and inhibition of cell growth in colon cancer cells. *Carcinogenesis* 29:1407-1414
- Schwab M, Reynders V, Loitsch S, Steinhilber D, Schroder O, Stein J (2008) The dietary histone deacetylase inhibitor sulforaphane induces human beta-defensin-2 in intestinal epithelial cells. *Immunology* 125:241-251
- Schwab M, Reynders V, Loitsch S, Steinhilber D, Stein J, Schroder O (2007) Involvement of different nuclear hormone receptors in butyrate-mediated inhibition of inducible NFkB signalling. *Mol Immunol* 44:3625-3632
- Schwab M, Reynders V, Steinhilber D, Stein J (2009) Combined treatment of Caco-2 cells with butyrate and mesalazine inhibits cell proliferation and reduces Survivin protein level. *Cancer Lett* 273:98-106
- Schwab MA, Sauer SW, Okun JG, Nijtmans LGJ, Rodenburg RJT, van den Heuvel LP, Drose S, Brandt U, Hoffmann GF, Ter Laak H, Kolker S, Smeitink JAM (2006) Secondary mitochondrial dysfunction in propionic aciduria: a pathogenic role for endogenous mitochondrial toxins. *Biochem J* 398:107-112
- Schwalbe H (2011) Double Take on Piwi Protein/piRNA Complex Structure. *Structure* 19:141-142
- Schwalbe H, Buck J, Furtig B, Noeske J, Wöhnert J (2007) Structures of RNA switches: Insight into molecular recognition and tertiary structure. *Angew Chem Int Edit* 46:1212-1219
- Schwalbe H, Rinnenthal J (2010) Thermodynamics: The world is flat. *Nat Chem Biol* 6:312-313
- Schwarz D, Daley D, Beckhaus T, Dötsch V, Bernhard F (2010) Cell-free expression profiling of E. coli inner membrane proteins. *Proteomics* 10:1762-1779
- Schwarz D, Dötsch V, Bernhard F (2008) Production of membrane proteins using cell-free expression systems. *Proteomics* 8:3933-3946
- Schwarz D, Junge F, Durst F, Frolich N, Schneider B, Reckel S, Sobhanifar S, Dötsch V, Bernhard F (2007) Preparative scale expression of membrane proteins in *Escherichia coli*-based continuous exchange cell-free systems. *Nat Protoc* 2:2945-2957
- Schwarz D, Klammt C, Koglin A, Lohr F, Schneider B, Dötsch V, Bernhard F (2007) Preparative scale cell-free expression systems: New tools for the large scale preparation of integral membrane proteins for functional and structural studies. *Methods* 41:355-369
- Schweikhard ES, Kuhlmann SI, Kunte HJ, Grammann K, Ziegler CM (2010) Structure and function of the universal stress protein TeaD and its role in regulating the ectoine transporter TeaABC of *Halomonas elongata* DSM 2581(T). *Biochemistry* 49:2194-2204
- Screpanti E, Hunte C (2007) Discontinuous membrane helices in transport proteins and their correlation with function. *J Struct Biol* 159:261-267

- Screpanti E, Padan E, Rimon A, Michel H, Hunte C (2006) Crucial steps in the structure determination of the Na⁺/H⁺ antiporter NhaA in its native conformation. *J Mol Biol* 362:192-202
- Seeger MA, Diederichs K, Eicher T, Brandstatter L, Schiefner A, Verrey F, Pos KM (2008) The AcrB efflux pump: Conformational cycling and peristalsis lead to multidrug resistance. *Curr Drug Targets* 9:729-749
- Seeger MA, von Ballmoos C, Eicher T, Brandstatter L, Verrey F, Diederichs K, Pos KM (2008) Engineered disulfide bonds support the functional rotation mechanism of multidrug efflux pump AcrB. *Nat Struct Mol Biol* 15:199-205
- Seeger MA, von Ballmoos C, Verrey F, Pos KM (2009) Crucial role of Asp408 in the proton translocation pathway of multidrug transporter AcrB: Evidence from site-directed mutagenesis and carbodiimide labeling. *Biochemistry* 48:5801-5812
- Seet BT, Dikic I, Zhou MM, Pawson T (2006) Reading protein modifications with interaction domains. *Nat Rev Mol Cell Biol* 7:473-483
- Segura I, Essmann CL, Weinges S, Acker-Palmer A (2007) Grb4 and GIT1 transduce ephrinB reverse signals modulating spine morphogenesis and synapse formation. *Nat Neurosci* 10:301-310
- Sentürk A, Pfennig S, Weiss A, Burk K, Acker-Palmer A (2011) Ephrin Bs are essential components of the Reelin pathway to regulate neuronal migration. *Nature* 472:356-U123
- Serber Z, Selenko P, Hansel R, Reckel S, Lohr F, Ferrell JE, Wagner G, Dötsch V (2006) Investigating macromolecules inside cultured and injected cells by in-cell NMR spectroscopy. *Nat Protoc* 1:2701-2709
- Seuter S, Sam V, Radmark O, Carlberg C, Steinhilber D (2007) Functional characterization of vitamin D responding regions in the human 5-Lipoxygenase gene. *BBA-Mol Cell Biol L* 1771:864-872
- Seuter S, Sorg BL, Steinhilber D (2006) The coding sequence mediates induction of 5-lipoxygenase expression by Smads3/4. *Biochem Bioph Res Co* 348:1403-1410
- Sezer D, Gafurov M, Prandolini MJ, Denysenkov VP, Prisner TF (2009) Dynamic nuclear polarization of water by a nitroxide radical: rigorous treatment of the electron spin saturation and comparison with experiments at 9.2 Tesla. *Phys Chem Chem Phys* 11:6638-53
- Sezer D, Prandolini MJ, Prisner TF (2009) Dynamic nuclear polarization coupling factors calculated from molecular dynamics simulations of a nitroxide radical in water. *Phys Chem Chem Phys* 11:6626-37
- Sharma MR, Donhofer A, Barat C, Marquez V, Datta PP, Fucini P, Wilson DN, Agrawal RK (2010) PSRP1 is not a ribosomal protein, but a ribosome-binding factor that is recycled by the ribosome-recycling factor (RRF) and elongation factor G (EF-G). *J Biol Chem* 285:4006-4014
- Sharma MR, Wilson DN, Datta PP, Barat C, Schluenzen F, Fucini P, Agrawal RK (2007) Cryo-EM study of the spinach chloroplast ribosome reveals the structural and functional roles of plastid-specific ribosomal proteins. *P Natl Acad Sci USA* 104:19315-19320
- Shastri S, Vonck J, Pflieger N, Haase W, Kühlbrandt W, Glaubitz C (2007) Proteorhodopsin: Characterisation of 2D crystals by electron microscopy and solid state NMR. *BBA-Biomembranes* 1768:3012-3019
- Sheffel AD, Stehling O, Pierik AJ, Netz DJA, Kerscher S, Elsasser HP, Wittig I, Balk J, Brandt U, Lill R (2009) Human ind1, an iron-sulfur cluster assembly factor for respiratory complex I. *Mol Cell Biol* 29:6059-73
- Shimokawa N, Haglund K, Holter SM, Grabbe C, Kirkin V, Koibuchi N, Schultz C, Rozman J, Hoeller D, Qiu CH, Londono MB, Ikezawa J, Jedlicka P, Stein B, Schwarzacher SW, Wolfer DP, Ehrhardt N,

Heuchel R, Nezis I, Brech A, Schmidt MHH, Fuchs H, Gailus-Durner V, Klingenspor M, Bogler O, Wurst W, Deller T, de Angelis MH, Dikic I (2010) CIN85 regulates dopamine receptor endocytosis and governs behaviour in mice. *EMBO J* 29:2421 - 2432

Shukla AK, Haase W, Reinhart C, Michel H (2006) Biochemical and pharmacological characterization of the human bradykinin subtype 2 receptor produced in mammalian cells using the Semliki Forest virus system. *Biol Chem* 387:569-576

Shukla AK, Haase W, Reinhart C, Michel H (2006) Functional overexpression and characterization of human bradykinin subtype 2 receptor in insect cells using the baculovirus system. *J Cell Biochem* 99:868-877

Shukla AK, Haase W, Reinhart C, Michel H (2007) Heterologous expression and characterization of the recombinant bradykinin B-2 receptor using the methylotrophic yeast *Pichia pastoris*. *Protein Express Purif* 55:1-8

Shukla AK, Haase W, Reinhart C, Michel H (2007) Heterologous expression and comparative characterization of the human neuromedin U subtype II receptor using the methylotrophic yeast *Pichia pastoris* and mammalian cells. *Int J Biochem Cell B* 39:931-942

Shukla AK, Reinhart C, Michel H (2006) Comparative analysis of the human angiotensin II type 1a receptor heterologously produced in insect cells and mammalian cells. *Biochem Bioph Res Co* 349:6-14

Shukla AK, Reinhart C, Michel H (2006) Dimethylsulphoxide as a tool to increase functional expression of heterologously produced GPCRs in mammalian cells. *FEBS Lett* 580:4261-4265

Siarheyeva A, Lopez JJ, Glaubitz C (2006) Localization of multidrug transporter substrates within model membranes. *Biochemistry* 45:6203-6211

Siarheyeva A, Lopez JJ, Lehner I, Hellmich UA, van Veen HW, Glaubitz C (2007) Probing the molecular dynamics of the ABC multidrug transporter LmrA by deuterium solid-state nuclear magnetic resonance. *Biochemistry* 46:3075-3083

Siegel C, Hallstrom T, Skerka C, Eberhardt H, Uzonyi B, Beckhaus T, Karas M, Wallich R, Stevenson B, Zipfel PF, Kraiczy P (2010) Complement Factor H-Related Proteins CFHR2 and CFHR5 Represent Novel Ligands for the Infection-Associated CRASP Proteins of *Borrelia burgdorferi*. *PLoS One* 5:14

Siemoneit U, Koeberle A, Rossi A, Dehm F, Verhoff M, Reckel S, Maier TJ, Jauch J, Northoff H, Bernhard F, Dötsch V, Sautebin L, Werz O (2011) Inhibition of microsomal prostaglandin E-2 synthase-1 as a molecular basis for the anti-inflammatory actions of boswellic acids from frankincense. *Br J Pharmacol* 162:147-162

Silvaggi NR, Martin LJ, Schwalbe H, Imperiali B, Allen KN (2007) Double-lanthanide-binding tags for macromolecular crystallographic structure determination. *J Am Chem Soc* 129:7114-7120

Silvers R, Buhr F, Schwalbe H (2010) The Molecular Mechanism of Spider-Silk Formation. *Angew Chem Int Edit* 49:5410-5412

Smits M, Ghosh A, Bredenbeck J, Yamamoto S, Muller M, Bonn M (2007) Ultrafast energy flow in model biological membranes. *New J Phys* 9:390

Snow AJ, Puri P, Acker-Palmer A, Bouwmeester T, Vijayaraghavan S, Kline D (2008) Phosphorylation-dependent interaction of tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein (YWHA) with PAD16 following oocyte maturation in mice. *Biol Reprod* 79:337-347

Sobhanifar S, Reckel S, Junge F, Schwarz D, Kai L, Karbyshev M, Lohr F, Bernhard F, Dötsch V (2010) Cell-free expression and stable isotope labelling strategies for membrane proteins. *J Biomol NMR* 46:33-43

- Sobhanifar S, Schneider B, Löhr F, Gottstein D, Ikeya T, Mlynarczyk K, Pulawski W, Ghoshdastider U, Kolinski M, Filipek S, Güntert P, Bernhard F, Dötsch V (2010) Structural investigation of the C-terminal catalytic fragment of presenilin 1. *P Natl Acad Sci USA* 107:9644-9649
- Soerensen M, Gredilla R, Muller-Ohldach M, Werner A, Bohr VA, Osiewacz HD, Stevnsner T (2009) A potential impact of DNA repair on ageing and lifespan in the ageing model organism *Podospira anserina*: Decrease in mitochondrial DNA repair activity during ageing. *Mech Ageing Dev* 130:487-496
- Sokolova L, Wittig I, Barth HD, Schägger H, Brutschy B, Brandt B (2010) Laser-induced liquid bead ion desorption-MS of protein complexes from blue-native gels, a sensitive top-down proteomic approach. *Proteomics* 10:1401-1407
- Soler G, Radford I, Meyer C, Marschalek R, Brouzes C, Ghez D, Romana S, Berger R (2008) MLL insertion with MLL-MLLT3 gene fusion in acute leukemia: case report and review of the literature. *Cancer Genet Cytogen* 183:53-59
- Soller M, Drose S, Brandt U, Brune B, von Knethen A (2007) Mechanism of thiazolidinedione-dependent cell death in Jurkat T cells. *Mol Pharmacol* 71:1535-1544
- Solmaz SRN, Hunte C (2008) Structure of complex III with bound cytochrome c in reduced state and definition of a minimal core interface for electron transfer. *J Biol Chem* 283:17542-17549
- Sorg BL, Klan N, Seuter S, Dishart D, Radmark O, Habenicht A, Carlberg C, Werz O, Steinhilber D (2006) Analysis of the 5-lipoxygenase promoter and characterization of a vitamin D receptor binding site. *BBA-Mol Cell Biol L* 1761:686-697
- Sreeramulu S, Gande SL, Gobel M, Schwalbe H (2009) Molecular mechanism of inhibition of the human protein complex Hsp90-Cdc37, a kinome chaperone-cochaperone, by triterpene Celastrol. *Angew Chem Int Edit* 48:5853-5855
- Sreeramulu S, Jonker HRA, Langer T, Richter C, Lancaster CRD, Schwalbe H (2009) The human Cdc37 center dot Hsp90 complex studied by heteronuclear NMR spectroscopy. *J Biol Chem* 284:3885-3896
- Srinivasan V, Netz DJA, Weibert H, Mascarenhas J, Pierik AJ, Michel H, Lill R (2007) Structure of the yeast WD40 domain protein Cia1, a component acting late in iron-sulfur protein biogenesis. *Structure* 15:1246-1257
- Sripathomsawat W, Tanpaiboon P, Heering J, Dötsch V, Hennekam RCM, Kantaputra P (2011) Phenotypic Analysis of Arg227 Mutations of TP63 With Emphasis on Dental Phenotype and Micturition Difficulties in EEC Syndrome. *Am J Med Genet A* 155A:228-232
- Staritzbichler R, Anselmi C, Forrest LR, Faraldo-Gomez JD (2011) GRIFFIN: A versatile methodology for optimization of protein-lipid interfaces for membrane protein simulations. *J Chem Theory Comput* 7:1167-1176
- Stasch JP, Schmidt PM, Nedvetsky PI, Nedvetskaya TY, Kumar A, Meurer S, Deile M, Taye A, Knorr A, Lapp H, Muller H, Turgay Y, Röthkegel C, Tersteegen A, Kemp-Harper B, Müller-Esterl W, Schmidt H (2006) Targeting the heme-oxidized nitric oxide receptor for selective vasodilatation of diseased blood vessels. *J Clin Invest* 116:2552-2561
- Staudt H, Kohler T, Lorenz L, Neumann K, Verhoefen MK, Wachtveitl J (2008) Time resolved spectroscopy on Pigment Yellow 101 in solid state. *Chem Phys* 347:462-471
- Stefer S, Reitz S, Wang F, Wild K, Pang YY, Schwarz D, Bomke J, Hein C, Löhr F, Bernhard F, Denic V, Dötsch V, Sinning I (2011) Structural basis for tziil-anchored membrane protein biogenesis by the Get3-receptor complex. *Science*

Steinbrink SD, Pergola C, Buhning U, George S, Metzner J, Fischer AS, Hafner AK, Wisniewska JM, Geisslinger G, Werz O, Steinhilber D, Maier TJ (2010) Sulindac sulfide suppresses 5-lipoxygenase at clinically relevant concentrations. *Cell Mol Life Sci* 67:797-806

Steri R, Kara M, Proschak E, Steinhilber D, Schneider G, Schubert-Zsilavecz M (2010) Antidiabetic sulfonylureas modulate farnesoid X receptor activation and target gene transcription. *Future Med Chem* 2:575-586

Stirman JN, Brauner M, Gottschalk A, Lu H (2010) High-throughput study of synaptic transmission at the neuromuscular junction enabled by optogenetics and microfluidics. *J Neurosci Meth* 191:90-93

Stirman JN, Crane MM, Husson SJ, Wabnig S, Schultheis C, Gottschalk A, Lu H (2011) Real-time multimodal optical control of neurons and muscles in freely behaving *Caenorhabditis elegans*. *Nat Methods* 8:153-U78

Stoffers KL, Sorg BL, Seuter S, Rau O, Radmark O, Steinhilber D (2010) Calcitriol upregulates open chromatin and elongation markers at functional vitamin D response elements in the distal part of the 5-lipoxygenase gene. *J Mol Biol* 395:884-896

Straub WE, Weber TA, Schafer B, Candi E, Durst F, Ou HD, Rajalingam K, Melino G, Dötsch V (2010) The C-terminus of p63 contains multiple regulatory elements with different functions. *Cell Death Dis* 1:8

Strauss M, Hofhaus G, Schroeder RR, Kühlbrandt W (2008) Dimer ribbons of ATP synthase shape the inner mitochondrial membrane. *EMBO J* 27:1154-1160

Strecker V, Mai S, Muster B, Beneke S, Burkle A, Bereiter-Hahn J, Jendrach M (2010) Aging of different avian cultured cells: Lack of ROS-induced damage and quality control mechanisms. *Mech Ageing Dev* 131:48-59

Strecker V, Wumaier Z, Wittig I, Schagger H (2010) Large pore gels to separate mega protein complexes larger than 10 MDa by blue native electrophoresis: Isolation of putative respiratory strings or patches. *Proteomics* 10:3379-3387

Strehl S, König M, Meyer C, Schneider B, Harbott J, Jäger U, von Bergh ARM, Loncarevic IF, Jarosova M, Schmidt HH, Moore SDP, Marschalek R, Haas OA (2006) Molecular dissection of t(11;17) in acute myeloid leukemia reveals a variety of gene fusions with heterogeneous fusion transcripts and multiple splice variants. *Gene Chromosome Canc* 45:1041-1049

Strey CW, Gestrich J, Beckhaus T, Marquez-Pinilla RM, Oppermann E, Monch C, Lambris JD, Karas M, Bechstein WO (2010) Hypoxia and reoxygenation of primary human hepatocytes induce proteome changes of glucose metabolism, oxidative protection and peroxisomal function. *Int J Mol Med* 26:577-584

Strobel I, Breitenbach J, Scheckhuber CQ, Osiewacz HD, Sandmann G (2009) Carotenoids and carotenogenic genes in *Podospora anserina*: engineering of the carotenoid composition extends the life span of the mycelium. *Curr Genet* 55:175-184

Strunk JJ, Gregor I, Becker Y, Li Z, Gavutis M, Jaks E, Lamken P, Walz T, Enderlein J, Piehler J (2008) Ligand binding induces a conformational change in ifnar1 that is propagated to its membrane-proximal domain. *J Mol Biol* 377:725-739

Suess B (2010) Riboswitches new aspects of an old story. *RNA Biol* 7:65-66

Suess B, Weigand JE (2008) Engineered riboswitches - Overview, problems and trends. *RNA Biol* 5:24-29

Suess B, Weigand JE (2009) Aptamers as artificial gene regulation elements. *Methods Mol Biol* 535:201-8

- Suhartono M, Weidlich M, Stein T, Karas M, Durner G, Gobel MW (2008) Synthesis of non-natural aromatic alpha-amino acids by a Heck reaction. *Eur J Org Chem*:1608-1614
- Sujak A, Sanghamitra NJM, Maneg O, Ludwig B, Mazumdar S (2007) Thermostability of proteins: Role of metal binding and pH on the stability of the dinuclear Cu-A site of *Thermus thermophilus*. *Biophys J* 93:2845-2851
- Sukhorukov VL, Endter JM, Zimmermann D, Shirakashi R, Fehrmann S, Kiesel M, Reuss R, Becker D, Hedrich R, Bamberg E, Roitsch T, Zimmermann U (2007) Mechanisms of electrically mediated cytosolic Ca²⁺ transients in Aequorin-Transformed tobacco cells. *Biophys J* 93:3324-3337
- Sukhorukov VM, Bereiter-Hahn J (2009) Anomalous diffusion induced by cristae geometry in the inner mitochondrial membrane. *PLoS One* 4:14
- Sukhorukov VM, Dikov D, Busch K, Strecker V, Wittig I, Bereiter-Hahn J (2010) Determination of protein mobility in mitochondrial membranes of living cells. *BBA-Biomembranes* 1798:2022-2032
- Surade S, Klein M, Stolt-Bergner PC, Muenke C, Roy A, Michel H (2006) Comparative analysis and "expression space" coverage of the production of prokaryotic membrane proteins for structural genomics. *Protein Sci* 15:2178-2189
- Sutton MA, Schuman EM (2009) Partitioning the synaptic landscape: distinct microdomains for spontaneous and spike-triggered neurotransmission. *Sci Signal* 2:pe19
- Suzuki N, Hiraki M, Yamada Y, Matsugaki N, Igarashi N, Kato R, Dikic I, Drew D, Iwata S, Wakatsuki S, Kawasaki M (2010) Crystallization of small proteins assisted by green fluorescent protein. *Acta Crystallogr D* 66:1059-66
- Svensjo E, Batista PR, Brodskyn CI, Silva R, Lima A, Schmitz V, Saraiva E, Pesquero JB, Mori MAS, Müller-Esterl W, Scharfstein J (2006) Interplay between parasite cysteine proteases and the host kinin system modulates microvascular leakage and macrophage infection by promastigotes of the *Leishmania donovani* complex. *Microbes Infect* 8:206-220
- Sziegat F, Wirmer-Bartoschek J, Schwalbe H (2011) Characteristics of human lysozyme and its disease-related mutants in their unfolded states. *Angew Chem Int Edit*:in press
- Szychowski J, Mahdavi A, Hodas JLL, Bagert JD, Ngo JT, Landgraf P, Dieterich DC, Schuman EM, Tirrell DA (2010) Cleavable biotin probes for labeling of biomolecules via azide-alkyne cycloaddition. *J Am Chem Soc* 132:18351-18360
- Szydłowska I, Nosenko Y, Brutschy B, Tarakeshwar P, Herbich J (2007) Supersonic jet studies of solvation effects on the spectroscopy and photophysics of 4-diethylaminopyridine. *Phys Chem Chem Phys* 9:4981-4991
- Szydłowska IF, Nosenko Y, Brutschy B, Herbich J (2008) Dual fluorescence of 4-dialkylaminopyridines under supersonic jet conditions. *Chem Phys Lett* 467:58-65
- Tai HC, Schuman EM (2010) Angelman syndrome: Finding the lost arc. *Cell* 140:608-610
- Tai H-C, Besche H, Goldberg AL, Schuman EM (2010) Characterization of the Brain 26S Proteasome and its Interacting Proteins. *Front Mol Neurosci* 3
- Tampé R (2009) Highlight: The gatekeepers of life yield their secrets. *Biol Chem* 390:673-673
- Tampé R, Schleiff E (2011) Highlight: Membrane transport in light of structure, function, and evolution. *Biol Chem* 392:3-3
- Tang J, Ebner A, Kraxberger B, Leitner M, Hykollari A, Kepplinger C, Grunwald C, Gruber HJ, Tampé R, Sleytr UB, Ilk N, Hinterdorfer P (2009) Detection of metal binding sites on functional S-layer nanoarrays using single molecule force spectroscopy. *J Struct Biol* 168:217-22

Tang ZS, Hecker CM, Scheschonka A, Betz H (2008) Protein interactions in the sumoylation cascade - lessons from X-ray structures. *FEBS J* 275:3003-3015

Tangemo C, Ronchi P, Colombelli J, Haselmann U, Simpson JC, Antony C, Stelzer EHK, Pepperkok R, Reynaud EG (2011) A novel laser nanosurgery approach supports de novo Golgi biogenesis in mammalian cells. *J Cell Sci* 124:978-987

Tanrikulu Y, Nietert M, Scheffer U, Proschak E, Grabowski K, Schneider P, Weidlich M, Karas M, Gobel M, Schneider G (2007) Scaffold hopping by "Fuzzy" pharmacophores and its application to RNA targets. *ChemBioChem* 8:1932-+

Tausch L, Henkel A, Siemoneit U, Poeckel D, Kather N, Franke L, Hofmann B, Schneider G, Angioni C, Geisslinger G, Skarke C, Holtmeier W, Beckhaus T, Karas M, Jauch J, Werz O (2009) Identification of human Cathepsin G as a functional target of boswellic acids from the anti-inflammatory remedy frankincense. *J Immunol* 183:3433-3442

Tavraz NN, Friedrich T, Durr KL, Koenderink JB, Bamberg E, Freilinger T, Dichgans M (2008) Diverse functional consequences of mutations in the Na⁺/K⁺-ATPase alpha(2)-subunit causing familial hemiplegic migraine type 2. *J Biol Chem* 283:31097-31106

Tayefeh S, Kloss T, Kreim M, Gebhardt M, Baumeister D, Hertel B, Richter C, Schwalbe H, Moroni A, Thiel G, Kast SM (2009) Model development for the viral Kcv potassium channel. *Biophys J* 96:485-498

Taylor AB, Meyer B, Leal BZ, Kottter P, Schirf V, Demeler B, Hart PJ, Entian KD, Wöhnert J (2008) The crystal structure of Nep1 reveals an extended SPOUT-class methyltransferase fold and a pre-organized SAM-binding site. *Nucleic Acids Res* 36:1542-1554

Taylor AM, Dieterich DC, Ito HT, Kim SA, Schuman EM (2010) Microfluidic local perfusion chambers for the visualization and manipulation of synapses. *Neuron* 66:57-68

Taylor GF, Wood SP, Mors K, Glaubitz C, Werner JM, Williamson PTF (2011) Morphological differences between beta(2)-microglobulin in fibrils and inclusion bodies. *ChemBioChem* 12:556-558

Terpitz U, Raimunda D, Westhoff M, Sukhorukov VL, Beauge L, Bamberg E, Zimmermann D (2008) Electrofused giant protoplasts of *Saccharomyces cerevisiae* as a novel system for electrophysiological studies on membrane proteins. *BBA-Biomembranes* 1778:1493-1500

Teuber K, Schiller J, Fuchs B, Karas M, Jaskolla TW (2010) Significant sensitivity improvements by matrix optimization: a MALDI-TOF mass spectrometric study of lipids from hen egg yolk. *Chem Phys Lipids* 163:552-560

Thelen K, Wolfram T, Maier B, Jahrling S, Tinazli A, Piehler J, Spatz JP, Pollerberg GE (2007) Cell adhesion molecule DM-GRASP presented as nanopatterns to neurons regulates attachment and neurite growth. *Soft Matter* 3:1486-1491

Timinszky G, Till S, Hassa PO, Hothorn M, Kustatscher G, Nijmeijer B, Colombelli J, Altmeyer M, Stelzer EHK, Scheffzek K, Hottiger MO, Ladurner AG (2009) A macrodomain-containing histone rearranges chromatin upon sensing PARP1 activation. *Nat Struct Mol Biol* 16:923-U41

Tinazli A, Piehler J, Beuttler M, Guckenberger R, Tampé R (2007) Native protein nanolithography that can write, read and erase. *Nat Nanotechnol* 2:220-225

Tocilescu MA, Fendel U, Zwicker K, Kerscher S, Brandt U (2007) Exploring the ubiquinone binding cavity of respiratory complex I. *J Biol Chem* 282:29514-29520

Tocilescu MA, Zickermann V, Zwicker K, Brandt U (2010) Quinone binding and reduction by respiratory complex I. *BBA-Bioenergetics* 1797:1883-1890

- Tossidou I, Kardinal C, Peters I, Kriz W, Shaw A, Dikic I, Tkachuk S, Dumler I, Haller H, Schiffer M (2007) CD2AP/CIN85 balance determines receptor tyrosine kinase signaling response in podocytes. *J Biol Chem* 282:7457-7464
- Trabold R, Eros C, Zweckberger K, Relton J, Beck H, Nussberger J, Müller-Esterl W, Bader M, Whalley E, Plesnila N (2010) The role of bradykinin B-1 and B-2 receptors for secondary brain damage after traumatic brain injury in mice. *J Cerebr Blood F Met* 30:130-139
- Trentin L, Giordan M, Dingermann T, Basso G, te Kronnie G, Marschalek R (2009) Two independent gene signatures in pediatric t(4;11) acute lymphoblastic leukemia patients. *Eur J Haematol* 83:406-419
- Trepout S, Taveau J-C, Benabdelhak H, Granier T, Ducruix A, Frangakis AS, Lambert O (2010) Structure of reconstituted bacterial membrane efflux pump by cryo-electron tomography. *BBA-Gen Subjects* 1798
- Tsai CJ, Ejsing CS, Shevchenko A, Ziegler C (2007) The role of lipids and salts in two-dimensional crystallization of the glycine-betaine transporter BetP from *Corynebacterium glutamicum*. *J Struct Biol* 160:275-286
- Tsai CJ, Khafizov K, Hakulinen J, Forrest LR, Krämer R, Kühlbrandt W, Ziegler C (2011) Structural asymmetry in a trimeric Na⁺/Betaine symporter, BetP, from *corynebacterium glutamicum*. *J Mol Biol* 407:368-381
- Tsai C-J, Ziegler C (2010) Coupling electron cryomicroscopy and X-ray crystallography to understand secondary active transport. *Curr Opin Struc Biol* 20:448-455
- Tsiogianni E, Aivaliotis M, Papisotiriou DG, Karas M, Tsiotis G (2006) Identification of inducible protein complexes in the phenol degrader *Pseudomonas* sp strain pHDV1 by blue native gel electrophoresis and mass spectrometry. *Amino Acids* 30:63-72
- Turchanin A, Tinazli A, El-Desawy M, Grossann H, Schnietz M, Solak HH, Tampé R, Golzhauer A (2008) Molecular self-assembly, chemical lithography, and biochemical tweezers: A path for the fabrication of functional nanometer-scale protein arrays. *Adv Mater* 20:471-+
- Ullrich SJ, Hellmich UA, Ullrich S, Glaubitz C (2011) Interfacial enzyme kinetics of a membrane bound kinase analyzed by real-time MAS-NMR. *Nat Chem Biol*
- Unterluggauer H, Hutter E, Voglauer R, Grillari J, Voth M, Bereiter-Hahn J, Jansen-Durr P, Jendrach M (2007) Identification of cultivation-independent markers of human endothelial cell senescence *in vitro*. *Biogerontology* 8:383-397
- Urbanek DA, Proschak E, Tanrikulu Y, Becker S, Karas M, Schneider G (2011) Scaffold-hopping from aminoglycosides to small synthetic inhibitors of bacterial protein biosynthesis using a pseudoreceptor model. *MedChemComm* 2:181-184
- Vabulas RM (2007) Proteasome function and protein biosynthesis. *Curr Opin Clin Nutr Metab Care* 10:24-31
- Vabulas RM, Hartl FU (2011) Aberrant protein interactions in amyloid disease. *Cell Cycle* 10:1512-1513
- Valiokas R, Klenkar G, Tinazli A, Reichel A, Tampé R, Piehler J, Liedberg B (2008) Self-assembled monolayers containing terminal mono-, bis-, and tris-nitrotri-acetic acid groups: Characterization and application. *Langmuir* 24:4959-4967
- Valiokas R, Klenkar G, Tinazli A, Tampé R, Liedberg B, Piehler J (2006) Differential protein assembly on micropatterned surfaces with tailored molecular and surface multivalency. *ChemBioChem* 7:1325-1329

van der Does C, Presenti C, Schulze K, Dinkelaker S, Tampé R (2006) Kinetics of the ATP hydrolysis cycle of the nucleotide-binding domain of Mdl1 studied by a novel site-specific labeling technique. *J Biol Chem* 281:5694-5701

van der Slurs EO, Nouwen N, Koch J, de Keyzer J, van der Does C, Tampé R, Driessen AJM (2006) Identification of two interaction sites in SecY that are important for the functional interaction with SecA. *J Mol Biol* 361:839-849

Van der Velden VHJ, Corral L, Valsecchi MG, Jansen MWJC, De Lorenzo P, Cazzaniga G, Panzer-Grumayer ER, Schrappe M, Schrauder A, Meyer C, Marschalek R, Nigro LL, Metzler M, Basso G, Mann G, Den Boer ML, Biondi A, Pieters R, Van Dongen JJM (2009) Prognostic significance of minimal residual disease in infants with acute lymphoblastic leukemia treated within the Interfant-99 protocol. *Leukemia* 23:1073-1079

Vargas KJ, Sarmiento JM, Ehrenfeld P, Anazco CC, Villanueva CI, Carmona PL, Brenet M, Navarro J, Müller-Esterl W, Gonzalez CB (2009) Postnatal expression of V2 vasopressin receptor splice variants in the rat cerebellum. *Differentiation* 77:377-85

Vaupel S, Brutschy B, Tarakeshwar P, Kim KS (2006) Characterization of weak NH- π intermolecular interactions of ammonia with various substituted π -systems. *J Am Chem Soc* 128:5416-5426

Verhoefen MK, Bamann C, Blöcher R, Förster U, Bamberg E, Wachtveitl J (2010) The photocycle of channelrhodopsin-2: ultrafast reaction dynamics and subsequent reaction steps. *ChemPhysChem* 11:3113-3122

Verhoefen MK, Lenz MO, Amarie S, Klare JP, Tittor J, Oesterhelt D, Engelhard M, Wachtveitl J (2009) Primary reaction of sensory rhodopsin II mutant D75N and the influence of azide. *Biochemistry* 48:9677-9683

Verweij MC, Koppers-Lalic D, Loch S, Klauschies F, de la Salle H, Quinten E, Lehner PJ, Mulder A, Knittler MR, Tampé R, Koch J, Rensing ME, Wiertz E (2008) The varicellovirus UL49.5 protein blocks the transporter associated with antigen processing (TAP) by inhibiting essential conformational transitions in the 6+6 transmembrane TAP core complex. *J Immunol* 181:4894-4907

Vesely P, Blase C, Matouskova E, Bereiter-Hahn J (2006) Arising podosomal structures are associated with neoplastic cell morphological phenotype induced by the microenvironment. *Anticancer Res* 26:967-972

Vesely P, Rosel D, Pankova D, Tolde O, Blase C, Matouskova E, Folk P, Brabek J, Bereiter-Hahn J (2009) Confocal microscopy reveals Myzitis and Vthela morphotypes as new Signatures of malignancy progression. *Scanning* 31:102-106

Vettermann C, Castor D, Mekker A, Gerrits B, Karas M, Jack HM (2011) Proteome profiling suggests a pro-inflammatory role for plasma cells through release of high-mobility group box 1 protein. *Proteomics* 11:1228-1237

Villa A, Wöhrner J, Stock G (2009) Molecular dynamics simulation study of the binding of purine bases to the aptamer domain of the guanine sensing riboswitch. *Nucleic Acids Res* 37:4774-4786

Vinothkumar KR, Raunser S, Jung H, Kühlbrandt W (2006) Oligomeric structure of the carnitine transporter CaiT from *Escherichia coli*. *J Biol Chem* 281:4795-4801

Vivanco I, Rohle D, Versele M, Iwanami A, Kuga D, Oldrini B, Tanaka K, Dang J, Kubek S, Palaskas N, Hsueh T, Evans M, Mulholland D, Wolle D, Rajasekaran S, Rajasekaran A, Liau LM, Cloughesy TF, Dikic I, Brennan C, Wu H, Mischel PS, Perera T, Mellinghoff IK (2010) The phosphatase and tensin homolog regulates epidermal growth factor receptor (EGFR) inhibitor response by targeting EGFR for degradation. *P Natl Acad Sci USA* 107:6459-6464

Vogtherr M, Saxena K, Hoelder S, Grimme S, Betz M, Schieberr U, Pescatore B, Robin M, Delarbre L, Langer T, Wendt KU, Schwalbe H (2006) NMR characterization of kinase p38 dynamics in free and ligand-bound forms. *Angew Chem Int Edit* 45:993-997

Vojta A, Fulgosi H, Schleiff E (2008) The molecular concept of protein translocation across the outer membrane of chloroplasts. *Croat Chem Acta* 81:501-509

von Braun SS, Sabetti A, Hanic-Joyce PJ, Go J, Schleiff E, Joyce PBM (2007) Dual targeting of the tRNA nucleotidyltransferase in plants: not just the signal. *J Exp Bot* 58:4083-4093

von Braun SS, Schleiff E (2007) Movement of endosymbiotic organelles. *Curr Protein Pept Sc* 8:426-438

von Braun SS, Schleiff E (2008) The chloroplast outer membrane protein CHUP1 interacts with actin and profilin. *Planta* 227:1151-1159

von der Hocht I, van Wonderen JH, Hilbers F, Angerer H, MacMillan F, Michel H (2011) Interconversions of P and F intermediates of cytochrome c oxidase from *Paracoccus denitrificans*. *P Natl Acad Sci USA* 108:3964-3969

Vonck J, Pisa KY, Morgner N, Brutschy B, Müller V (2009) Three-dimensional structure of A1Ao ATP synthase from the hyperthermophilic archaeon *Pyrococcus furiosus* by electron microscopy *J Biol Chem* 284:10110-10119

Wagner S, Carpentier I, Rogov V, Kreike M, Ikeda F, Lohr F, Wu CJ, Ashwell JD, Dötsch V, Dikic I, Beyaert R (2008) Ubiquitin binding mediates the NF-kappa B inhibitory potential of ABIN proteins. *Oncogene* 27:3739-3745

Watschinger K, Horak SB, Schulze K, Obermair GJ, Wild C, Koschak A, Sinnegger-Brauns MJ, Tampé R, Striessnig J (2008) Functional properties and modulation of extracellular epitope-tagged Ca(V)2.1 voltage-gated calcium channels. *Channels* 2:461-473

Weber TA, Reichert AS (2010) Impaired quality control of mitochondria: Aging from a new perspective. *Exp Gerontol* 45:503-511

Wedemeyer U, Peng GH, Michel H, Hartung K (2007) Protein AQ_1862 from the hyperthermophilic bacterium *Aquifex aeolicus* is a porin and contains two conductance pathways of different selectivity. *Biophys J* 93:2667-2677

Weidlich M, Klammt C, Bernhard F, Karas M, Stein T (2008) Differential activity profiles of translation inhibitors in whole-cell and cell-free approaches. *Lett Appl Microbiol* 46:155-159

Weigand JE, Sanchez M, Gunnesch EB, Zeiher S, Schroeder R, Suess B (2008) Screening for engineered neomycin riboswitches that control translation initiation. *RNA* 14:89-97

Weigand JE, Schmidtke SR, Will TJ, Duchardt-Ferner E, Hammann C, Wöhnert J, Suess B (2011) Mechanistic insights into an engineered riboswitch: a switching element which confers riboswitch activity. *Nucleic Acids Res*

Weigand JE, Suess B (2007) A designed RNA shuts down transcription. *Chem Biol* 14:9-11

Weigand JE, Suess B (2007) Tetracycline aptamer-controlled regulation of pre-mRNA splicing in yeast. *Nucleic Acids Res* 35:4179-4185

Weigand JE, Suess B (2009) Aptamers and riboswitches: perspectives in biotechnology. *Appl Microbiol Biot* 85:229-236

Weiss J, O'Sullivan GA, Heinze L, Chen HX, Betz H, Wassle H (2008) Glycinergic input of small-field amacrine cells in the retinas of wildtype and glycine receptor deficient mice. *Mol Cell Neurosci* 37:40-55

Weissenberger S, Schultheis C, Liewald JF, Erbguth K, Nagel G, Gottschalk A (2011) PAC alpha - an optogenetic tool for in vivo manipulation of cellular cAMP levels, neurotransmitter release, and behavior in *Caenorhabditis elegans*. *J Neurochem* 116:616-625

Wende A, Johansson P, Vollrath R, Dyll-Smith M, Oesterhelt D, Grninger M (2010) Structural and Biochemical Characterization of a Halophilic Archaeal Alkaline Phosphatase. *J Mol Biol* 400:52-62

Wenter P, Furtig B, Hainard A, Schwalbe H, Pitsch S (2006) A caged uridine for the selective preparation of an RNA fold and determination of its refolding kinetics by real-time NMR. *ChemBioChem* 7:417-420

Wenz T, Covian R, Hellwig P, MacMillan F, Meunier B, Trumpower BL, Hunte C (2007) Mutational analysis of cytochrome b at the ubiquinol oxidation site of yeast complex III. *J Biol Chem* 282:3977-3988

Wenz T, Hellwig P, MacMillan F, Meunier B, Hunte C (2006) Probing the role of E272 in quinol oxidation of mitochondrial complex III. *Biochemistry* 45:9042-9052

Wenz T, Hielscher R, Hellwig P, Schägger H, Richers S, Hunte C (2009) Role of phospholipids in respiratory cytochrome bc(1) complex catalysis and supercomplex formation. *BBA-Bioenergetics* 1787:609-616

Werner C, Richter OMH, Ludwig B (2010) A novel heme a insertion factor gene cotranscribes with the *Thermus thermophilus* cytochrome ba3 oxidase locus. *J Bacteriol*:published online ahead of print on 9 July 2010

Werner K, Lehner I, Dhiman HK, Richter C, Glaubitz C, Schwalbe H, Klein-Seetharaman J, Khorana HG (2007) Combined solid state and solution NMR studies of alpha,epsilon-N-15 labeled bovine rhodopsin. *J Biomol NMR* 37:303-312

Werner K, Richter C, Klein-Seetharaman J, Schwalbe H (2008) Isotope labeling of mammalian GPCRs in HEK293 cells and characterization of the C-terminus of bovine rhodopsin by high resolution liquid NMR spectroscopy. *J Biomol NMR* 40:49-53

Werz O, Greiner C, Koeberle A, Hoernig C, George S, Popescu L, Syha I, Schubert-Zsilavec M, Steinhilber D (2008) Novel and potent inhibitors of 5-lipoxygenase product synthesis based on the structure of pirinixic acid. *J Med Chem* 51:5449-5453

Werz O, Steinhilber D (2006) Therapeutic options for 5-lipoxygenase inhibitors. *Pharmacol Therapeut* 112:701-718

Westhoff M, Reuss R, Zimmermann D, Netzer Y, Gessner A, Gessner P, Zimmermann G, Wegner LH, Bamberg E, Schwartz A, Zimmermann U (2009) A non-invasive probe for online-monitoring of turgor pressure changes under field conditions. *Plant Biol* 11:701-712

Westhoff M, Schneider H, Zimmermann D, Mimietz S, Stinzing A, Wegner LH, Kaiser W, Krohne G, Shirley S, Jakob P, Bamberg E, Bentrup FW, Zimmermann U (2008) The mechanisms of refilling of xylem conduits and bleeding of tall birch during spring. *Plant Biol* 10:604-623

Westhoff M, Zimmermann D, Schneider H, Wegner LH, Gessner P, Jakob P, Bamberg E, Shirley S, Bentrup FW, Zimmermann U (2009) Evidence for discontinuous water columns in the xylem conduit of tall birch trees. *Plant Biol* 11:307-327

Wiertz FGM, Richter OMH, Ludwig B, de Vries S (2007) Kinetic resolution of a tryptophan-radical intermediate in the reaction cycle of *Paracoccus denitrificans* cytochrome c oxidase. *J Biol Chem* 282:31580-31591

Wiesenthal A, Hoffmeister M, Siddique M, Kovacevic I, Oess S, Müller-Esterl W, Siehoff-Icking A (2009) NOSTRIN beta - A shortened NOSTRIN variant with a role in transcriptional regulation. *Traffic* 10:26-34

- Wild P, Dikic I (2010) Mitochondria get a Parkin' ticket. *Nat Cell Biol* 12:104-106
- Wild P, Farhan H, McEwan DG, Wagner S, Rogov VV, Brady NR, Richter B, Korac J, Waidmann O, Choudhary C, Dötsch V, Bumann D, Dikic I (2011) Phosphorylation of the autophagy receptor optineurin restricts salmonella growth. *Science*:in print
- Wilson DN, Schluenzen F, Harms JM, Starosta AL, Connell SR, Fucini P (2008) The oxazolidinone antibiotics perturb the ribosomal peptidyl-transferase center and effect tRNA positioning. *P Natl Acad Sci USA* 105:13339-13344
- Winkler J, Seybert A, König L, Pruggnaller S, Haselmann U, Sourjik V, Weiss M, Frangakis AS, Mogk A, Bukau B (2010) Quantitative and spatio-temporal features of protein aggregation in *Escherichia coli* and consequences on protein quality control and cellular ageing. *EMBO J* 29:910-923
- Wiosna-Salyga G, Nosenko Y, Kijak M, Thummel RP, Brutschy B, Waluk J (2010) Structure and hydrogen-bond vibrations of water complexes of azaaromatic compounds: 7-(3'-Pyridyl)indole. *J Phys Chem A* 114:3270-3279
- Wirmer J, Berk H, Ugolini R, Redfield C, Schwalbe H (2006) Characterization of the unfolded state of bovine alpha-lactalbumin and comparison with unfolded states of homologous proteins. *Protein Sci* 15:1397-1407
- Wirmer J, Peti W, Schwalbe H (2006) Motional properties of unfolded ubiquitin: a model for a random coil protein. *J Biomol NMR* 35:175-186
- Wissler J, Mulder A, Tampé R, Bolte M (2006) 1,2-bis(5-chloro-2-methyl-3-thienyl)cyclopentene. *Acta Crystallogr E* 62:O5649-O5650
- Wissler J, Mulder A, Tampé R, Bolte M (2007) 5,5'-dimethyl-4,4'-bis[2-(2-methyl-3-thienyl)-cyclopentenyl]-2,2'-bithiophene. *Acta Crystallogr E* 63:O2813-O2814
- Wittig I, Beckhaus T, Wumaier Z, Karas M, Schägger H (2010) Mass estimation of native proteins by blue native electrophoresis principles and practical hints. *Mol Cell Proteomics* 9:2149-2161
- Wittig I, Braun HP, Schägger H (2006) Blue native PAGE. *Nat Protoc* 1:418-428
- Wittig I, Carozzo R, Santorelli FM, Schägger H (2007) Functional assays in high-resolution clear native gels to quantify mitochondrial complexes in human biopsies and cell lines. *Electrophoresis* 28:3811-3820
- Wittig I, Karas M, Schägger H (2007) High resolution clear native electrophoresis for in-gel functional assays and fluorescence studies of membrane protein complexes. *Mol Cell Proteomics* 6:1215-1225
- Wittig I, Schägger H (2007) Electrophoretic methods to isolate protein complexes from mitochondria *Mitochondria*, 2nd Edition, pp 723-741 (Methods in Cell Biology vol 80)
- Wittig I, Schägger H (2008) Features and applications of blue-native and clear-native electrophoresis. *Proteomics* 8:3974-3990
- Wittig I, Schägger H (2009) Native electrophoretic techniques to identify protein-protein interactions. *Proteomics* 9:5214-5223
- Wittig I, Schägger H (2009) Supramolecular organization of ATP synthase and respiratory chain in mitochondrial membranes. *BBA-Bioenergetics* 1787:672-680
- Wittig I, Velours J, Stuart R, Schägger H (2008) Characterization of domain interfaces in monomeric and dimeric ATP synthase. *Mol Cell Proteomics* 7:995-1004
- Wittmann A, Suess B (2011) Selection of tetracycline inducible self-cleaving ribozymes as synthetic devices for gene regulation in yeast. *Mol Biosyst*:in print

Wohland T, Shi XK, Sankaran J, Stelzer EHK (2010) Single Plane Illumination Fluorescence Correlation Spectroscopy (SPIM-FCS) probes inhomogeneous three-dimensional environments. *Opt Express* 18:10627-10641

Wohlgemuth J, Karas M, Eichhorn T, Hendriks R, Andrecht S (2009) Quantitative site-specific analysis of protein glycosylation by LC-MS using different glycopeptide-enrichment strategies. *Anal Biochem* 395:178-188

Wohlgemuth J, Karas M, Jiang W, Hendriks R, Andrecht S (2010) Enhanced glyco-profiling by specific glycopeptide enrichment and complementary monolithic nano-LC (ZIC-HILIC/RP18e)/ESI-MS analysis. *J Sep Sci* 33:880-890

Wormit M, Harbach PHP, Mewes JM, Amarie S, Wachtveitl J, Dreuw A (2009) Excitation energy transfer and carotenoid radical cation formation in light harvesting complexes - A theoretical perspective. *BBA-Bioenergetics* 1787:738-746

Wruss J, Pollheimer PD, Meindl I, Reichel A, Schulze K, Schofberger W, Piehler J, Tampé R, Blass D, Gruber HJ (2009) Conformation of receptor adopted upon interaction with virus revealed by site-specific fluorescence quenchers and FRET analysis. *J Am Chem Soc* 131:5478-5482

Wumaier Z, Nubel E, Wittig I, Schägger H (2009) Two-dimensional native electrophoresis for fluorescent and functional assays of mitochondrial complexes *Methods in Enzymology*, Vol 456, pp 153-168 (*Methods in Enzymology* vol 456)

Wunder T, Martin R, Löffelhardt W, Schleiff E, Steiner JM (2007) The invariant phenylalanine of precursor proteins discloses the importance of Omp85 for protein translocation into cyanobacteria. *BMC Evol Biol* 7

Wunnicke D, Strohbach D, Weigand JE, Appel B, Feresin E, Suess B, Müller S, Steinhoff HJ (2011) Ligand-induced conformational capture of a synthetic tetracycline riboswitch revealed by pulse EPR. *RNA* 17:182-188

Wurm JP, Duchardt E, Meyer B, Leal BZ, Kotter P, Entian KD, Wöhnert J (2009) Backbone resonance assignments of the 48 kDa dimeric putative 18S rRNA-methyltransferase Nep1 from *Methanocaldococcus jannaschii*. *Biomol NMR Assign* 3:251-254

Wurm JP, Meyer B, Bahr U, Held M, Frolow O, Kotter P, Engels JW, Heckel A, Karas M, Entian KD, Wöhnert J (2010) The ribosome assembly factor Nep1 responsible for Bowen-Conradi syndrome is a pseudouridine-N1-specific methyltransferase. *Nucleic Acids Res* 38:2387-2398

Xia HY, Liu LH, Reinhart C, Michel H (2008) Heterologous expression of human Neuromedin U receptor 1 and its subsequent solubilization and purification. *BBA-Biomembranes* 1778:2203-2209

Yang J, Aslimovska L, Glaubitz C (2011) Molecular dynamics of proteorhodopsin in lipid bilayers by solid-state NMR. *J Am Chem Soc* 133:4874-4881

Yildiz O, Kalthoff C, Raunser S, Kühlbrandt W (2007) Structure of GlnK1 with bound effectors indicates regulatory mechanism for ammonia uptake. *EMBO J* 26:589-599

Yildiz O, Vinothkumar KR, Goswami P, Kühlbrandt W (2006) Structure of the monomeric outer-membrane porin OmpG in the open and closed conformation. *EMBO J* 25:3702-3713

Yonehara K, Balint K, Noda M, Nagel G, Bamberg E, Roska B (2011) Spatially asymmetric reorganization of inhibition establishes a motion-sensitive circuit. *Nature* 469:407-410

Yu Z, Frangakis AS (2011) Classification of electron sub-tomograms with neural networks and its application to template-matching. *J Struct Biol* 174:494-504

Zacchi P, Dreosti E, Visintin M, Moretto-Zita M, Marchionni I, Cannistraci I, Kasap Z, Betz H, Cattaneo A, Cherubini E (2008) Gephyrin selective intrabodies as a new strategy for studying inhibitory receptor clustering. *J Mol Neurosci* 34:141-148

- Zagrovic B, Dikic I (2008) Childhood of a phoenix: modern biology in Eastern and South-Eastern Europe. *Nat Rev Mol Cell Biol* 9:333-336
- Zagryazhskaya AN, Lindner SC, Grishina ZV, Galkina SI, Steinhilber D, Sud'ina GF (2010) Nitric oxide mediates distinct effects of various LPS chemotypes on phagocytosis and leukotriene synthesis in human neutrophils. *Int J Biochem Cell Biol* 42:921-31
- Zakharov M, Krauss O, Nosenko Y, Brutschy B, Dreuw A (2009) Specific microsolvation triggers dissociation-mediated anomalous red-shifted fluorescence in the gas phase. *J Am Chem Soc* 131:461-469
- Zaliova M, Meyer C, Cario G, Vaskova M, Marschalek R, Stary J, Zuna J, Trka J (2011) TEL/AML1-Positive patients lacking TEL exon 5 resemble canonical TEL/AML1 cases. *Pediatr Blood Cancer* 56:217-225
- Zastrow M, Thyagarajan S, Ahmed SA, Haase P, Seedorff S, Gelman D, Wachtveitl J, Galoppini E, Rück-Braun K (2010) Efficient preparation of photoswitchable dithienylethene-linker-conjugates by palladium-catalyzed coupling reactions of terminal alkynes with thienyl chlorides and other aryl halides. *Chem-Asian J* 5:1202-1212
- Zettl H, Dittrich M, Steri R, Proschak E, Rau O, Steinhilber D, Schneider G, Lammerhofer M, Schubert-Zsilavecz M (2009) Novel pirinixic acids as PPAR alpha preferential dual PPAR alpha/gamma agonists. *QSAR Comb Sci* 28:576-586
- Zettl H, Schubert-Zsilavecz M, Steinhilber D (2010) Medicinal chemistry of incretin mimetics and DPP-4 inhibitors. *ChemMedChem* 5:179-185
- Zettl H, Steinhilber D (2010) [DPP-IV inhibitors and GLP-1 analogues]. *Pharm Unserer Zeit* 39:108-13
- Zettl H, Steinhilber D (2010) Medizinische Chemie der GLP-1-Analoga und DPP-IV-Inhibitoren. Das Inkretinsystem als Wirkstoff-Target. *Pharm Unserer Zeit* 39:108-13
- Zhang CS, Bertaso F, Eulenburg V, Lerner-Natoli M, Herin GA, Bauer L, Bockaert J, Fagni L, Betz H, Scheschonka A (2008) Knock-in mice lacking the PDZ-ligand motif of mGluR7a show impaired PKC-dependent autoinhibition of glutamate release, spatial working memory deficits, and increased susceptibility to pentylentetrazol. *J Neurosci* 28:8604-8614
- Zhang F, Wang LP, Brauner M, Liewald JF, Kay K, Watzke N, Wood PG, Bamberg E, Nagel G, Gottschalk A, Deisseroth K (2007) Multimodal fast optical interrogation of neural circuitry. *Nature* 446:633-639
- Zhao CG, Haase W, Tampé R, Abele R (2008) Peptide specificity and lipid activation of the lysosomal transport complex ABCB9 (TAPL). *J Biol Chem* 283:17083-17091
- Zick M, Duvezin-Caubet S, Schafer A, Vogel F, Neupert W, Reichert AS (2009) Distinct roles of the two isoforms of the dynamin-like GTPase Mgm1 in mitochondrial fusion. *FEBS Lett* 583:2237-2243
- Zick M, Rabl R, Reichert AS (2009) Cristae formation-linking ultrastructure and function of mitochondria. *BBA-Mol Cell Res* 1793:5-19
- Zickermann V, Angerer H, Ding MG, Nubel E, Brandt U (2010) Small single transmembrane domain (STMD) proteins organize the hydrophobic subunits of large membrane protein complexes. *FEBS Lett* 584:2516-2525
- Zickermann V, Drose S, Tocilescu MA, Zwicker K, Kerscher S, Brandt U (2008) Challenges in elucidating structure and mechanism of proton pumping NADH:ubiquinone oxidoreductase (complex I). *J Bioenerg Biomembr* 40:475-483

Zickermann V, Kerscher S, Zwicker K, Tocilescu MA, Radermacher M, Brandt U (2009) Architecture of complex I and its implications for electron transfer and proton pumping. *BBA-Bioenergetics* 1787:574-583

Zickermann V, Wumaier Z, Wrzesniewska B, Hunte C, Schägger H (2010) Native immunoblotting of blue native gels to identify conformation-specific antibodies. *Proteomics* 10:159-163

Zickermann V, Zwicker K, Tocilescu MA, Kerscher S, Brandt U (2007) Characterization of a subcomplex of mitochondrial NADH : ubiquinone oxidoreductase (complex I) lacking the flavoprotein part of the N-module. *BBA-Bioenergetics* 1767:393-400

Ziegler C, Bremer E, Kramer R (2010) The BCCT family of carriers: from physiology to crystal structure. *Mol Microbiol* 78:13-34

Zimmermann D, Kiesel M, Terpitz U, Zhou A, Reuss R, Kraus J, Schenk WA, Bamberg E, Sukhorukov VL (2008) A combined patch-clamp and electrorotation study of the voltage- and frequency-dependent membrane capacitance caused by structurally dissimilar lipophilic anions. *J Membr Biol* 221:107-121

Zimmermann D, Reuss R, Westhoff M, Gessner P, Bauer W, Bamberg E, Bentrup FW, Zimmermann U (2008) A novel, non-invasive, online-monitoring, versatile and easy plant-based probe for measuring leaf water status. *J Exp Bot* 59:3157-3167

Zimmermann D, Terpitz U, Zhou A, Reuss R, Muller K, Sukhorukov VL, Gessner P, Nagel G, Zimmermann U, Bamberg E (2006) Biophysical characterisation of electrofused giant HEK293-cells as a novel electrophysiological expression system. *Biochem Bioph Res Co* 348:673-681

Zimmermann D, Westhoff M, Zimmermann G, Gessner P, Gessner A, Wegner LH, Rokitta M, Ache P, Schneider H, Vasquez JA, Kruck W, Shirley S, Jakob P, Hedrich R, Bentrup FW, Bamberg E, Zimmermann U (2007) Foliar water supply of tall trees: evidence for mucilage-facilitated moisture uptake from the atmosphere and the impact on pressure bomb measurements. *Protoplasma* 232:10-34

Zimmermann D, Zhou A, Kiesel M, Feldbauer K, Terpitz U, Haase W, Schneider-Hohendorf T, Bamberg E, Sukhorukov VL (2008) Effects on capacitance by overexpression of membrane proteins. *Biochem Bioph Res Co* 369:1022-1026

Zimmermann U, Ruger S, Shapira O, Westhoff M, Wegner LH, Reuss R, Gessner P, Zimmermann G, Israeli Y, Zhou A, Schwartz A, Bamberg E, Zimmermann D (2010) Effects of environmental parameters and irrigation on the turgor pressure of banana plants measured using the non-invasive, online monitoring leaf patch clamp pressure probe. *Plant Biol* 12:424-436

Zintel S, Schwitalla D, Luce K, Hamann A, Osiewacz HD (2010) Increasing mitochondrial superoxide dismutase abundance leads to impairments in protein quality control and ROS scavenging systems and to lifespan shortening. *Exp Gerontol* In Press

Zoller NN, Kippenberger S, Thaci D, Mewes K, Spiegel M, Sattler A, Schultz M, Bereiter-Hahn J, Kaufmann R, Bernd A (2008) Evaluation of beneficial and adverse effects of glucocorticoids on a newly developed full-thickness skin model. *Toxicol In Vitro* 22:747-759

Zuna J, Burjanivova T, Mejstrikova E, Zemanova Z, Muzikova K, Meyer C, Horsley SW, Kearney L, Colman S, Ptoszkova H, Marschalek R, Hrusak O, Stary J, Greaves M, Trka J (2009) Covert preleukemia driven by MLL gene fusion. *Gene Chromosome Canc* 48:98-107

Zuna J, Cave H, Eckert C, Szczepanski T, Meyer C, Mejstrikova E, Fronkova E, Muzikova K, Clappier E, Mendelova D, Boutard P, Schrauder A, Sterba J, Marschalek R, van Dongen JJM, Hrusak O, Stary J, Trka J (2007) Childhood secondary ALL after ALL treatment. *Leukemia* 21:1431-1435

Zuna J, Zaliova M, Muzikova K, Meyer C, Lizcova L, Zemanova Z, Brezinova J, Votava F, Marschalek R, Stary J, Trka J (2010) Acute leukemias with ETV6/ABL1 (TEL/ABL) fusion: poor prognosis and prenatal origin. *Gene Chromosome Canc* 49:873-884

Zutz A, Gompf S, Schägger H, Tampé R (2009) Mitochondrial ABC proteins in health and disease. *BBA-Bioenergetics* 1787:681-690

Zutz A, Hoffmann J, Hellmich UA, Glaubitz C, Ludwig B, Brutschy B, Tampé R (2011) Asymmetric ATP hydrolysis cycle of the heterodimeric multidrug ABC transport complex TmrAB from *thermus thermophilus*. *J Biol Chem* 286:7104-7115

Zwicker K, Galkin A, Drose S, Grgic L, Kerscher S, Brandt U (2006) The redox-Bohr group associated with iron-sulfur cluster N2 of complex I. *J Biol Chem* 281:23013-23017