

Ulrich Brandt

Publications 2006-2011

Abdel-Rahman U, Risteski P, Tizi K, Kerscher S, Bejati S, Zwicker K, Scholz M, **Brandt U**, Moritz A (2009) Hypoxic reoxygenation during initial reperfusion attenuates cardiac dysfunction and limits ischemia-reperfusion injury after cardioplegic arrest in a porcine model. *J Thorac Cardiovasc Surg* 137:978-982

Abdrakhmanova A, Zwicker K, Kerscher S, Zickermann V, **Brandt U** (2006) Tight binding of NADPH to the 39-kDa subunit of complex I is not required for catalytic activity but stabilizes the multiprotein complex. *BBA-Bioenergetics* 1757:1676-1682

Angerer H, Zwicker K, Wumaier Z, Sokolova L, Heide H, Steger M, Kaiser S, Nubel E, Brutschy B, Radermacher M, **Brandt U**, Zickermann V (2011) A scaffold of accessory subunits links the peripheral arm and the distal proton-pumping module of mitochondrial complex I. *Biochem J* 437:279-288

Brandt U (2006) Energy converting NADH : Quinone oxidoreductase (Complex I) *Annu Rev Biochem*, pp 69-92 vol 75)

Brandt U (2011) A two-state stabilization-change mechanism for proton-pumping complex I. *BBA-Bioenergetics* 1807:1364-1369

Bych K, Kerscher S, Netz DJA, Pierik AJ, Zwicker K, Huynen MA, Lill R, **Brandt U**, Balk J (2008) The iron-sulphur protein Ind1 is required for effective complex I assembly. *EMBO J* 27:1736-1746

Carrozzo R, Wittig I, Santorelli FM, Bertini E, Hofmann S, **Brandt U**, Schägger H (2006) Subcomplexes of human ATP synthase mark mitochondrial biosynthesis disorders. *Ann Neurol* 59:265-275

Clason T, Ruiz T, Schägger H, Peng G, Zickermann V, **Brandt U**, Michel H, Radermacher M (2010) The structure of eukaryotic and prokaryotic complex I. *J Struct Biol* 169:81-88

Clason T, Zickermann V, Ruiz T, **Brandt U**, Radermacher M (2007) Direct localization of the 51 and 24 kDa subunits of mitochondrial complex I by three-dimensional difference imaging. *J Struct Biol* 159:433-442

Derbre S, Duval R, Roue G, Garofano A, Poupon E, **Brandt U**, Susin SA, Hocquemiller R (2006) Semisynthesis and screening of a small library of pro-apoptotic squamocin analogues: Selection and study of a benzoquinone hybrid with an improved biological profile. *ChemMedChem* 1:118-129

Dobrynin K, Abdrakhmanova A, Richers S, Hunte C, Kerscher S, **Brandt U** (2010) Characterization of two different acyl carrier proteins in complex I from *Yarrowia lipolytica*. *BBA-Bioenergetics* 1797:152-159

Dröse S, Bleier L, **Brandt U** (2011) A common mechanism links differently acting complex II inhibitors to cardioprotection: modulation of mitochondrial reactive oxygen species production. *Mol Pharmacol* 79:814-822

Dröse S, **Brandt U** (2008) The mechanism of mitochondrial superoxide production by the cytochrome bc(1) complex. *J Biol Chem* 283:21649-21654

Dröse S, **Brandt U**, Hanley PJ (2006) K⁺-independent actions of diazoxide question the role of inner membrane K-ATP channels in mitochondrial cytoprotective signaling. *J Biol Chem* 281:23733-23739

Dröse S, Hanley PJ, **Brandt U** (2009) Ambivalent effects of diazoxide on mitochondrial ROS production at respiratory chain complexes I and III. *BBA-Bioenergetics* 1790:558-565

Dröse S, Krack S, Sokolova L, Zwicker K, Barth HD, Morgner N, Heide H, Steger M, Nubel E, Zickermann V, Kerscher S, Brutschy B, Radermacher M, **Brandt U** (2011) Functional dissection of the proton pumping modules of mitochondrial complex I. *PLoS Biol* 9:in press

Duval RA, Lewin G, Peris E, Chahboune N, Garofano A, Drose S, Cortes D, **Brandt U**, Hocquemiller R (2006) Heterocyclic analogues of squamocin as inhibitors of mitochondrial complex I. On the role of the terminal lactone of annonaceous acetogenins. *Biochemistry* 45:2721-2728

Duval RA, Poupon E, Romero V, Peris E, Lewin G, Cortes D, **Brandt U**, Hocquemiller R (2006) Analogues of cytotoxic squamocin using reliable reactions: new insights into the reactivity and role of the alpha,beta-unsaturated lactone of the annonaceous acetogenins. *Tetrahedron* 62:6248-6257

Eckert A, Hauptmann S, Scherping I, Meinhardt J, Rhein V, Drose S, **Brandt U**, Fandrich M, Müller WE, Gotz J (2008) Oligomeric and fibrillar species of beta-amyloid (A beta 42) both impair mitochondrial function in P301L tau transgenic mice. *J Mol Med-Jmm* 86:1255-1267

Galkin A, Dröse S, **Brandt U** (2006) The proton pumping stoichiometry of purified mitochondrial complex I reconstituted into proteoliposomes. *BBA-Bioenergetics* 1757:1575-1581

Galkin A, Meyer B, Wittig I, Karas M, Schägger H, Vinogradov A, **Brandt U** (2008) Identification of the mitochondrial ND3 subunit as a structural component involved in the active/deactive enzyme transition of respiratory complex I. *J Biol Chem* 283:20907-20913

Garofano A, Eschemann A, **Brandt U**, Kerscher S (2006) Substrate-inducible versions of internal alternative NADH: ubiquinone oxidoreductase from *Yarrowia lipolytica*. *Yeast* 23:1129-1136

Haendeler J, Drose S, Buchner N, Jakob S, Altschmied J, Goy C, Spyridopoulos I, Zeiher AM, **Brandt U**, Dimmeler S (2009) Mitochondrial telomerase reverse transcriptase binds to and protects mitochondrial DNA and function from damage. *Arterioscl Throm Vas* 29:929-935

Hartmann N, Reichwald K, Wittig I, Dröse S, Schmeisser S, Luck C, Hahn C, Graf M, Gausmann U, Terzibasi E, Cellerino A, Ristow M, **Brandt U**, Platzer M, Englert C (2011) Mitochondrial DNA copy number and function decrease with age in the short-lived fish *Nothobranchius furzeri*. *Aging Cell* 10:824-831

Hauptmann S, Scherping I, Dröse S, **Brandt U**, Schulz KL, Jendrach M, Leuner K, Eckert A, Müller WE (2009) Mitochondrial dysfunction: An early event in Alzheimer pathology accumulates with age in AD transgenic mice. *Neurobiol Aging* 30:1574-1586

Hoepken HH, Gispert S, Morales B, Wingerter O, Del Turco D, Mulsch A, Nussbaum RL, Müller K, Drose S, **Brandt U**, Deller T, Wirth B, Kudin AP, Kunz WS, Auburger G (2007) Mitochondrial dysfunction, peroxidation damage and changes in glutathione metabolism in PARK6. *Neurobiol Dis* 25:401-411

Hunte C, Zickermann V, **Brandt U** (2010) Functional modules and structural basis of conformational coupling in mitochondrial complex I. *Science* 329:448-451

Kerscher S, Drose S, Zickermann V, **Brandt U** (2008) The three families of respiratory NADH dehydrogenases. *Results Probl Cell Differ* 45:185-222

Ladig R, Sommer MS, Hahn A, Leisegang MS, Papatotiriou DG, Ibrahim M, Elkehal R, Karas M, Zickermann V, Gutensohn M, **Brandt U**, Klösigen RB, Schleiff E (2011) A high-definition native polyacrylamide gel electrophoresis system for the analysis of membrane complexes. *Plant J* 67:181-194

Lin SS, Kerscher S, Saleh A, **Brandt U**, Gross U, Bohne W (2008) The *Toxoplasma gondii* type-II NADH dehydrogenase TgNDH2-I is inhibited by 1-hydroxy-2-alkyl-4(1H)quinolones. *BBA-Bioenergetics* 1777:1455-1462

Ludwig B, Michel H, **Brandt U** (2009) Structures and mechanisms in molecular bioenergetics preface. *BBA-Bioenergetics* 1787:561-562

- Lyubenova S, Maly T, Zwicker K, **Brandt U**, Ludwig B, Prisner TF (2010) Multifrequency pulsed electron paramagnetic resonance on metalloproteins. *Accounts Chem Res* 43:181-189
- Maly T, Grgic L, Zwicker K, Zickermann V, **Brandt U**, Prisner TF (2006) Cluster N1 of complex I from *Yarrowia lipolytica* studied by pulsed EPR spectroscopy. *J Biol Inorg Chem* 11:343-350
- Maly T, Zwicker K, Cernescu A, **Brandt U**, Prisner TF (2009) New pulsed EPR methods and their application to characterize mitochondrial complex I. *BBA-Bioenergetics* 1787:584-592
- Marshall D, Fisher N, Grigic L, Zickermann V, **Brandt U**, Shannon RJ, Hirst J, Lawrence R, Rich PR (2006) ATR-FTIR redox difference spectroscopy of *Yarrowia lipolytica* and bovine complex I. *Biochemistry* 45:5458-5467
- Morgner N, Zickermann V, Kerscher S, Wittig I, Abdrakhmanova A, Barth HD, Brutschy B, **Brandt U** (2008) Subunit mass fingerprinting of mitochondrial complex I. *BBA-Bioenergetics* 1777:1384-1391
- Namgaladze D, Preiss S, Dröse S, **Brandt U**, Brüne B (2010) Phospholipase A2-modified low density lipoprotein induces mitochondrial uncoupling and lowers reactive oxygen species in phagocytes. *Atherosclerosis* 208:142-147
- Nübel E, Wittig I, Kerscher S, **Brandt U**, Schägger H (2009) Two-dimensional native electrophoretic analysis of respiratory supercomplexes from *Yarrowia lipolytica*. *Proteomics* 9:2408-2418
- Radermacher M, Ruiz T, Clason T, Benjamin S, **Brandt U**, Zickermann V (2006) The three-dimensional structure of complex I from *Yarrowia lipolytica*: A highly dynamic enzyme. *J Struct Biol* 154:269-279
- Rhein V, Song XM, Wiesner A, Ittner LM, Baysang G, Meier F, Ozmen L, Bluethmann H, Drose S, **Brandt U**, Savaskan E, Czech C, Gotz J, Eckert A (2009) Amyloid-beta and tau synergistically impair the oxidative phosphorylation system in triple transgenic Alzheimer's disease mice. *P Natl Acad Sci USA* 106:20057-20062
- Schwab MA, Sauer SW, Okun JG, Nijtmans LGJ, Rodenburg RJT, van den Heuvel LP, Drose S, **Brandt U**, Hoffmann GF, Ter Laak H, Kolker S, Smeitink JAM (2006) Secondary mitochondrial dysfunction in propionic aciduria: a pathogenic role for endogenous mitochondrial toxins. *Biochem J* 398:107-112
- Sheftel AD, Stehling O, Pierik AJ, Netz DJA, Kerscher S, Elsasser HP, Wittig I, Balk J, **Brandt U**, Lill R (2009) Human ind1, an iron-sulfur cluster assembly factor for respiratory complex I. *Mol Cell Biol* 29:6059-73
- Sokolova L, Wittig I, Barth HD, Schägger H, Brutschy B, **Brandt U** (2010) Laser-induced liquid bead ion desorption-MS of protein complexes from blue-native gels, a sensitive top-down proteomic approach. *Proteomics* 10:1401-1407
- Soller M, Drose S, **Brandt U**, Brune B, von Knethen A (2007) Mechanism of thiazolidinedione-dependent cell death in Jurkat T cells. *Mol Pharmacol* 71:1535-1544
- Tocilescu MA, Fendel U, Zwicker K, Kerscher S, **Brandt U** (2007) Exploring the ubiquinone binding cavity of respiratory complex I. *J Biol Chem* 282:29514-29520
- Tocilescu MA, Zickermann V, Zwicker K, **Brandt U** (2010) Quinone binding and reduction by respiratory complex I. *BBA-Bioenergetics* 1797:1883-1890
- Zickermann V, Angerer H, Ding MG, Nubel E, **Brandt U** (2010) Small single transmembrane domain (STMD) proteins organize the hydrophobic subunits of large membrane protein complexes. *FEBS Lett* 584:2516-2525
- Zickermann V, Drose S, Tocilescu MA, Zwicker K, Kerscher S, **Brandt U** (2008) Challenges in elucidating structure and mechanism of proton pumping NADH:ubiquinone oxidoreductase (complex I). *J Bioenerg Biomembr* 40:475-483

Zickermann V, Kerscher S, Zwicker K, Tocilescu MA, Radermacher M, **Brandt U** (2009) Architecture of complex I and its implications for electron transfer and proton pumping. *BBA-Bioenergetics* 1787:574-583

Zickermann V, Zwicker K, Tocilescu MA, Kerscher S, **Brandt U** (2007) Characterization of a subcomplex of mitochondrial NADH : ubiquinone oxidoreductase (complex I) lacking the flavoprotein part of the N-module. *BBA-Bioenergetics* 1767:393-400

Zwicker K, Galkin A, Drose S, Grgic L, Kerscher S, **Brandt U** (2006) The redox-Bohr group associated with iron-sulfur cluster N2 of complex I. *J Biol Chem* 281:23013-23017