

**Rolf Marschalek**  
**Publications 2006-2011**

Alonso CN, Meyer C, Gallego MS, Rossi JG, Mansini AP, Rubio PL, Medina A, **Marschalek R**, Felice MS (2010) BTBD18: A novel MLL partner gene in an infant with acute lymphoblastic leukemia and inv(11)(q13;q23). *Leukemia Res* 34:E294-E296

Attarbaschi A, Mann G, Konig M, Steiner M, Strehl S, Schreiberhuber A, Schneider B, Meyer C, **Marschalek R**, Borkhardt A, Pickl WF, Lion T, Gadner H, Haas OA, Dworzak MN, Austrian Berlin-Munster C (2006) Mixed lineage leukemia-rearranged childhood pro-B and CD10-negative pre-B acute lymphoblastic leukemia constitute a distinct clinical entity. *Clin Cancer Res* 12:2988-2994

Balgobind BV, Van den Heuvel-Eibrink MM, De Menezes RX, Reinhardt D, Hollink I, Arentsen-Peters S, van Wering ER, Kaspers GJL, Cloos J, de Bont E, Cayuela JM, Baruchel A, Meyer C, **Marschalek R**, Trka J, Stary J, Beverloo HB, Pieters R, Zwaan CM, den Boer ML (2011) Evaluation of gene expression signatures predictive of cytogenetic and molecular subtypes of pediatric acute myeloid leukemia. *Haematol-Hematol J* 96:221-230

Balgobind BV, Zwaan CM, Meyer C, **Marschalek R**, Pieters R, Beverloo HB, Van den Heuvel-Eibrink MM (2009) NRIP3: a novel translocation partner of MLL detected in a pediatric acute myeloid leukemia with complex chromosome 11 rearrangements. *Haematol-Hematol J* 94:1033-1034

Balgobind BV, Zwaan CM, Reinhardt D, Arentsen-Peters T, Hollink I, de Haas V, Kaspers GJL, de Bont E, Baruchel A, Stary J, Meyer C, **Marschalek R**, Creutzig U, den Boer ML, Pieters R, van den Heuvel-Eibrink MM (2010) High BRE expression in pediatric MLL-rearranged AML is associated with favorable outcome. *Leukemia* 24:2048-2055

Benedikt A, Baltruschat S, Scholz B, Bursen A, Arrey TN, Meyer B, Varagnolo L, Muller AM, Karas M, Dingermann T, **Marschalek R** (2011) The leukemogenic AF4-MLL fusion protein causes P-TEFb kinase activation and altered epigenetic signatures. *Leukemia* 25:135-144

Bier C, Knauer SK, Klapthor A, Schweitzer A, Reikik A, Kramer OH, **Marschalek R**, Stauber RH (2011) Cell-based analysis of structure-function activity of threonine Aspartase 1. *J Biol Chem* 286:3007-3017

Burjanivova T, Madzo J, Muzikova K, Meyer C, Schneider B, Votava F, **Marschalek R**, Stary J, Trka J, Zuna J (2006) Prenatal origin of childhood AML occurs less frequently than in childhood ALL. *BMC Cancer* 6:100

Burmeister T, **Marschalek R**, Schneider B, Meyer C, Gokbuget N, Schwartz S, Hoelzer D, Thiel E (2006) Monitoring minimal residual disease by quantification of genomic chromosomal breakpoint sequences in acute leukemias with MLL aberrations. *Leukemia* 20:451-457

Burmeister T, Meyer C, Schwartz S, Hofmann J, Molkentin M, Kowarz E, Schneider B, Raff T, Reinhardt R, Gokbuget N, Hoelzer D, Thiel E, **Marschalek R** (2009) The MLL recombinome of adult CD10-negative B-cell precursor acute lymphoblastic leukemia: results from the GMALL study group. *Blood* 113:4011-4015

Burmeister T, Meyer C, Thiel G, Reinhardt R, Thiel E, **Marschalek R** (2008) A MLL-KIAA0284 fusion gene in a patient with secondary acute myeloid leukemia and t(11;14)(q23;q32). *Blood Cell Mol Dis* 41:210-214

Bursen A, Schwabe K, Ruster B, Henschler R, Ruthardt M, Dingermann T, **Marschalek R** (2010) The AF4.MLL fusion protein is capable of inducing ALL in mice without requirement of MLL.AF4. *Blood* 115:3570-3579

Cerveira N, Meyer C, Santos J, Torres L, Lisboa S, Pinheiro M, Bizarro S, Correia C, Norton L, **Marschalek R**, Teixeira MR (2010) A novel spliced fusion of MLL with CT45A2 in a pediatric biphenotypic acute leukemia. *BMC Cancer* 10:518

Choi WT, Folsom MR, Azim MF, Meyer C, Kowarz E, **Marschalek R**, Timchenko NA, Naeem RC, Lee DA (2007) C/EBP beta suppression by interruption of CUGBP1 resulting from a complex rearrangement of MLL. *Cancer Genet Cytogen* 177:108-114

Coenen EA, Zwaan CM, Meyer C, **Marschalek R**, Pieters R, van der Veken LT, Beverloo HB, van den Heuvel-Eibrink MM (2011) KIAA1524: A novel MLL translocation partner in acute myeloid leukemia. *Leukemia Res* 35:133-135

Coser VM, Meyer C, Basegio R, Menezes J, **Marschalek R**, Pombo-De-Oliveira MS (2010) Nebulette is the second member of the nebulin family fused to the MLL gene in infant leukemia. *Cancer Genet Cytogen* 198:151-154

De Braekeleer E, Douet-Guilbert N, Morel F, Le Bris MJ, Meyer C, **Marschalek R**, Ferec C, De Braekeleer M (2009) FLNA, a new partner gene fused to MLL in a patient with acute myelomonoblastic leukaemia. *Brit J Haematol* 146:693-695

De Braekeleer E, Ianotto JC, Doliet-Guilbert N, Morel F, De Braekeleer M, Meyer C, **Marschalek R**, Le Bris MJ, Berthou C, Ferec C (2009) A second case of secondary acute myeloblastic leukemia associated with the MLL-KIAA0284 fusion gene. *Blood Cell Mol Dis* 42:292-293

De Braekeleer E, Meyer C, Douet-Guilbert N, Morel F, Le Bris MJ, Berthou C, Arnaud B, **Marschalek R**, Ferec C, De Braekeleer M (2010) Complex and cryptic chromosomal rearrangements involving the MLL gene in acute leukemia: A study of 7 patients and review of the literature. *Blood Cell Mol Dis* 44:268-274

De Braekeleer E, Meyer C, Douet-Guilbert N, Morel F, Le Bris MJ, **Marschalek R**, Ferec C, De Braekeleer M (2009) A complex 1;19;11 translocation involving the MLL gene in a patient with congenital acute monoblastic leukemia identified by molecular and cytogenetic techniques. *Ann Hematol* 88:795-797

De Braekeleer E, Meyer C, Le Bris MJ, Douet-Guilbert N, Basinko A, Morel F, Berthou C, **Marschalek R**, Ferec C, De Braekeleer M (2010) Identification of a MLL-MLLT4 fusion gene resulting from a t(6;11)(q27;q23) presenting as a del(11q) in a child with T-cell acute lymphoblastic leukemia. *Leukemia Lymphoma* 51:1570-1573

Derwich K, Sidek L, Meyer C, Pieczonka A, Dawidowska M, Gaworczyk A, Wachowiak J, Konatkowska B, Witt M, **Marschalek R**, Szczepanski T (2009) Infant acute bilineal leukemia. *Leukemia Res* 33:1005-1008

Eberle I, Pless B, Braun M, Dingermann T, **Marschalek R** (2010) Transcriptional properties of human NANOG1 and NANOG2 in acute leukemic cells. *Nucleic Acids Res* 38:5384-5395

Gaussmann A, Wenger T, Eberle I, Bursen A, Bracharz S, Herr I, Dingermann T, **Marschalek R** (2007) Combined effects of the two reciprocal t(4; 11) fusion proteins MLL . AF4 and AF4 . MLL confer resistance to apoptosis, cell cycling capacity and growth transformation. *Oncogene* 26:3352-3363

Hutter C, Attarbaschi A, Fischer S, Meyer C, Dworzak M, Konig M, **Marschalek R**, Mann G, Haas OA, Panzer-Grumayer ER (2010) Acute monocytic leukaemia originating from MLL-MLLT3-positive pre-B cells. *Brit J Haematol* 150:621-623

Jansen M, Corral L, van der Velden VHJ, Panzer-Grumayer R, Schrappe M, Schrauder A, **Marschalek R**, Meyer C, den Boer ML, Hop WJC, Valsecchi MG, Basso G, Biondi A, Pieters R, van Dongen JJM (2007) Immunobiological diversity in infant acute lymphoblastic leukemia is related to the occurrence and type of MLL gene rearrangement. *Leukemia* 21:633-641

Kowarz E, Burmeister T, Lo Nigro L, Jansen M, Delabesse E, Klingebiel T, Dingermann T, Meyer C, **Marschalek R** (2007) Complex MLL rearrangements in t(4;11) leukemia patients with absent AF4 center dot MLL fusion allele. *Leukemia* 21:1232-1238

Krauter J, Wagner K, Schafer I, **Marschalek R**, Meyer C, Heil G, Schaich M, Ehninger G, Niederwieser D, Krahl R, Buchner T, Sauerland C, Schlegelberger B, Dohner K, Dohner H, Schlenk RF, Ganser A (2009) Prognostic factors in adult patients up to 60 years old with acute myeloid

leukemia and translocations of chromosome band 11q23: Individual patient data-based meta-analysis of the German Acute Myeloid Leukemia Intergrup. *J Clin Oncol* 27:3000-3006

Kuipers JE, Coenen EA, Balgobind BV, Stary J, Baruchel A, de Haas V, de Bont E, Reinhardt D, Kaspers GJL, Cloos J, Danen-van Oorschot AA, den Boer ML, **Marschalek R**, Meyer C, Pieters R, Zwaan CM, van den Heuvel-Eibrink MM (2011) High IGSF4 expression in pediatric M5 acute myeloid leukemia with t(9;11)(p22;q23). *Blood* 117:928-935

Kuster L, Grausenburger R, Fuka G, Kaindl U, Krapf G, Inthal A, Mann G, Kauer M, Rainer J, Kofler R, Hall A, Metzler M, Meyer LH, Meyer C, Harbott J, **Marschalek R**, Strehl S, Haas OA, Panzer-Grumayer R (2011) ETV6/RUNX1-positive relapses evolve from an ancestral clone and frequently acquire deletions of genes implicated in glucocorticoid signaling. *Blood* 117:2658-2667

Lee SG, Park TS, Won SC, Song J, Lee KA, Choi JR, **Marschalek R**, Meyer C (2010) Three-way translocation involving MLL, MLLT1, and a novel third partner, NRXN1, in a patient with acute lymphoblastic leukemia and t(2;19;11) (p12;p13.3;q23). *Cancer Genet Cytogen* 197:32-8

**Marschalek R** (2008) Etoposide-treatment and MLL rearrangements. *Eur J Haematol* 81:481-482

**Marschalek R** (2010) Mixed lineage leukemia: roles in human malignancies and potential therapy. *FEBS J* 277:1822-1831

**Marschalek R** (2011) Mechanisms of leukemogenesis by MLL fusion proteins. *Brit J Haematol* 152:141-154

Metzler M, Staeger MS, Harder L, Mendelova D, Zuna J, Fronkova E, Meyer C, Flohr T, Bednarova D, Harbott J, Langer T, Gesk S, Trka J, Siebert R, Dingermann T, **Marschalek R**, Niemeyer C, Rascher W (2008) Inv(11)(q21q23) fuses MLL to the Notch co-activator mastermind-like 2 in secondary T-cell acute lymphoblastic leukemia. *Leukemia* 22:1807-1811

Meyer C, Brieger A, Plotz G, Weber N, Passmann S, Dingermann T, Zeuzem S, Trojan J, **Marschalek R** (2009) An interstitial deletion at 3p21.3 results in the genetic fusion of MLH1 and ITGA9 in a lynch syndrome family. *Clin Cancer Res* 15:762-769

Meyer C, Burmeister T, Strehl S, Schneider B, Hubert D, Zach O, Haas O, Klingebiel T, Dingermann T, **Marschalek R** (2007) Spliced MLL fusions: a novel mechanism to generate functional chimeric MLL-MLLT1 transcripts in t(11;19)(23; p13.3) leukemia. *Leukemia* 21:588-590

Meyer C, Kowarz E, Hofmann J, Renneville A, Zuna J, Trka J, Ben Abdelali R, Macintyre E, De Braekeleer E, De Braekeleer M, Delabesse E, de Oliveira MP, Cave H, Clappier E, van Dongen JJM, Balgobind BV, van den Heuvel-Eibrink MM, Beverloo HB, Panzer-Grumayer R, Teigler-Schlegel A, Harbott J, Kjeldsen E, Schnittger S, Koehl U, Gruhn B, Heidenreich O, Chan LC, Yip SF, Krzywinski M, Eckert C, Moricke A, Schrappe M, Alonso CN, Schafer BW, Krauter J, Lee DA, zur Stadt U, Te Kronnie G, Sutton R, Izraeli S, Trakhtenbrot L, Lo Nigro L, Tsaur G, Fechina L, Szczepanski T, Strehl S, Ilencikova D, Molkentin M, Burmeister T, Dingermann T, Klingebiel T, **Marschalek R** (2009) New insights to the MLL recombinome of acute leukemias. *Leukemia* 23:1490-1499

Meyer C, Kowarz E, Schneider B, Oehm C, Klingebiel T, Dingermann T, **Marschalek R** (2006) Genomic DNA of leukemic patients: Target for clinical diagnosis of MLL rearrangements. *Biotechnol J* 1:656-663

Meyer C, Schneider B, Jakob S, Strehl S, Attarbaschi A, Schnittger S, Schoch C, Jansen M, Dongen JJM, Boer ML, Pieters R, Ennas MG, Angelucci E, Koehl U, Greil J, Griesinger F, zur Stadt U, Eckert C, Szczepanski T, Niggli FK, Schäfer BW, Kempfski H, Brady HJM, Zuna J, Trka J, Nigro LL, Biondi A, Delabesse E, Macintyre E, Stanulla M, Schrappe M, Haas OA, Burmeister T, Dingermann T, Klingebiel T, **Marschalek R** (2006) The MLL recombinome of acute leukemias. *Leukemia* 20:777-784

Mohl A, **Marschalek R**, Masszi T, Nagy E, Obser T, Oyen F, Sallai K, Bodo I, Schneppenheim R (2008) An Alu-mediated novel large deletion is the most frequent cause of type 3 von Willebrand disease in Hungary. *J Thromb Haemost* 6:1729-1735

- Park TS, Lee SG, Song J, Lee KA, Kim J, Choi JR, Lee ST, **Marschalek R**, Meyer C (2009) CASP8AP2 is a novel partner gene of MLL rearrangement with t(6;11)(q15;q23) in acute myeloid leukemia. *Cancer Genet Cytogen* 195:94-95
- Pless B, Oehm C, Knauer S, Stauber RH, Dingermann T, **Marschalek R** (2011) The heterodimerization domains of MLL-FYRN and FYRC-are potential target structures in t(4;11) leukemia. *Leukemia* 25:663-670
- Röhrs S, Dirks WG, Meyer C, **Marschalek R**, Scherr M, Slany R, Wallace A, Drexler HG, Quentmeier H (2009) Hypomethylation and expression of BEX2, IGSF4 and TIMP3 indicative of MLL translocations in Acute Myeloid Leukemia. *Mol Cancer* 8:11
- Roth L, **Marschalek R**, Oldenburg J, Oyen F, Schneppenheim R (2011) Characterisation of two novel large F8 deletions in patients with severe haemophilia A and factor VIII inhibitors. *Thromb Haemost* 105:279-284
- Scharf S, Zech J, Bursen A, Schraets D, Oliver PL, Kliem S, Pfitzner E, Gillert E, Dingermann T, **Marschalek R** (2007) Transcription linked to recombination: a gene-internal promoter coincides with the recombination hot spot II of the human MLL gene. *Oncogene* 26:1361-1371
- Schneppenheim R, Castaman G, Federici A, Kreuz W, **Marschalek R**, Oldenburg J, Oyen F, Budde U (2007) A common 253-kb deletion involving VWF and TMEM16B in German and Italian patients with severe von Willebrand disease type 3. *J Thromb Haemost* 5:722-728
- Soler G, Radford I, Meyer C, **Marschalek R**, Brouzes C, Ghez D, Romana S, Berger R (2008) MLL insertion with MLL-MLL3 gene fusion in acute leukemia: case report and review of the literature. *Cancer Genet Cytogen* 183:53-59
- Strehl S, König M, Meyer C, Schneider B, Harbott J, Jäger U, von Bergh ARM, Loncarevic IF, Jarosova M, Schmidt HH, Moore SDP, **Marschalek R**, Haas OA (2006) Molecular dissection of t(11;17) in acute myeloid leukemia reveals a variety of gene fusions with heterogeneous fusion transcripts and multiple splice variants. *Gene Chromosome Canc* 45:1041-1049
- Trentin L, Giordan M, Dingermann T, Basso G, te Kronnie G, **Marschalek R** (2009) Two independent gene signatures in pediatric t(4;11) acute lymphoblastic leukemia patients. *Eur J Haematol* 83:406-419
- Van der Velden VHJ, Corral L, Valsecchi MG, Jansen MWJC, De Lorenzo P, Cazzaniga G, Panzer-Grumayer ER, Schrappe M, Schrauder A, Meyer C, **Marschalek R**, Nigro LL, Metzler M, Basso G, Mann G, Den Boer ML, Biondi A, Pieters R, Van Dongen JJM (2009) Prognostic significance of minimal residual disease in infants with acute lymphoblastic leukemia treated within the Interfant-99 protocol. *Leukemia* 23:1073-1079
- Zaliova M, Meyer C, Cario G, Vaskova M, **Marschalek R**, Stary J, Zuna J, Trka J (2011) TEL/AML1-Positive patients lacking TEL exon 5 resemble canonical TEL/AML1 cases. *Pediatr Blood Cancer* 56:217-225
- Zuna J, Burjanivova T, Mejstrikova E, Zemanova Z, Muzikova K, Meyer C, Horsley SW, Kearney L, Colman S, Ptoszkova H, **Marschalek R**, Hrusak O, Stary J, Greaves M, Trka J (2009) Covert preleukemia driven by MLL gene fusion. *Gene Chromosome Canc* 48:98-107
- Zuna J, Cave H, Eckert C, Szczepanski T, Meyer C, Mejstrikova E, Fronkova E, Muzikova K, Clappier E, Mendelova D, Boutard P, Schrauder A, Sterba J, **Marschalek R**, van Dongen JJM, Hrusak O, Stary J, Trka J (2007) Childhood secondary ALL after ALL treatment. *Leukemia* 21:1431-1435
- Zuna J, Zaliova M, Muzikova K, Meyer C, Lizcova L, Zemanova Z, Brezinova J, Votava F, **Marschalek R**, Stary J, Trka J (2010) Acute leukemias with ETV6/ABL1 (TEL/ABL) fusion: poor prognosis and prenatal origin. *Gene Chromosome Canc* 49:873-884